

Price list 2013



CONTENT

Overview

GENERAL INFORMATION

Surface finishes	6
Delivery Terms	7
General Information	8

COLLECTIONS

CLASSICA Collection

[Basic glazing]	
basic glass	9 - 11
stylish lines	12

VERTIKA Collection

[Screen-printing]	
stylish lines	13-14

HORIZON Collection

[Screen-printing]	
stylish lines	15

INTERSECT Collection

[Screen-printing]	
stylish lines	16

SENSITA Collection

[Sandblasting]	
stylish lines	17 - 21
shapely perfection	22 - 28
rich contrast	29

KERAMIKA Collection

[Screen-printing]	
stylish lines	30 - 32
shapely perfection	33 - 34

LINEA Collection

[Stainless steel applications]	
stylish lines	35

CONTURA Collection

[Fluting]	
stylish lines	36 - 40
shapely perfection	41 - 43

EYE Collection

[Screen-printing]	
shapely perfection	44

SECTOR Collection

[Sandblasting]	
shapely perfection	45

MARKANTA Collection

[Frosted glass]	
shapely perfection	46

FUTURA Collection

[Glass applications]	
shapely perfection	47 - 48

BLACK Collection

[Laminated glass]	
true color	49

INTERMEZZO Collection

[Laminated glass]	
true color	50 - 52
rich contrast	53 - 54

PERUSAL Collection

[Reflective coating]	
rich contrast	55 - 56

VISTA Collection

[Stainless steel applications]	
rich contrast	57 - 58

TELIO Collection

[Fabric insert]	
rich contrast	59 - 60

CRASH Collection

[Crash glass insert]	
rich contrast	61

Glass panels	62
--------------	----

Color screen-printing	63
-----------------------	----

Glass sets for UNIVERSAL toughened glass assemblies	64 - 65
---	---------

Frames	66 - 67
--------	---------

PIVOTING DOOR SYSTEMS

COMPLETE SETS

Studio Rondo	68 - 70
Studio Classic	71 - 73
Studio Gala	74 - 76
ARCOS Studio	77 - 79
MEDIO	80 - 81
BEYOND	82 - 83
MANET	84 - 87

Automatic door assistant PORTEO	88 - 89
------------------------------------	---------

ACCESSORIES

Custom latch for 10 mm glass thickness	90
Frame pockets	90
Push-on sleeves	90
Frame pivots for Studio hinges	90
Frame pivots for Office hinges	91
Thumbturn cylinder	92
Door bolt	92
Door catch	92
Door holder	92

Mix and match options for glass and fitting	161 - 162
--	-----------

SLIDING PARTITION WALLS MSTS 5000 Vario	163 - 164
--	-----------

TOUGHENED GLASS ASSEMBLIES

Universal fittings	165 - 167
--------------------	-----------

LEVERS AND HANDLEBARS

Lever handle sets	168 - 173
Pull handles	174 - 176
Recessed pull grip	176 - 177

SLIDING DOOR FITTINGS

COMPLETE SETS

AGILE 50	93 - 100
AGILE 150	101 - 116
AGILE 150 DORMOTION	117 - 128
RS 120	129 - 136
CS 80 MAGNEO	137 - 144
MANET COMPACT	145 - 152
RSP 80	153 - 156

Mix and match options locks and lever handles	178 - 179
--	-----------

Color samples	180 - 181
---------------	-----------

Exhibition	182 - 183
------------	-----------

Desk samples	184
--------------	-----

DIMENSIONAL DRAWINGS

Dimensional drawing	185
Drill pattern A	186
Drill pattern B	187
Drill pattern C	188
Drill pattern D	189

DOUBLE-ACTION DOOR FITTINGS

COMPLETE SETS

TENSOR	157 - 160
--------	-----------

ORDER FORMS

Pivoting doors	190
Sliding doors	191
MSTS 5000 Vario	192
Abbreviations	193

FINISH CODES

The finish codes provide information about the materials, colors and finishes available from DORMA-Glas. They can be different for the various product groups, therefore only the finishes indicated on the respective pages of the price list are available.

Please contact us if required finish is not shown there. We will endeavor to help you.

Where possible we have added additional references to our finish codes.

The colors of our powder coated fittings are almost identical to the HEWI colors.

An exception is the color Alu 300 (traffic white) similar to HEWI 99 RAL 9016.

Furthermore we can offer three finish sample sets in basic materials aluminum, brass and stainless steel.

Finish sample sets	Art. No.
Alu anodized / color coated	810.902.000.99
Brass polished chromed	
Brass polished varnished	
Brass polished	
Brass sim. Satin stainless steel	
Brass velour chromed	
Brass	810.903.000.99
Brass satin chromed (500),	
Brass polished chromed (501),	
Brass polished varnished (502)	
Satin stainless steel	810.904.000.99
Satin stainless steel (700)	
Polished stainless steel (701)	

¹⁾ **Possible RAL special colors are possible as follows:**

yellow (1004, 1015, 1021), red (3000, 3020), blue (5002, 5011, 5013), green (6029), gray (7016, 7924, 7035, 7037, 7047), brown (8019, 8022), silver (9006, 9007), white (9010), black (9005), DB (702, 703).

²⁾ **Possible special anodized finishes:**

z. B. C 32/33; further special anodized finishes on request.
Further special colors / special anodized finishes on request.
Finish differences through production cannot be totally excluded.

FINISHES

Different material	DORMA-Glas No.
Base parts	000

Coated colors	DORMA-Glas No.	similar HEWI-No.	similar RAL
Traffic white	300	99	9016
Spec. coated color SF ¹⁾	399		

Aluminum	DORMA-Glas No.	similar Eloxal I	similar Eloxal II
Alu mill finish	100		
Alu silver EV 1	101	EV 1	C 0
Alu champagne	102	EV 2	
Alu silver brilliant	103		
Alu brass-colored EV 3	105	EV 3	
Alu brass brilliant	106		
Alu sim. s. s. s.	107		
Alu dark bronze DB 14	108	DB 14/MC 1003	C 34
C 31	113		C 31
(for profile material)			
Alu EV1-Deco	114		
Alu polished chromed*	122		
Alu nickel plated – satin			
stainless steel look	126		
Alu nickel plated –			
pol. stainless steel look	127		
Alu Special anodized			
SE ²⁾	199		

* not available as special anodized finish

Brass	DORMA-Glas No.
Brass satin chromed	500
Brass polished chromed	501
Brass polished varnished	502
Brass polished	503
Brass sim. s. s. s.	507
Brass velour chromed	513

Satin stainless steel	DORMA-Glas No.
Satin stainless steel	700
Polished stainless steel	701

Plastic	DORMA-Glas No.
Plastic polished chromed	801
Plastic black	803
Plastic white	805
Plastic EV 1	807
Plastic sim. to s. s. s.	808

The pictograms and images in this price list are intended for guidance only.

They are not shown true to scale and do not depict the exact design of the products.

Subject to change without notice.

DELIVERY PERIODS

The delivery periods pertaining to our products depend on the system-related preparation times and the transit times relevant to the destination concerned. Within 24 hours following order receipt, you will receive from us a corresponding confirmation of order receipt or, in the case of standard product orders, a normal order confirmation. The standard times given in this price list are for guidance only.

The precise order-specific delivery periods are shown in the order confirmation, which will be sent to you once all the details of the order have been clarified. The cited dates will take into account not only the time necessary for transportation/shipment but also any specific requirements previously agreed such as consignment group, page, collective delivery and designated departure dates.

PREPARATION TIMES

This is defined as the number of days from the date of order confirmation until the products are ready for dispatch at the factory in Bad Salzfluhen. The likely preparation times are indicated by the color coding of the price backgrounds. The time data given in days are further coded by geometric shape for the different product groups. These shapes and colors can also be found at the top of the individual price list pages. They relate to order quantities per item of max.

25 pieces for individual fittings/sets
120 m for profiles

The preparation times for larger quantities and projects, customised solutions and modifications may differ. We will be glad to inform you on request of the delivery times that then apply. Subsequent order changes will result in the preparation and delivery times being recalculated and reconfirmed.

Preparation time in days

2 5 10 15 20 25

*** Please order our current brochure "Stock range for a short time of delivery". You will receive the glass door within 2 days preparation times.**

The pictographs in this price list have been included for guidance only. They are not true to scale and do not constitute a binding description of the exact application of the products!

Subject to change without notice. Gross prices exclusive freight and packing!

Our General Terms of Business are available at www.provitris.com

TRANSIT TIMES

This is defined as the number of days it takes to transport the items door-to-door from Bad Salzfluhen to the delivery address. Some transit times to various countries of destination are indicated in the table below. Please note that the number of days indicated is subject to variations arising from designated departure days. We will gladly quote transit times for countries not listed.

Country (delivery destination)	Departure days (from Rietberg)	Transit time up to (working days)
Austria	daily	3
Belgium	daily	2
Bosnia	Thursday	8
Bulgaria	Thursday	6
Croatia	Tuesday + Friday	4
Czech Republic	daily	4
Denmark	Tuesday, Wednesday, Friday	3
Estonia	Tuesday + Thursday	5
Finland	Tuesday + Friday	6
France	daily	4
Germany	daily	2
Great Britain	Tuesday + Friday	6
Greece	Thursday	5
Hungary	Tuesday, Wednesday, Friday	4
Ireland	Tuesday + Friday	5
Italy	Tuesday + Friday	3
Latvia	Tuesday + Friday	6
Lithuania	Tuesday + Friday	5
Luxembourg	daily	2
Netherlands	daily	2
Norway	Tuesday + Friday	5
Poland	Tuesday + Friday	4
Portugal	Thursday	5
Romania	Friday	6
Serbia	Tuesday + Friday	4
Slovakia	Tuesday + Friday	4
Slowenia	Tuesday + Friday	3
Spain	Tuesday + Friday	4
Sweden	Tuesday + Friday	5
Switzerland	Tuesday, Wednesday, Friday	3
Turkey	Thursday	7

TECHNICAL INFORMATION

With regard to the use of toughened safety glass (TSG), nickel sulfide inclusions caused by the production process can result in spontaneous breakages that are not covered by the product warranty. Further information about toughened safety glass can be provided on request. Comprehensive technical information is also available on the DORMA website at www.dorma.com.

HEAT-SOAK TEST

To test for nickel sulfide inclusions, TSG panes are subjected to a heat-soak test at approx. 290°C.

If inclusions are present, the panes will fail. For the remaining panes, there is only a very slight risk of spontaneous breakage. Carrying out a heat-soak test of this kind is recommended in order to prevent spontaneous breakage.

A heat-soak test cannot be carried out on glass panels with sandblasting or fluting.

DOUBLE-LEAF DOORS

The prices stated refer to double-leaf doors with door leaves of the same size. The prices for the active leaf and the inactive leaf are calculated based on their different sizes. Custom glass doors must be ordered for a double-leaf standard frame for swing doors.

CUSTOM SOLUTIONS

The prices for custom dimensions 1 to 5 apply to glass doors with custom drilled holes or edge cutouts intended for use as double-action doors. On request, we are pleased to supply semicircular and segmental arches in the glass doors as well as doors with dimensions larger than the maximum dimensions stated here. Semicircular and segmental arches are produced using a template on a scale of 1:1 supplied by the customer.

On request, we are pleased to supply shower enclosures with inclined edges or corner cutouts as well as glass with dimensions that deviate from the custom dimensions for showers stated here.

GENERAL INFORMATION

The images in this price list are intended for guidance only. They are not shown true to scale and do not depict the exact design of the products. Subject to change without notice. Deliveries are made and agreements are concluded solely on the basis of the General Terms and Conditions of Business of the DORMA Group companies (version last updated on April 1, 2008), which may be inspected at our company headquarters or online at <http://www.mame.de/Impressum/Sonstige-Infos/Allgemeine-Geschäftsbedingungen/index.html>. Alternatively, we would be pleased to send you a copy without charge on request.

Dimensions TSG	Net price	additionally VAT
Standard size 1	30.00 €	
Standard size 2	40.00 €	
Custom size 1	34.00 €	
Custom size 2	42.00 €	
Custom size 3	40.00 €	
Custom size 4	48.00 €	
Custom size 5	on request	
* The preparation times are delayed by 5 working days.		

CLEAR SHIELD

We would be pleased to provide this additional coating for shower doors on request.

LEGEND ICONS



Double-action doors



Sliding door systems




Pivoting door systems



Suitable for wet rooms



Stock range*



**CLASSICA crystal clear****Glass**


TSG crystal clear

Technical information

Float glass,
heat-strengthened.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		■ 140.00	■ 227.00	■ 529.00	■ 239.00	■ 379.00
Standard size 2 709 / 834 / 959 x 2,097		■ 151.00	■ 237.00	■ 554.00	■ 256.00	■ 399.00
Custom size 1 max. 1,000 x max. 2,100		■ 199.00	■ 338.00	■ 590.00	■ 327.00	■ 537.00
Custom size 2 max. 1,200 x max. 2,200		■ 226.00	■ 397.00	■ 657.00	■ 389.00	■ 652.00
Custom size 3 max. 1,000 x max. 2,500			■ 365.00	■ 631.00		■ 604.00
Custom size 4 max. 1,200 x max. 2,500			■ 430.00	■ 735.00		■ 722.00
Custom size 5 from 1,200 x from 2,500			■ on request	■ on request		■ on request
Custom size 1 Showers max. 500 x max. 2,100		■ 200.00			■ 258.00	
Custom size 2 Showers max. 1,000 x max. 2,100	■ 242.00	■ 270.00			■ 387.00	

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165



Preparation time in days

2	5	10	15	20	25
---	---	----	----	----	----




























**CLASSICA matt-finish screen-printing****Glass**

TSG crystal clear,
screen-printing in one color

Technical information

Vitrifiable pigment is applied to the float glass using a screen-printing process and fused with the glass at high temperature. Heat-strengthened.

Custom colors similar to RAL color codes, please see page 63

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm				
Standard size 1 709 / 834 / 959 x 1,972		333.00		419.00		692.00		432.00		571.00
Standard size 2 709 / 834 / 959 x 2,097		350.00		437.00		728.00		455.00		599.00
Custom size 1 max. 1,000 x max. 2,100		451.00		592.00		754.00		579.00		791.00
Custom size 2 max. 1,200 x max. 2,200		549.00		774.00		859.00		712.00		1029.00
Custom size 3 max. 1,000 x max. 2,500				688.00		823.00				927.00
Custom size 4 max. 1,200 x max. 2,500				861.00		966.00				1153.00
Custom size 5 from 1,200 x from 2,500				on request		on request				on request
Custom size 1 Showers max. 500 x max. 2,100			382.00					446.00		
Custom size 2 Showers max. 1,000 x max. 2,100		429.00		459.00				586.00		

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165

Preparation time in days

2 5 10 15 20 25



**CLASSICA Satinato****Glass**

TSG Satinato

Technical information

Full-area obscured

float glass.

Heat-strengthened.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		■ 275.00	■ 362.00		■ 374.00	■ 514.00
Standard size 2 709 / 834 / 959 x 2,097		■ 314.00	■ 400.00		■ 419.00	■ 562.00
Custom size 1 max. 1,000 x max. 2,100		■ 402.00	■ 542.00		■ 530.00	■ 741.00
Custom size 2 max. 1,200 x max. 2,200		■ 425.00	■ 609.00		■ 588.00	■ 864.00
Custom size 3 max. 1,000 x max. 2,500			■ 566.00			■ 805.00
Custom size 4 max. 1,200 x max. 2,500			■ 674.00			■ 966.00
Custom size 5 from 1,200 x from 2,500			■ on request			■ on request
Custom size 1 Showers max. 500 x max. 2,100		■ 277.00			■ 411.00	
Custom size 2 Showers max. 1,000 x max. 2,100	■ on request	■ 425.00			■ 649.00	

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.

Mix and match options with the relevant fittings can be found on pages 164/165



Preparation time in days

2	5	10	15	20	25
---	---	----	----	----	----

**CLASSICA Mastercarré****Glass**

TSG SR Mastercarré

Technical information


A motif is engraved onto the glass using a roller, resulting in a textured surface on one side.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		■ 256.00	■ 483.00			
Standard size 2 709 / 834 / 959 x 2,097		■ 272.00	■ 537.00			
Custom size 1 max. 1,000 x max. 2,100		■ 350.00	■ 688.00			
Custom size 2 max. 1,200 x max. 2,200		■ 415.00	■ 796.00			
Custom size 3 max. 1,000 x max. 2,500			■ 753.00			
Custom size 4 max. 1,200 x max. 2,500			■ 893.00			
Custom size 5 from 1,200 x from 2,500			■ on request			
Custom size 1 Showers max. 500 x max. 2,100		■ 356.00				
Custom size 2 Showers max. 1,000 x max. 2,100	■ 428.00	■ 475.00				

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165

Preparation time in days

2 5 10 15 20 25





































**VERTIKA 44****Glass**

TSG crystal clear,
screen-printing in one color,
continues on hinge and lock
side, narrow vertical stripes


Technical information

The width of the matt-finish
areas at the sides cannot be
modified.

Custom colors similar to RAL
color codes, please see page 63

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		 570.00	 656.00	 966.00	 669.00	 808.00
Standard size 2 709 / 834 / 959 x 2,097		 596.00	 682.00	 994.00	 701.00	 844.00
Custom size 1 max. 1,000 x max. 2,100		 667.00	 807.00	 1093.00	 795.00	 1006.00
Custom size 2 max. 1,200 x max. 2,200		 742.00	 964.00	 1162.00	 905.00	 1203.00
Custom size 3 max. 1,000 x max. 2,500			 833.00	 1133.00		 1138.00
Custom size 4 max. 1,200 x max. 2,500			 1044.00	 1251.00		 1336.00
Custom size 5 from 1,200 x from 2,500			 on request	 on request		 on request
Custom size 1 Showers max. 500 x max. 2,100		 587.00			 663.00	
Custom size 2 Showers max. 1,000 x max. 2,100	 643.00	 679.00			 832.00	

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165



Preparation time in days

2	5	10	15	20	25
---	---	----	----	----	----


VERTIKA 66
Glass

TSG crystal clear, screen-printing in one color, continues on hinge and lock side, partial-area narrow vertical stripes

Technical information



































The width of the matt-finish areas at the sides cannot be modified.
Custom colors similar to RAL color codes, please see page 63


VERTIKA 77
Glass

TSG crystal clear, screen-printing in one color or sandblasting, continues on hinge and lock side, clear central area

Technical information


The width of the matt-finish areas at the sides cannot be modified.
Custom colors similar to RAL color codes, please see page 63

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm				
Standard size 1 709 / 834 / 959 x 1,972		409.00		495.00		866.00		508.00		647.00
Standard size 2 709 / 834 / 959 x 2,097		435.00		521.00		894.00		541.00		684.00
Custom size 1 max. 1,000 x max. 2,100		505.00		646.00		993.00		633.00		845.00
Custom size 2 max. 1,200 x max. 2,200		634.00		856.00		1062.00		797.00		1111.00
Custom size 3 max. 1,000 x max. 2,500				774.00		1033.00				1013.00
Custom size 4 max. 1,200 x max. 2,500				937.00		1151.00				1229.00
Custom size 5 from 1,200 x from 2,500				on request		on request				on request
Custom size 1 Showers max. 500 x max. 2,100			450.00					509.00		
Custom size 2 Showers max. 1,000 x max. 2,100		493.00		521.00				638.00		

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165

Preparation time in days

2 5 10 15 20 25



**HORIZON 28****Glass**

TSG crystal clear, screen-printing in one color or sandblasting, central

Technical information

Regardless of the door leaf height, the motif is always the same distance from the top door edge. The hinge reference dimension as measured from the top of the door complies with the standard for standard glass doors and cannot be modified. Height modifications can only be made at the bottom edge.

Custom colors similar to RAL color codes, please see page 63

**HORIZON 30****Glass**

TSG crystal clear, screen-printing in one color, central, in horizontal block stripes

Technical information

Regardless of the door leaf height, the motif is always the same distance from the top door edge. The hinge reference dimension as measured from the top of the door complies with the standard for standard glass doors and cannot be modified. Height modifications can only be made at the bottom edge.

Custom colors similar to RAL color codes, please see page 63

**HORIZON 82****Glass**

TSG crystal clear, screen-printing in one color, central, in narrow horizontal lines

Technical information

Regardless of the door leaf height, the motif is always the same distance from the top door edge. The hinge reference dimension as measured from the top of the door complies with the standard for standard glass doors and cannot be modified. Height modifications can only be made at the bottom edge.

Custom colors similar to RAL color codes, please see page 63

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		376.00	463.00	768.00	475.00	615.00
Standard size 2 709 / 834 / 959 x 2,097		402.00	489.00	894.00	507.00	651.00
Custom size 1 max. 1,000 x max. 2,100		473.00	613.00	993.00	601.00	812.00
Custom size 2 max. 1,200 x max. 2,200		581.00	802.00	1062.00	744.00	1057.00
Custom size 3 max. 1,000 x max. 2,500			720.00	1033.00		959.00
Custom size 4 max. 1,200 x max. 2,500			883.00	1151.00		1175.00
Custom size 5 from 1,200 x from 2,500			on request	on request		on request
Custom size 1 Showers max. 500 x max. 2,100		421.00			491.00	
Custom size 2 Showers max. 1,000 x max. 2,100	471.00	505.00			645.00	

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165



Preparation time in days

2	5	10	15	20	25
---	---	----	----	----	----

**INTERSECT 14****Glass**

TSG crystal clear, screen-printing in one color, with a recess at hinge level, in horizontal block stripes

Technical information

Regardless of the door leaf height and width, the motif is always the same distance from the top edge and the lock side. The hinge reference dimension as measured from the top of the door complies with the standard for standard glass doors.

Height modifications can only be made at the bottom edge. Custom colors similar to RAL color codes, please see page 63

**INTERSECT 61****Glass**

TSG crystal clear, screen-printing in one color, with a recess at hinge level, in narrow horizontal lines

Technical information

Regardless of the door leaf height and width, the motif is always the same distance from the top edge and the lock side. The hinge reference dimension as measured from the top of the door complies with the standard for standard glass doors.


Height modifications can only be made at the bottom edge. Custom colors similar to RAL color codes, please see page 63

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		376.00	463.00	769.00	475.00	615.00
Standard size 2 709 / 834 / 959 x 2,097		402.00	489.00	894.00	507.00	651.00
Custom size 1 max. 1,000 x max. 2,100		473.00	613.00	993.00	601.00	812.00
Custom size 2 max. 1,200 x max. 2,200		581.00	802.00	1062.00	744.00	1057.00
Custom size 3 max. 1,000 x max. 2,500			720.00	1033.00		959.00
Custom size 4 max. 1,200 x max. 2,500			883.00	1151.00		1175.00
Custom size 5 from 1,200 x from 2,500			on request	on request		on request
Custom size 1 Showers max. 500 x max. 2,100		421.00			491.00	
Custom size 2 Showers max. 1,000 x max. 2,100	471.00	505.00			645.00	

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165

Preparation time in days

2 5 10 15 20 25



























SENSITA 8

Glass


TSG crystal clear,
sandblasting on one side

Technical information

Regardless of the door leaf size,
the motif is always centered.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		 237.00	 323.00		 336.00	 475.00
Standard size 2 709 / 834 / 959 x 2,097		 255.00	 341.00		 360.00	 503.00
Custom size 1 max. 1,000 x max. 2,100		 322.00	 463.00		 450.00	 662.00
Custom size 2 max. 1,200 x max. 2,200		 397.00	 581.00		 560.00	 836.00
Custom size 3 max. 1,000 x max. 2,500			 537.00			 776.00
Custom size 4 max. 1,200 x max. 2,500			 688.00			 980.00
Custom size 5 from 1,200 x from 2,500			 on request			 on request
Custom size 1 Showers max. 500 x max. 2,100						
Custom size 2 Showers max. 1,000 x max. 2,100						

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165



Preparation time in days

2 5 10 15 20 25

**SENSITA 10****Glass**

TSG crystal clear, sandblasting on one side, premium surface finish

Technical information

The motif is always centered vertically and horizontally. The matt-finish area continues to the edge of the door.

**SENSITA 11****Glass**

TSG crystal clear, sandblasting on one side, premium surface finish

Technical information


The motif is always centered horizontally and vertically. The matt-finish area of the top and bottom block continues to the door edge.

**SENSITA 13****Glass**

TSG crystal clear, sandblasting on one side, premium surface finish

Technical information

The motif is always centered vertically and horizontally.

**SENSITA 100****Glass**

TSG crystal clear, gradated sandblasting on one side, premium surface finish

Technical information


The width of the outer matt-finish area and the gradated sandblasting are adjusted as required. The motif is always centered vertically.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		■ 322.00	■ 409.00		■ 421.00	■ 561.00
Standard size 2 709 / 834 / 959 x 2,097		■ 340.00	■ 425.00		■ 445.00	■ 587.00
Custom size 1 max. 1,000 x max. 2,100		■ 430.00	■ 570.00		■ 558.00	■ 769.00
Custom size 2 max. 1,200 x max. 2,200		■ 517.00	■ 739.00		■ 680.00	■ 994.00
Custom size 3 max. 1,000 x max. 2,500			■ 657.00			■ 896.00
Custom size 4 max. 1,200 x max. 2,500			■ 818.00			■ 1110.00
Custom size 5 from 1,200 x from 2,500			■ on request			■ on request
Custom size 1 Showers max. 500 x max. 2,100						
Custom size 2 Showers max. 1,000 x max. 2,100						

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5. Mix and match options with the relevant fittings can be found on pages 164/165

Preparation time in days

2 5 10 15 20 25




**SENSITA 101****Glass**

TSG crystal clear, gradated sandblasting on one side, premium surface finish

Technical information


The motif is always at the same height relative to the lock case. The gradated sandblasting is adjusted as required.

**SENSITA Straight****Glas**

TSG crystal clear, gradated sandblasting on one side, premium surface finish

Technical information

The motif continues horizontally.

**SENSITA Fine****Glas**


TSG crystal clear, gradated sandblasting on one side, premium surface finish

Technical information

The motif is always centered.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		■ 322.00	■ 409.00		■ 421.00	■ 561.00
Standard size 2 709 / 834 / 959 x 2,097		■ 340.00	■ 425.00		■ 445.00	■ 587.00
Custom size 1 max. 1,000 x max. 2,100		■ 430.00	■ 570.00		■ 558.00	■ 769.00
Custom size 2 max. 1,200 x max. 2,200		■ 517.00	■ 739.00		■ 680.00	■ 994.00
Custom size 3 max. 1,000 x max. 2,500			■ 657.00			■ 896.00
Custom size 4 max. 1,200 x max. 2,500			■ 818.00			■ 1110.00
Custom size 5 from 1,200 x from 2,500			■ on request			■ on request
Custom size 1 Showers max. 500 x max. 2,100						
Custom size 2 Showers max. 1,000 x max. 2,100						

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165



Preparation time in days

2	5	10	15	20	25
---	---	----	----	----	----

**SENSITA Shine****Glass**

TSG crystal clear,
gradated sandblasting
on one side,
premium surface finish

Technical information


The motiv continues vertically.

**SENSITA Pure****Glass**

TSG crystal clear,
gradated sandblasting
on one side,
premium surface finish

Technical information























The motiv continues vertically.

**SENSITA Solid****Glass**

TSG crystal clear,
gradated sandblasting
on one side,
premium surface finish

Technical information

The motiv continues vertically.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		322.00	 409.00		 421.00	 561.00
Standard size 2 709 / 834 / 959 x 2,097		340.00	 425.00		 445.00	 587.00
Custom size 1 max. 1,000 x max. 2,100		430.00	 570.00		 558.00	 769.00
Custom size 2 max. 1,200 x max. 2,200		517.00	 739.00		 680.00	 994.00
Custom size 3 max. 1,000 x max. 2,500			 657.00			 896.00
Custom size 4 max. 1,200 x max. 2,500			 818.00			 1110.00
Custom size 5 from 1,200 x from 2,500			 on request			 on request
Custom size 1 Showers max. 500 x max. 2,100						
Custom size 2 Showers max. 1,000 x max. 2,100						

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165

Preparation time in days

2 5 10 15 20 25





SENSITA Quattro 6

Glass


TSG crystal clear, sandblasting on both sides, premium surface finish

Technical information

The motif is always centered horizontally and vertically.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		430.00	517.00		529.00	669.00
Standard size 2 709 / 834 / 959 x 2,097		447.00	533.00		552.00	695.00
Custom size 1 max. 1,000 x max. 2,100		537.00	678.00		665.00	877.00
Custom size 2 max. 1,200 x max. 2,200		625.00	847.00		788.00	1102.00
Custom size 3 max. 1,000 x max. 2,500			765.00			1004.00
Custom size 4 max. 1,200 x max. 2,500			925.00			1217.00
Custom size 5 from 1,200 x from 2,500			on request			on request
Custom size 1 Showers max. 500 x max. 2,100						
Custom size 2 Showers max. 1,000 x max. 2,100						

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165



Preparation time in days

2	5	10	15	20	25
---	---	----	----	----	----

**SENSITA Helix 1****Glass**

TSG crystal clear, sandblasting on one side, clear motif, premium surface finish

Technical information

The motif is adjusted to the door leaf dimensions.

**SENSITA Helix 2****Glass**

TSG crystal clear, sandblasting on one side, matt finished motif, premium surface finish.

Technical information

The motif continues vertically and horizontally to the door edge.

**SENSITA Helix 3****Glass**

TSG crystal clear, sandblasting on one side, matt finished motif, premium surface finish.

Technical information

The motif is adjusted to the door leaf dimensions.

**SENSITA Stone 3****Glass**

TSG crystal clear, sandblasting on one side, matt finished motif, premium surface finish.

Technical information

The motif is adjusted to the door leaf dimensions.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		■ 322.00	■ 409.00		■ 421.00	■ 561.00
Standard size 2 709 / 834 / 959 x 2,097		■ 340.00	■ 425.00		■ 445.00	■ 587.00
Custom size 1 max. 1,000 x max. 2,100		■ 430.00	■ 570.00		■ 558.00	■ 769.00
Custom size 2 max. 1,200 x max. 2,200		■ 517.00	■ 739.00		■ 680.00	■ 994.00
Custom size 3 max. 1,000 x max. 2,500			■ 657.00			■ 896.00
Custom size 4 max. 1,200 x max. 2,500			■ 818.00			■ 1110.00
Custom size 5 from 1,200 x from 2,500			■ on request			■ on request
Custom size 1 Showers max. 500 x max. 2,100						
Custom size 2 Showers max. 1,000 x max. 2,100						

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165

Preparation time in days

2 5 10 15 20 25



**SENSITA Lily 1****Glass**

TSG crystal clear, sandblasting on one side, matt finished motif, premium surface finish.

Technical information

Once the motif width has been determined, the motif height is adjusted proportionally.

**SENSITA Lily 4****Glass**

TSG crystal clear, sandblasting on one side, clear motif, premium surface finish.

Technical information

Once the motif width has been determined, the motif height is adjusted proportionally.

**SENSITA Loom 1****Glass**

TSG crystal clear, sandblasting on one side, clear motif, premium surface finish.

Technical information

Once the motif width has been determined, the motif height is adjusted proportionally.

**SENSITA Loom 4****Glass**

TSG crystal clear, sandblasting on one side, clear motif, premium surface finish.

Technical information

Once the motif width has been determined, the motif height is adjusted proportionally.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		■ 322.00	■ 409.00		■ 421.00	■ 561.00
Standard size 2 709 / 834 / 959 x 2,097		■ 340.00	■ 425.00		■ 445.00	■ 587.00
Custom size 1 max. 1,000 x max. 2,100		■ 430.00	■ 570.00		■ 558.00	■ 769.00
Custom size 2 max. 1,200 x max. 2,200		■ 517.00	■ 739.00		■ 680.00	■ 994.00
Custom size 3 max. 1,000 x max. 2,500			■ 657.00			■ 896.00
Custom size 4 max. 1,200 x max. 2,500			■ 818.00			■ 1110.00
Custom size 5 from 1,200 x from 2,500			■ on request			■ on request
Custom size 1 Showers max. 500 x max. 2,100						
Custom size 2 Showers max. 1,000 x max. 2,100						

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165



Preparation time in days

2	5	10	15	20	25
---	---	----	----	----	----

**SENSITA Wave 1****Glass**

TSG crystal clear, sandblasting on one side, clear motif, premium surface finish

Technical information

The motif continues vertically and horizontally to the door edge.

**SENSITA Wave 2****Glass**

TSG crystal clear, sandblasting on one side, matt finished motif, premium surface finish.

Technical information

The motif continues vertically and horizontally to the door edge.

**SENSITA Sparkle 1****Glass**

TSG crystal clear, sandblasting on one side, clear motif, premium surface finish

Technical information

The motif always remains constant in size and position.

**SENSITA Sparkle 2****Glass**

TSG crystal clear, sandblasting on one side, matt finished motif, premium surface finish.

Technical information

The motif always remains constant in size and position.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		■ 322.00	■ 409.00		■ 421.00	■ 561.00
Standard size 2 709 / 834 / 959 x 2,097		■ 340.00	■ 425.00		■ 445.00	■ 587.00
Custom size 1 max. 1,000 x max. 2,100		■ 430.00	■ 570.00		■ 558.00	■ 769.00
Custom size 2 max. 1,200 x max. 2,200		■ 517.00	■ 739.00		■ 680.00	■ 994.00
Custom size 3 max. 1,000 x max. 2,500			■ 657.00			■ 896.00
Custom size 4 max. 1,200 x max. 2,500			■ 818.00			■ 1110.00
Custom size 5 from 1,200 x from 2,500			■ on request			■ on request
Custom size 1 Showers max. 500 x max. 2,100						
Custom size 2 Showers max. 1,000 x max. 2,100						

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165

Preparation time in days

2 5 10 15 20 25



**SENSITA Iota 1****Glass**

TSG crystal clear, sandblasting on one side, clear motif, premium surface finish

Technical information

The motif always remains constant in size and position.

**SENSITA Iota 2****Glass**

TSG crystal clear, sandblasting on one side, clear motif, premium surface finish

Technical information

The motif is adjusted to the door leaf dimensions.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		■ 322.00	■ 409.00		■ 421.00	■ 561.00
Standard size 2 709 / 834 / 959 x 2,097		■ 340.00	■ 425.00		■ 445.00	■ 587.00
Custom size 1 max. 1,000 x max. 2,100		■ 430.00	■ 570.00		■ 558.00	■ 769.00
Custom size 2 max. 1,200 x max. 2,200		■ 517.00	■ 739.00		■ 680.00	■ 994.00
Custom size 3 max. 1,000 x max. 2,500			■ 657.00			■ 896.00
Custom size 4 max. 1,200 x max. 2,500			■ 818.00			■ 1110.00
Custom size 5 from 1,200 x from 2,500			■ on request			■ on request
Custom size 1 Showers max. 500 x max. 2,100						
Custom size 2 Showers max. 1,000 x max. 2,100						

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165



Preparation time in days

2	5	10	15	20	25
---	---	----	----	----	----

**SENSITA 1****Glass**

TSG crystal clear, sandblasting on one side, premium surface finish.

Technical information

The motif is adjusted to the door leaf dimensions.

**SENSITA 2****Glass**

TSG crystal clear, sandblasting on one side, premium surface finish.

Technical information

Regardless of the door leaf height, the curve always ends in the corners on the lock side.

**SENSITA 3****Glass**

TSG crystal clear, sandblasting on one side, premium surface finish.

Technical information

The motif is adjusted to suit the door leaf height. The motif width is always the same at hinge level.

**SENSITA 25****Glass**

TSG crystal clear, sandblasting on one side, premium surface finish.

Technical information

The motif is adjusted to the door leaf dimensions.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		■ 322.00	■ 409.00		■ 421.00	■ 561.00
Standard size 2 709 / 834 / 959 x 2,097		■ 340.00	■ 425.00		■ 445.00	■ 587.00
Custom size 1 max. 1,000 x max. 2,100		■ 430.00	■ 570.00		■ 558.00	■ 769.00
Custom size 2 max. 1,200 x max. 2,200		■ 517.00	■ 739.00		■ 680.00	■ 994.00
Custom size 3 max. 1,000 x max. 2,500			■ 657.00			■ 896.00
Custom size 4 max. 1,200 x max. 2,500			■ 818.00			■ 1110.00
Custom size 5 from 1,200 x from 2,500			■ on request			■ on request
Custom size 1 Showers max. 500 x max. 2,100						
Custom size 2 Showers max. 1,000 x max. 2,100						

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165

Preparation time in days

2 5 10 15 20 25



**SENSITA 26****Glass**

TSG crystal clear, sandblasting on both sides, premium surface finish.

Technical information

The distance between the motif and the door edge is always the same on the hinge side.
The motif is adjusted vertically.

**SENSITA Flow 1****Glass**

TSG crystal clear, sandblasting on both sides, matt finished motif, premium surface finish.

Technical information

The motif continues vertically and horizontally to the door edge.

**SENSITA Flow 2****Glass**

TSG crystal clear, sandblasting on both sides, clear motif, premium surface finish.

Technical information

The motif continues vertically and horizontally to the door edge.

**SENSITA Flow 3****Glass**

TSG crystal clear, sandblasting on both sides, matt finished motif, premium surface finish.

Technical information

The motif is adjusted to the door leaf dimensions.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		■ 430.00	■ 517.00		■ 529.00	■ 669.00
Standard size 2 709 / 834 / 959 x 2,097		■ 447.00	■ 533.00		■ 552.00	■ 695.00
Custom size 1 max. 1,000 x max. 2,100		■ 537.00	■ 678.00		■ 665.00	■ 877.00
Custom size 2 max. 1,200 x max. 2,200		■ 625.00	■ 847.00		■ 788.00	■ 1102.00
Custom size 3 max. 1,000 x max. 2,500			■ 765.00			■ 1004.00
Custom size 4 max. 1,200 x max. 2,500			■ 925.00			■ 1217.00
Custom size 5 from 1,200 x from 2,500			■ on request			■ on request
Custom size 1 Showers max. 500 x max. 2,100						
Custom size 2 Showers max. 1,000 x max. 2,100						

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165



Prices in € excluding VAT.

Price list 2013 glass design 04/13

Preparation time in days

2 5 10 15 20 25

**SENSITA Stone 1****Glass**

TSG crystal clear,
sandblasting on both sides,
clear motif,
premium surface finish

Technical information

The motif continues vertically
and horizontally to the door
edge.

**SENSITA Stone 2****Glass**

TSG crystal clear,
sandblasting on both sides,
satin-finish motif,
premium surface finish

Technical information

The motif continues vertically
and horizontally to the door
edge.

**SENSITA Iota 3****Glass**

TSG crystal clear,
sandblasting on both sides,
satin-finish motif,
premium surface finish

Technische Hinweis


The motif is adjusted
to the door leaf dimensions.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		430.00	517.00		529.00	669.00
Standard size 2 709 / 834 / 959 x 2,097		447.00	533.00		552.00	695.00
Custom size 1 max. 1,000 x max. 2,100		537.00	678.00		665.00	877.00
Custom size 2 max. 1,200 x max. 2,200		625.00	847.00		788.00	1102.00
Custom size 3 max. 1,000 x max. 2,500			765.00			1004.00
Custom size 4 max. 1,200 x max. 2,500			925.00			1217.00
Custom size 5 from 1,200 x from 2,500			on request			on request
Custom size 1 Showers max. 500 x max. 2,100						
Custom size 2 Showers max. 1,000 x max. 2,100						

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165

Preparation time in days

2 5 10 15 20 25





SENSITA 99

Glass

TSG crystal clear,
sandblasting in own design
subject to technical approval,
premium surface finish
(image: sample design)

Technical information

After confirmation of technical feasibility, the motif is applied to the glass door to the customer's requirements based on a suitable template.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		■ 430.00	■ 517.00		■ 529.00	■ 669.00
Standard size 2 709 / 834 / 959 x 2,097		■ 447.00	■ 533.00		■ 552.00	■ 695.00
Custom size 1 max. 1,000 x max. 2,100		■ 537.00	■ 678.00		■ 665.00	■ 877.00
Custom size 2 max. 1,200 x max. 2,200		■ 625.00	■ 847.00		■ 788.00	■ 1102.00
Custom size 3 max. 1,000 x max. 2,500			■ 765.00			■ 1004.00
Custom size 4 max. 1,200 x max. 2,500			■ 925.00			■ 1217.00
Custom size 5 from 1,200 x from 2,500			■ on request			■ on request
Custom size 1 Showers max. 500 x max. 2,100						
Custom size 2 Showers max. 1,000 x max. 2,100						

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165



Preparation time in days

2	5	10	15	20	25
---	---	----	----	----	----

**KERAMIKA Quadrat 2****Glass**

TSG crystal clear, screen-printing in one color

Technical information

The motif continues to the door edge and is vertically and horizontally proportional. Custom colors similar to RAL color codes, please see page 63

**KERAMIKA Quadrat 4****Glass**

TSG crystal clear, screen-printing in one color

Technical information

The motif continues to the door edge and is vertically and horizontally proportional. Custom colors similar to RAL color codes, please see page 63

**KERAMIKA Line 4****Glass**

TSG crystal clear, screen-printing in one color

Technical information


Regardless of the door leaf size, the motif is always centered. Custom colors similar to RAL color codes, please see page 63

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		333.00	419.00	727.00	432.00	571.00
Standard size 2 709 / 834 / 959 x 2,097		350.00	437.00	766.00	455.00	599.00
Custom size 1 max. 1,000 x max. 2,100		451.00	592.00	862.00	579.00	791.00
Custom size 2 max. 1,200 x max. 2,200		549.00	774.00	982.00	712.00	1029.00
Custom size 3 max. 1,000 x max. 2,500			688.00	940.00		927.00
Custom size 4 max. 1,200 x max. 2,500			861.00	1104.00		1153.00
Custom size 5 from 1,200 x from 2,500			on request	on request		on request
Custom size 1 Showers max. 500 x max. 2,100		382.00			446.00	
Custom size 2 Showers max. 1,000 x max. 2,100	429.00	459.00			586.00	

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165

Preparation time in days

2 5 10 15 20 25



**KERAMIKA Office 14****Glass**

TSG crystal clear, screen-printing in one color

Technical information

The motif is always at the same height relative to the lock case. Custom colors similar to RAL color codes, please see page 63

**KERAMIKA Toscana 7****Glas**

TSG crystal clear, screen-printing in one color

Technical information

Regardless of the door leaf size, the motif is always centered. Custom colors similar to RAL color codes, please see page 63

**KERAMIKA Office 16****Glass**

TSG crystal clear, screen-printing in one color

Technical information

The motif is always at the same height relative to the lock case and continues to the door edge on the hinge side. Custom colors similar to RAL color codes, please see page 63

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		333.00	419.00	727.00	432.00	571.00
Standard size 2 709 / 834 / 959 x 2,097		350.00	437.00	766.00	455.00	599.00
Custom size 1 max. 1,000 x max. 2,100		451.00	592.00	862.00	579.00	791.00
Custom size 2 max. 1,200 x max. 2,200		549.00	774.00	982.00	712.00	1029.00
Custom size 3 max. 1,000 x max. 2,500			688.00	940.00		927.00
Custom size 4 max. 1,200 x max. 2,500			861.00	1104.00		1153.00
Custom size 5 from 1,200 x from 2,500			on request	on request		on request
Custom size 1 Showers max. 500 x max. 2,100		382.00			446.00	
Custom size 2 Showers max. 1,000 x max. 2,100	429.00	459.00			586.00	

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165



Preparation time in days

2	5	10	15	20	25
---	---	----	----	----	----

**KERAMIKA Office 15/30****Glass**

TSG crystal clear,
screenprinting in one color,
motif four 30 mm stripes, clear

Technical information

Regardless of the door leaf size,
the motif is always centered.
Custom colors similar to RAL
color codes, please see page 63

**KERAMIKA Office 15/25****Glass**

TSG crystal clear,
screenprinting in one color,
motif four 25 mm stripes, clear
(formerly Frequenz)

Technical information

Regardless of the door leaf size,
the motif is always centered.
Custom colors similar to RAL
color codes, please see page 63

**KERAMIKA Office 15/10****Glass**

TSG crystal clear,
screenprinting in one color,
motif four 10 mm stripes, clear

Technical information


Regardless of the door leaf size,
the motif is always centered.
Custom colors similar to RAL
color codes, please see page 63

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		333.00	419.00	727.00	432.00	571.00
Standard size 2 709 / 834 / 959 x 2,097		350.00	437.00	766.00	455.00	599.00
Custom size 1 max. 1,000 x max. 2,100		451.00	592.00	862.00	579.00	791.00
Custom size 2 max. 1,200 x max. 2,200		549.00	774.00	982.00	712.00	1029.00
Custom size 3 max. 1,000 x max. 2,500			688.00	940.00		927.00
Custom size 4 max. 1,200 x max. 2,500			861.00	1104.00		1153.00
Custom size 5 from 1,200 x from 2,500			on request	on request		on request
Custom size 1 Showers max. 500 x max. 2,100		382.00			446.00	
Custom size 2 Showers max. 1,000 x max. 2,100	429.00	459.00			586.00	

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165

Preparation time in days

2 5 10 15 20 25



**KERAMIKA Zebrino 1****Glass**

TSG crystal clear, screenprinting in one color, clear motif

Technical information

The motif is always centered horizontally. The matt-finish areas continue to the door edge and are vertically proportional. Custom colors similar to RAL color codes, please see page 63

**KERAMIKA Zebrino 2****Glass**

TSG crystal clear, screenprinting in one color, clear motif

Technical information

The motif continues horizontally to the door edge. The matt-finish areas continue vertically to the door edge. Custom colors similar to RAL color codes, please see page 63

**KERAMIKA Zebrino 3****Glass**

TSG crystal clear, screenprinting in one color, clear motif

Technical information

The motif continues vertically to the door edge. The matt-finish areas continue to the door edge and are horizontally proportional. Custom colors similar to RAL color codes, please see page 63

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		■ 333.00	■ 419.00	■ 727.00	■ 432.00	■ 571.00
Standard size 2 709 / 834 / 959 x 2,097		■ 350.00	■ 437.00	■ 766.00	■ 455.00	■ 599.00
Custom size 1 max. 1,000 x max. 2,100		■ 451.00	■ 592.00	■ 862.00	■ 579.00	■ 791.00
Custom size 2 max. 1,200 x max. 2,200		■ 549.00	■ 774.00	■ 982.00	■ 712.00	■ 1029.00
Custom size 3 max. 1,000 x max. 2,500			■ 688.00	■ 940.00		■ 927.00
Custom size 4 max. 1,200 x max. 2,500			■ 861.00	■ 1104.00		■ 1153.00
Custom size 5 from 1,200 x from 2,500			■ on request	■ on request		■ on request
Custom size 1 Showers max. 500 x max. 2,100		■ 382.00			■ 446.00	
Custom size 2 Showers max. 1,000 x max. 2,100	■ 429.00	■ 459.00			■ 586.00	

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165



Preparation time in days

2	5	10	15	20	25
---	---	----	----	----	----












**KERAMIKA Artline 2****Glass**

TSG crystal clear, screen-printing in two colors

Technical information

The distance between the motif and the door edge on the hinge side is always the same.


The motif is centered vertically.
Custom colors similar to RAL color codes, please see page 63

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		 592.00	 678.00	 1068.00	 691.00	 830.00
Standard size 2 709 / 834 / 959 x 2,097		 609.00	 695.00	 1096.00	 714.00	 857.00
Custom size 1 max. 1,000 x max. 2,100		 700.00	 839.00	 1213.00	 828.00	 1038.00
Custom size 2 max. 1,200 x max. 2,200		 720.00	 969.00	 1282.00	 883.00	 1224.00
Custom size 3 max. 1,000 x max. 2,500			 861.00	 1253.00		 1100.00
Custom size 4 max. 1,200 x max. 2,500			 1076.00	 1371.00		 1368.00
Custom size 5 from 1,200 x from 2,500			 on request	 on request		 on request
Custom size 1 Showers max. 500 x max. 2,100		 636.00			 703.00	
Custom size 2 Showers max. 1,000 x max. 2,100	 683.00	 718.00			 864.00	

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165

Preparation time in days

2 5 10 15 20 25



**LINEA 1****Glass**

LG crystal clear, screen-printing in one color, with interpane stainless steel strands

Technical information

Regardless of the door leaf height and width, the motif is always at the same height relative to the Studio lock case from the bottom edge in accordance with the standard and continues to the door edge on the hinge side.

**LINEA 4****Glass**


LG crystal clear, screen-printing in one color, with interpane stainless steel strands

Technical information

Regardless of the door leaf height and width, the motif is always at the same height relative to the Studio lock case from the bottom edge in accordance with the standard. The width of the matt-finish area at the side cannot be modified.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972				1023.00		on request
Standard size 2 709 / 834 / 959 x 2,097				1076.00		on request
Custom size 1 max. 1,000 x max. 2,100				1507.00		
Custom size 2 max. 1,200 x max. 2,200				on request		on request
Custom size 3 max. 1,000 x max. 2,500				on request		on request
Custom size 4 max. 1,200 x max. 2,500				on request		on request
Custom size 5 from 1,200 x from 2,500				on request		on request
Custom size 1 Showers max. 500 x max. 2,100						
Custom size 2 Showers max. 1,000 x max. 2,100						

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165



Preparation time in days

2	5	10	15	20	25
---	---	----	----	----	----

**CONTURA 9****Glass**

TSG crystal clear, with fluting

Technical information

Regardless of the door leaf height and width, the motif is always centered.

Motif on TSG Satinato see page 39.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		■ 322.00	■ 409.00		■ 421.00	■ 561.00
Standard size 2 709 / 834 / 959 x 2,097		■ 338.00	■ 424.00		■ 443.00	■ 586.00
Custom size 1 max. 1,000 x max. 2,100		■ 480.00	■ 588.00		■ 608.00	■ 787.00
Custom size 2 max. 1,200 x max. 2,200		■ 505.00	■ 646.00		■ 668.00	■ 901.00
Custom size 3 max. 1,000 x max. 2,500			■ 613.00			■ 852.00
Custom size 4 max. 1,200 x max. 2,500			■ 700.00			■ 992.00
Custom size 5 from 1,200 x from 2,500			■ on request			■ on request
Custom size 1 Showers max. 500 x max. 2,100		■ 408.00			■ 475.00	
Custom size 2 Showers max. 1,000 x max. 2,100	■ 455.00	■ 490.00			■ 636.00	

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165

Preparation time in days

2 5 10 15 20 25



**CONTURA 8****Glass**

TSG crystal clear, with fluting

Technical information

The lateral distances to the motif are always the same.
Motif on TSG Satinato see page 39.

**CONTURA 15****Glass**

TSG crystal clear, with fluting

Technical information

The motif is always centered vertically.
Motif on TSG Satinato see page 39.

**CONTURA Line 4****Glass**


TSG crystal clear, with fluting

Technical information

The motif is always centered vertically.
Motif on TSG Satinato see page 38.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		■ 415.00	■ 501.00		■ 514.00	■ 653.00
Standard size 2 709 / 834 / 959 x 2,097		■ 431.00	■ 517.00		■ 536.00	■ 679.00
Custom size 1 max. 1,000 x max. 2,100		■ 579.00	■ 665.00		■ 707.00	■ 864.00
Custom size 2 max. 1,200 x max. 2,200		■ 602.00	■ 732.00		■ 765.00	■ 987.00
Custom size 3 max. 1,000 x max. 2,500			■ 688.00			■ 927.00
Custom size 4 max. 1,200 x max. 2,500			■ 774.00			■ 1066.00
Custom size 5 from 1,200 x from 2,500			■ on request			■ on request
Custom size 1 Showers max. 500 x max. 2,100		■ 496.00			■ 578.00	
Custom size 2 Showers max. 1,000 x max. 2,100	■ 554.00	■ 596.00			■ 775.00	

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165



Preparation time in days

2	5	10	15	20	25
---	---	----	----	----	----

**CONTURA Line 4**

Glass
TSG Satinato, with fluting

Technical information

The motif is always centered vertically.
Motif on TSG crystal clear see page 37.

**CONTURA Range 1**

Glass
TSG Satinato, with fluting

Technical information

The motif is always at the same height relative to the lock case.

**CONTURA Range 3**

Glass
TSG Satinato, with fluting

Technical information

The motif is always at the same height relative to the lock case.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		■ 495.00	■ 581.00		■ 594.00	■ 733.00
Standard size 2 709 / 834 / 959 x 2,097		■ 510.00	■ 597.00		■ 615.00	■ 760.00
Custom size 1 max. 1,000 x max. 2,100		■ 678.00	■ 786.00		■ 806.00	■ 985.00
Custom size 2 max. 1,200 x max. 2,200		■ 710.00	■ 861.00		■ 873.00	■ 1116.00
Custom size 3 max. 1,000 x max. 2,500			■ 818.00			■ 1057.00
Custom size 4 max. 1,200 x max. 2,500			■ 969.00			■ 1261.00
Custom size 5 from 1,200 x from 2,500			■ on request			■ on request
Custom size 1 Showers max. 500 x max. 2,100		■ 516.00			■ 576.00	
Custom size 2 Showers max. 1,000 x max. 2,100	■ 629.00	■ 685.00			■ 834.00	

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165

Preparation time in days

2 5 10 15 20 25



**CONTURA 8****Glass**

TSG Satinato, with fluting

Technical information

The lateral distances to the motif are always the same.
Motif on TSG crystal clear see page 37.

**CONTURA 9****Glass**

TSG Satinato, with fluting

Technical information

Regardless of the door leaf height and width, the motif is always centered.
Motif on TSG crystal clear see page 36.

**CONTURA 15****Glass**

TSG Satinato, with fluting

Technical information

The motif is always centered vertically.
Motif on TSG crystal clear see page 37.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		■ 495.00	■ 581.00		■ 594.00	■ 733.00
Standard size 2 709 / 834 / 959 x 2,097		■ 510.00	■ 597.00		■ 615.00	■ 760.00
Custom size 1 max. 1,000 x max. 2,100		■ 678.00	■ 786.00		■ 806.00	■ 985.00
Custom size 2 max. 1,200 x max. 2,200		■ 710.00	■ 861.00		■ 873.00	■ 1116.00
Custom size 3 max. 1,000 x max. 2,500			■ 818.00			■ 1057.00
Custom size 4 max. 1,200 x max. 2,500			■ 969.00			■ 1261.00
Custom size 5 from 1,200 x from 2,500			■ on request			■ on request
Custom size 1 Showers max. 500 x max. 2,100		■ 516.00			■ 576.00	
Custom size 2 Showers max. 1,000 x max. 2,100	■ 629.00	■ 685.00			■ 834.00	

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165



Preparation time in days

2	5	10	15	20	25
---	---	----	----	----	----

**CONTURA Diestra 1****Glass**

TSG crystal clear, sandblasting on one side, with fluting, clear motif centered, with premium surface finish

Technical information

The fluting motif is always centered vertically. The matt-finished motif continues to the door edge and is vertically and horizontally proportional.

**CONTURA Diestra 2****Glass**

TSG crystal clear, sandblasting on one side, with fluting, clear motif on the lock side, with premium surface finish

Technical information


The fluting motif is always centered vertically. The matt-finished motif continues to the door edge and is vertically and horizontally proportional.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		537.00	624.00		636.00	776.00
Standard size 2 709 / 834 / 959 x 2,097		554.00	640.00		659.00	802.00
Custom size 1 max. 1,000 x max. 2,100		744.00	852.00		872.00	1051.00
Custom size 2 max. 1,200 x max. 2,200		777.00	969.00		940.00	1224.00
Custom size 3 max. 1,000 x max. 2,500			885.00			1124.00
Custom size 4 max. 1,200 x max. 2,500			1066.00			1358.00
Custom size 5 from 1,200 x from 2,500			on request			on request
Custom size 1 Showers max. 500 x max. 2,100						
Custom size 2 Showers max. 1,000 x max. 2,100						

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165

Preparation time in days

2 5 10 15 20 25



**CONTURA 3****Glass**

TSG crystal clear, with fluting

**CONTURA 10****Glass**

TSG crystal clear, with fluting

Technical information


The motif is always centered.
Motif on TSG Satinato see page 43.

Technical information

The motif is always centered.
Motif on TSG Satinato see page 43.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		■ 415.00	■ 501.00		■ 514.00	■ 653.00
Standard size 2 709 / 834 / 959 x 2,097		■ 431.00	■ 517.00		■ 536.00	■ 679.00
Custom size 1 max. 1,000 x max. 2,100		■ 579.00	■ 665.00		■ 707.00	■ 864.00
Custom size 2 max. 1,200 x max. 2,200		■ 602.00	■ 732.00		■ 765.00	■ 987.00
Custom size 3 max. 1,000 x max. 2,500			■ 688.00			■ 927.00
Custom size 4 max. 1,200 x max. 2,500			■ 774.00			■ 1066.00
Custom size 5 from 1,200 x from 2,500			■ on request			■ on request
Custom size 1 Showers max. 500 x max. 2,100		■ 496.00			■ 578.00	
Custom size 2 Showers max. 1,000 x max. 2,100	■ 554.00	■ 596.00			■ 775.00	

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165



Preparation time in days

2	5	10	15	20	25
---	---	----	----	----	----

**CONTURA 2****Glass**

TSG crystal clear, with fluting

Technical information

The motif is always centered.

Motif on TSG Satinato see page 43.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		■ 495.00	■ 581.00		■ 594.00	■ 733.00
Standard size 2 709 / 834 / 959 x 2,097		■ 510.00	■ 597.00		■ 615.00	■ 760.00
Custom size 1 max. 1,000 x max. 2,100		■ 678.00	■ 786.00		■ 806.00	■ 985.00
Custom size 2 max. 1,200 x max. 2,200		■ 710.00	■ 861.00		■ 873.00	■ 1116.00
Custom size 3 max. 1,000 x max. 2,500			■ 818.00			■ 1057.00
Custom size 4 max. 1,200 x max. 2,500			■ 969.00			■ 1261.00
Custom size 5 from 1,200 x from 2,500			■ on request			■ on request
Custom size 1 Showers max. 500 x max. 2,100		■ 516.00			■ 576.00	
Custom size 2 Showers max. 1,000 x max. 2,100	■ 629.00	■ 685.00			■ 834.00	

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.

Mix and match options with the relevant fittings can be found on pages 164/165

Preparation time in days

2 5 10 15 20 25


**CONTURA 2****Glass**

TSG Satinato, with fluting

Technical information

The motif is always centered.
Motif on TSG crystal clear see page 42.

**CONTURA 3****Glass**

TSG Satinato, with fluting

Technical information

The motif is always centered.
Motif on TSG crystal clear see page 41.

**CONTURA 10****Glass**

TSG Satinato, with fluting

Technical information

The motif is always centered.
Motif on TSG crystal clear see page 41.

**CONTURA 23****Glass**


TSG crystal clear, sandblasting on one side, with fluting, with premium surface finish

Technical information

The motif is always at the same height relative to the lock case and the same distance from the lock side.
It continues upward and downward to the door edge.
Unsuitable for sliding doors and showers.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		■ 537.00	■ 624.00		■ 636.00	■ 776.00
Standard size 2 709 / 834 / 959 x 2,097		■ 554.00	■ 640.00		■ 659.00	■ 802.00
Custom size 1 max. 1,000 x max. 2,100		■ 744.00	■ 852.00		■ 872.00	■ 1051.00
Custom size 2 max. 1,200 x max. 2,200		■ 777.00	■ 969.00		■ 940.00	■ 1224.00
Custom size 3 max. 1,000 x max. 2,500			■ 885.00			■ 1124.00
Custom size 4 max. 1,200 x max. 2,500			■ 1066.00			■ 1358.00
Custom size 5 from 1,200 x from 2,500			■ on request			■ on request
Custom size 1 Showers max. 500 x max. 2,100		■ 573.00			■ on request	
Custom size 2 Showers max. 1,000 x max. 2,100	■ on request	■ 750.00			■ on request	

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165



Preparation time in days

2	5	10	15	20	25
---	---	----	----	----	----

**EYE 3****Glass**

TSG crystal clear, screen-printing in one color, continuous with circular lines left blank

Technical information

Regardless of the door leaf height and width, the motif is always the same distance from the bottom edge and the lock side.

Custom colors similar to RAL color codes, please see page 63

**EYE 6****Glass**

TSG crystal clear, screen-printing in one color or sandblasting, continuous with circular lines in a recess

Technical information

Regardless of the door leaf height and width, the motif is always the same distance from the bottom edge and the lock side.

Custom colors similar to RAL color codes, please see page 63

**EYE 67****Glass**

TSG crystal clear, screen-printing in one color, in narrow circular lines

Technical information

Regardless of the door leaf height and width, the motif is always the same distance from the bottom edge and the lock side.

Custom colors similar to RAL color codes, please see page 63


	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		376.00	463.00	769.00	475.00	615.00
Standard size 2 709 / 834 / 959 x 2,097		402.00	489.00	894.00	507.00	651.00
Custom size 1 max. 1,000 x max. 2,100		473.00	613.00	993.00	601.00	812.00
Custom size 2 max. 1,200 x max. 2,200		581.00	802.00	1062.00	744.00	1057.00
Custom size 3 max. 1,000 x max. 2,500			720.00	1033.00		959.00
Custom size 4 max. 1,200 x max. 2,500			883.00	1151.00		1175.00
Custom size 5 from 1,200 x from 2,500			on request	on request		on request
Custom size 1 Showers max. 500 x max. 2,100		421.00			491.00	
Custom size 2 Showers max. 1,000 x max. 2,100	471.00	505.00			645.00	

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.

Mix and match options with the relevant fittings can be found on pages 164/165

Preparation time in days

2 5 10 15 20 25



**SECTOR 16****Glass**

TSG crystal clear, all-round clear edge, sandblasting on one side, in horizontal block stripes, premium surface finish

Technical information























The clear frame is always the same regardless of the door leaf height and width.

**SECTOR 17****Glass**

TSG crystal clear, all-round clear edge, sandblasting on one side, continuous, premium surface finish

Technical information

The clear frame is always the same regardless of the door leaf height and width.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		 376.00	 463.00		 475.00	 615.00
Standard size 2 709 / 834 / 959 x 2,097		 402.00	 489.00		 507.00	 651.00
Custom size 1 max. 1,000 x max. 2,100		 473.00	 613.00		 601.00	 812.00
Custom size 2 max. 1,200 x max. 2,200		 581.00	 802.00		 744.00	 1057.00
Custom size 3 max. 1,000 x max. 2,500			 720.00			 959.00
Custom size 4 max. 1,200 x max. 2,500			 883.00			 1175.00
Custom size 5 from 1,200 x from 2,500			 on request			 on request
Custom size 1 Showers max. 500 x max. 2,100						
Custom size 2 Showers max. 1,000 x max. 2,100						

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165



Preparation time in days

2	5	10	15	20	25
---	---	----	----	----	----

**MARKANTA Energie 5****Glass**

TSG frosted glass, crystal clear

Technical information

Regardless of the door leaf size, the motif is always centered.

On right-hand (ISO 5) doors, the motif is on the other side of the door.

Double doors on request.

**MARKANTA Format 7****Glass**

TSG frosted glass, crystal clear

Technical information

Regardless of the door leaf size, the motif is always centered.

On right-hand (ISO 5) doors, the motif is on the other side of the door.

Double doors on request.

**MARKANTA Hydra 9****Glass**

TSG frosted glass, crystal clear

Technical information

Regardless of the door leaf size, the motif is always centered.

On right-hand (ISO 5) doors, the motif is on the other side of the door.

Double doors on request.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		on request 537.00	on request 667.00		on request	on request
Standard size 2 709 / 834 / 959 x 2,097		on request 567.00	on request 696.00		on request	on request
Custom size 1 max. 1,000 x max. 2,100		on request 754.00	on request 947.00		on request	on request
Custom size 2 max. 1,200 x max. 2,200		on request	on request		on request	on request
Custom size 3 max. 1,000 x max. 2,500						
Custom size 4 max. 1,200 x max. 2,500						
Custom size 5 from 1,200 x from 2,500						
Custom size 1 Showers max. 500 x max. 2,100		on request			on request	
Custom size 2 Showers max. 1,000 x max. 2,100	on request	on request			on request	

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.

Mix and match options with the relevant fittings can be found on pages 164/165

Preparation time in days

2 5 10 15 20 25


**FUTURA Luna 1****Glass**

TSG crystal clear, screen-printing in one color, two circular matt-finish flutes at the top, three vertical flutes – matt-finish on the outside and polished in the center, with a glass lens on both sides, 80 mm diameter,

Technical information

The distance between the motif and the bottom edge is always the same. The motif is centered horizontally.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		645.00	731.00		744.00	883.00
Standard size 2 709 / 834 / 959 x 2,097		695.00	781.00		800.00	943.00
Custom size 1 max. 1,000 x max. 2,100		807.00	947.00		935.00	1146.00
Custom size 2 max. 1,200 x max. 2,200						
Custom size 3 max. 1,000 x max. 2,500						
Custom size 4 max. 1,200 x max. 2,500						
Custom size 5 from 1,200 x from 2,500						
Custom size 1 Showers max. 500 x max. 2,100						
Custom size 2 Showers max. 1,000 x max. 2,100						

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165



Preparation time in days

2	5	10	15	20	25
---	---	----	----	----	----

**FUTURA Luna 2****Glass**

TSG crystal clear, two circular matt-finish flutes at the top, three vertical flutes – matt-finish on the outside and polished in the center, with a glass lens on both sides, 80 mm diameter

Technical information

The distance between the motif and the bottom edge is always the same. The motif is centered horizontally.

**FUTURA Eclipse 9****Glass**

TSG crystal clear, polished fluting, with hemispheres on both sides

Technical information

The motif is always at the same height relative to the lock case and continues vertically.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		483.00	570.00		582.00	722.00
Standard size 2 709 / 834 / 959 x 2,097		527.00	613.00		632.00	775.00
Custom size 1 max. 1,000 x max. 2,100		592.00	732.00		720.00	931.00
Custom size 2 max. 1,200 x max. 2,200						
Custom size 3 max. 1,000 x max. 2,500						
Custom size 4 max. 1,200 x max. 2,500						
Custom size 5 from 1,200 x from 2,500						
Custom size 1 Showers max. 500 x max. 2,100						
Custom size 2 Showers max. 1,000 x max. 2,100						

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165

Preparation time in days

2 5 10 15 20 25



**BLACK 44****Glass**

LG crystal clear, with internal black film and screen-printing in one color, continuous on the hinge and lock side, narrow vertical lines in the center

Technical information

The width of the matt-finish areas at the sides cannot be modified.
Custom colors similar to RAL color codes, please see page 63

**BLACK 61****Glass**

LG crystal clear, with internal black film and screen-printing in one color, with narrow horizontal lines and recesses at hinge level

Technical information

Regardless of the door leaf height and width, the motif is always the same distance from the top edge and the lock side. The hinge reference dimension as measured from the top complies with the standard for standard glass doors. Height modifications can only be made at the bottom edge. Custom colors similar to RAL color codes, please see page 63

**BLACK 98****Glass**

LG crystal clear, with internal black film and screen-printing in one color, in circular lines

Technical information

Regardless of the door leaf height and width the motif is always the same distance from the bottom edge and the lock side.
Custom colors similar to RAL color codes, please see page 63

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972				986.00		1138.00
Standard size 2 709 / 834 / 959 x 2,097				1047.00		1209.00
Custom size 1 max. 1,000 x max. 2,100				1216.00		1415.00
Custom size 2 max. 1,200 x max. 2,200				1680.00		1935.00
Custom size 3 max. 1,000 x max. 2,500				1494.00		1733.00
Custom size 4 max. 1,200 x max. 2,500				1867.00		2159.00
Custom size 5 from 1,200 x from 2,500				on request		on request
Custom size 1 Showers max. 500 x max. 2,100						
Custom size 2 Showers max. 1,000 x max. 2,100						

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165



Preparation time in days

2	5	10	15	20	25
---	---	----	----	----	----

**INTERMEZZO 100-01****Glass**

LG crystal clear,
with internal white film,
opaque

**INTERMEZZO 100-06****Glass**

LG crystal clear,
with internal black film,
opaque

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972				■ 646.00		■ 798.00
Standard size 2 709 / 834 / 959 x 2,097				■ 700.00		■ 862.00
Custom size 1 max. 1,000 x max. 2,100				■ 861.00		■ 1060.00
Custom size 2 max. 1,200 x max. 2,200				■ 1184.00		■ 1439.00
Custom size 3 max. 1,000 x max. 2,500				■ 1076.00		■ 1315.00
Custom size 4 max. 1,200 x max. 2,500				■ 1399.00		■ 1691.00
Custom size 5 from 1,200 x from 2,500				■ on request		■ a.A,
Custom size 1 Showers max. 500 x max. 2,100						
Custom size 2 Showers max. 1,000 x max. 2,100						

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165

Preparation time in days

2 5 10 15 20 25



**INTERMEZZO 100-02****Glass**

LG crystal clear,
with internal orange film,
opaque

**INTERMEZZO 100-03****Glass**

LG crystal clear,
with internal red film,
opaque

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972				■ 969.00		■ 1121.00
Standard size 2 709 / 834 / 959 x 2,097				■ 1023.00		■ 1185.00
Custom size 1 max. 1,000 x max. 2,100				■ 1184.00		■ 1383.00
Custom size 2 max. 1,200 x max. 2,200				■ 1507.00		■ 1762.00
Custom size 3 max. 1,000 x max. 2,500				■ 1399.00		■ 1638.00
Custom size 4 max. 1,200 x max. 2,500				■ 1723.00		■ 2015.00
Custom size 5 from 1,200 x from 2,500				■ on request		■ on request
Custom size 1 Showers max. 500 x max. 2,100						
Custom size 2 Showers max. 1,000 x max. 2,100						

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165



Preparation time in days

2	5	10	15	20	25
---	---	----	----	----	----

**INTERMEZZO 313****Glass**

LG crystal clear,
with internal illustrated film,
opaque

Technical information

Due to production engineering
reasons, a degree of stripe
formation may occur.

**INTERMEZZO 314****Glass**

LG crystal clear,
with internal illustrated film,
opaque

Technical information

Due to production engineering
reasons, a degree of stripe
formation may occur.

**INTERMEZZO 315****Glass**

LG crystal clear,
with internal illustrated film,
opaque

Technical information


Due to production engineering
reasons, a degree of stripe
formation may occur.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972				1507.00		1659.00
Standard size 2 709 / 834 / 959 x 2,097				1561.00		1723.00
Custom size 1 max. 1,000 x max. 2,100				1615.00		1814.00
Custom size 2 max. 1,200 x max. 2,200				1885.00		2140.00
Custom size 3 max. 1,000 x max. 2,500				1831.00		2070.00
Custom size 4 max. 1,200 x max. 2,500				1992.00		2284.00
Custom size 5 from 1,200 x from 2,500				on request		on request
Custom size 1 Showers max. 500 x max. 2,100						
Custom size 2 Showers max. 1,000 x max. 2,100						

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165

Preparation time in days

2 5 10 15 20 25



**INTERMEZZO 205****Glass**

LSG crystal clear,
with internal wood-effect
decorative film

**INTERMEZZO 206****Glass**

LSG crystal clear,
with internal wood-effect
decorative film

**INTERMEZZO 207****Glass**

LSG crystal clear,
with internal wood-effect
decorative film

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972				1507.00		1659.00
Standard size 2 709 / 834 / 959 x 2,097				1561.00		1723.00
Custom size 1 max. 1,000 x max. 2,100				1615.00		1814.00
Custom size 2 max. 1,200 x max. 2,200				1885.00		2140.00
Custom size 3 max. 1,000 x max. 2,500				1831.00		2070.00
Custom size 4 max. 1,200 x max. 2,500				1992.00		2284.00
Custom size 5 from 1,200 x from 2,500				on request		on request
Custom size 1 Showers max. 500 x max. 2,100						
Custom size 2 Showers max. 1,000 x max. 2,100						

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165



Preparation time in days

2	5	10	15	20	25
---	---	----	----	----	----

**INTERMEZZO 300-99****Glass**

LSG crystal clear,
with interal decorative or photo
film, motif of your choice, either
opaque or transparent (Image:
sample design.)

Technical information

Motif of own choice. (Image file
with 18 million pixel necessary.)

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972				1507.00		1659.00
Standard size 2 709 / 834 / 959 x 2,097				1561.00		1723.00
Custom size 1 max. 1,000 x max. 2,100				1615.00		1814.00
Custom size 2 max. 1,200 x max. 2,200				1885.00		2140.00
Custom size 3 max. 1,000 x max. 2,500				1831.00		2070.00
Custom size 4 max. 1,200 x max. 2,500				1992.00		2284.00
Custom size 5 from 1,200 x from 2,500				on request		on request
Custom size 1 Showers max. 500 x max. 2,100						
Custom size 2 Showers max. 1,000 x max. 2,100						

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165

Preparation time in days

2 5 10 15 20 25



**PERUSAL 1****Glass**

TSG crystal clear,
magnetron sputter-coating
process, coating on one side
with a reflective and translucent
effect on both sides

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		700.00				
Standard size 2 709 / 834 / 959 x 2,097		754.00				
Custom size 1 max. 1,000 x max. 2,100		861.00				
Custom size 2 max. 1,200 x max. 2,200		969.00				
Custom size 3 max. 1,000 x max. 2,500						
Custom size 4 max. 1,200 x max. 2,500						
Custom size 5 from 1,200 x from 2,500						
Custom size 1 Showers max. 500 x max. 2,100						
Custom size 2 Showers max. 1,000 x max. 2,100						

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165



Preparation time in days

2	5	10	15	20	25
---	---	----	----	----	----

**PERUSAL 77****Glass**

TSG crystal clear, magnetron sputter-coating process, coating on one side with a reflective and translucent effect on both sides, sandblasting on one side, continuous in the center area

Technical information

The width of the coated areas at the sides cannot be modified.

**PERUSAL 8****Glass**

TSG crystal clear, magnetron sputter-coating process, coating on one side with a reflective and translucent effect on both sides, sandblasting on one side as recesses at hinge level

Technical information

Regardless of the door leaf height and width, the motif is always the same distance from the top edge and the lock side. The hinge reference dimension as measured from the top complies with the standard for standard glass doors. Height modifications can only be made at the bottom edge.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		■ 957.00				
Standard size 2 709 / 834 / 959 x 2,097		■ 1011.00				
Custom size 1 max. 1,000 x max. 2,100		■ 1171.00				
Custom size 2 max. 1,200 x max. 2,200		■ 1425.00				
Custom size 3 max. 1,000 x max. 2,500						
Custom size 4 max. 1,200 x max. 2,500						
Custom size 5 from 1,200 x from 2,500						
Custom size 1 Showers max. 500 x max. 2,100						
Custom size 2 Showers max. 1,000 x max. 2,100						

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.

Mix and match options with the relevant fittings can be found on pages 164/165

Preparation time in days

2 5 10 15 20 25



**VISTA 4****Glass**

TSG crystal clear, with stainless steel application and infills, either wood/ glass mullions, glass in eggplant, bottle green, grass green, black or white

Technical information

The stainless steel applications are always centered at the same distance from one another.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		743.00			842.00	
Standard size 2 709 / 834 / 959 x 2,097		760.00			865.00	
Custom size 1 max. 1,000 x max. 2,100		905.00			1033.00	
Custom size 2 max. 1,200 x max. 2,200		969.00			1132.00	
Custom size 3 max. 1,000 x max. 2,500						
Custom size 4 max. 1,200 x max. 2,500						
Custom size 5 from 1,200 x from 2,500						
Custom size 1 Showers max. 500 x max. 2,100						
Custom size 2 Showers max. 1,000 x max. 2,100						

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165



Preparation time in days

2	5	10	15	20	25
---	---	----	----	----	----

**VISTA 5****Glass**

TSG crystal clear, sandblasting on one side, premium surface finish, with stainless steel application and infills, either wood/glass mullions, glass in eggplant, bottle green, grass green, black or white

Technical information

The stainless steel applications are always centered at the same distance from one another.

**VISTA 40****Glass**

TSG Satinato, with stainless steel application and infills, either wood/ glass mullions, glass in eggplant, bottle green, grass green, black or white

Technical information


The stainless steel applications are always centered at the same distance from one another.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972		916.00			1015.00	
Standard size 2 709 / 834 / 959 x 2,097		943.00			1048.00	
Custom size 1 max. 1,000 x max. 2,100		1067.00			1195.00	
Custom size 2 max. 1,200 x max. 2,200		1130.00			1293.00	
Custom size 3 max. 1,000 x max. 2,500						
Custom size 4 max. 1,200 x max. 2,500						
Custom size 5 from 1,200 x from 2,500						
Custom size 1 Showers max. 500 x max. 2,100						
Custom size 2 Showers max. 1,000 x max. 2,100						

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165

Preparation time in days

2 5 10 15 20 25



**TELIO Flower 1****Glass**

LG crystal clear,
with interpane fabric

Technical information

We only use high-quality brand-name fabrics for our TELIO models. The fabric insert is handmade. Owing to the individual arrangement of the motifs, each door is unique. The process for manufacturing laminated safety glass may result in irregularities in the fabric for which we are unable to accept liability.

**TELIO Flower 2****Glass**

LG crystal clear,
with interpane fabric

Technical information

We only use high-quality brand-name fabrics for our TELIO models. The fabric insert is handmade. Owing to the individual arrangement of the motifs, each door is unique. The process for manufacturing laminated safety glass may result in irregularities in the fabric for which we are unable to accept liability.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972				998.00		1150.00
Standard size 2 709 / 834 / 959 x 2,097				1043.00		1205.00
Custom size 1 max. 1,000 x max. 2,100				1098.00		1297.00
Custom size 2 max. 1,200 x max. 2,200				1547.00		1802.00
Custom size 3 max. 1,000 x max. 2,500				1440.00		1679.00
Custom size 4 max. 1,200 x max. 2,500				1655.00		1947.00
Custom size 5 from 1,200 x from 2,500				on request		on request
Custom size 1 Showers max. 500 x max. 2,100						
Custom size 2 Showers max. 1,000 x max. 2,100						

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165



Preparation time in days

2	5	10	15	20	25
---	---	----	----	----	----

**TELIO 9****Glass**

LG crystal clear,
with interpane fabric

Technical information

We only use high-quality brand-name fabrics for our TELIO models. The fabric insert is handmade. Owing to the individual arrangement of the motifs, each door is unique. The process for manufacturing laminated safety glass may result in irregularities in the fabric for which we are unable to accept liability.

**TELIO Circle****Glass**

LG crystal clear,
with interpane fabric

Technical information

We only use high-quality brand-name fabrics for our TELIO models. The fabric insert is handmade. Owing to the individual arrangement of the motifs, each door is unique. The process for manufacturing laminated safety glass may result in irregularities in the fabric for which we are unable to accept liability.

**TELIO Stripe****Glass**

LG crystal clear,
with interpane fabric

Technical information


We only use high-quality brand-name fabrics for our TELIO models. The fabric insert is handmade. Owing to the individual arrangement of the motifs, each door is unique. The process for manufacturing laminated safety glass may result in irregularities in the fabric for which we are unable to accept liability.

	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972				998.00		1150.00
Standard size 2 709 / 834 / 959 x 2,097				1043.00		1205.00
Custom size 1 max. 1,000 x max. 2,100				1098.00		1297.00
Custom size 2 max. 1,200 x max. 2,200				1547.00		1802.00
Custom size 3 max. 1,000 x max. 2,500				1440.00		1679.00
Custom size 4 max. 1,200 x max. 2,500				1655.00		1947.00
Custom size 5 from 1,200 x from 2,500				on request		on request
Custom size 1 Showers max. 500 x max. 2,100						
Custom size 2 Showers max. 1,000 x max. 2,100						

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165

Preparation time in days

2 5 10 15 20 25





CRASH 1

Glass


LG crystal clear, with interpane sheet of shattered glass and clear film

Technical information

Each Crash model is unique. The pattern made by the shattered glass cannot be influenced during the production process. This may result in differing sizes of glass pieces and overall patterns.


	TSG 6 mm	TSG 8 mm	TSG 10 mm	LSG 10 mm	White glass TSG 8 mm	White glass TSG 10 mm
Standard size 1 709 / 834 / 959 x 1,972				1076.00		1228.00
Standard size 2 709 / 834 / 959 x 2,097				1184.00		1346.00
Custom size 1 max. 1,000 x max. 2,100				1376.00		1575.00
Custom size 2 max. 1,200 x max. 2,200						
Custom size 3 max. 1,000 x max. 2,500						
Custom size 4 max. 1,200 x max. 2,500						
Custom size 5 from 1,200 x from 2,500						
Custom size 1 Showers max. 500 x max. 2,100						
Custom size 2 Showers max. 1,000 x max. 2,100						

Sliding doors and double-action doors are subject exclusively to the prices for custom sizes 1 to 5.
Mix and match options with the relevant fittings can be found on pages 164/165



Preparation time in days

2 5 10 15 20 25



LA TSG crystal clear















LA TSG Satinato



LA TSG Mastercarré

Glass panel frame in mm	DIN 73,5	DIN 86,0	DIN 98,5	Custom dimensions
Glass panel dimensions	415 x 1,425	540 x 1,425	665 x 1,425	bis 665 x 1,550
Rebate dimensions	413 x 1,423	538 x 1,423	663 x 1,423	bis 663 x 1,548
Glass dimensions (Glass thickness: 4 mm)	410 x 1,420	535 x 1,420	660 x 1,420	bis 660 x 1,545

Model	Width in mm	Height in mm		Price each
LA TSG crystal clear	410	1,420		63.60
	535	1,420		63.60
	660	1,420		63.60
	up to 660	up to 1,545		74.50
LA TSG Satinato	410	1,420		106.60
	535	1,420		106.60
	660	1,420		106.60
	up to 660	up to 1,545		139.20
LA TSG Mastercarré	410	1,420		74.50
	535	1,420		74.50
	660	1,420		74.50
	up to 660	up to 1,545		96.20

Glass panels with other glass designs are available on request.

COLOR MIX PER RAL FOR SPECIAL COLORS

Color mix per RAL for special colors using the screen printing technique

(Note: The standard color for single-color screen printing corresponds to the look "sim. to Satinato".)

RAL 1xxx	RAL 2xxx	RAL 3xxx	RAL 5xxx
1000 Green beige 1001 Beige 1004 Golden yellow 1006 Maize yellow 1011 Brown beige 1013 Oyster white 1014 Ivory 1015 Light ivory 1017 Saffron yellow 1019 Gray beige 1023 Traffic yellow 1024 Ochre yellow 1028 Melon yellow 1033 Dahlia yellow 1035 Pearl beige	2001 Red orange 2002 Vermilion 2004 Pure orange 2010 Signal orange 2011 Deep orange 2013 Pearl orange	3000 Flame red 3002 Carmine red 3004 Purple red 3007 Black red 3009 Oxide red 3011 Brown red 3015 Light pink 3020 Traffic red	5000 Violet blue 5001 Green blue 5002 Ultramarine blue 5003 Sapphire blue 5005 Signal blue 5007 Brilliant blue 5008 Gray blue 5009 Azure blue 5010 Gentian blue 5012 Light blue 5014 Pigeon blue 5015 Sky blue 5017 Traffic blue 5018 Turquoise blue 5019 Capri blue 5020 Ocean blue 5021 Water blue 5022 Night blue 5023 Distant blue 5024 Pastel blue

RAL 6xxx	RAL 7xxx	RAL 8xxx	RAL 9xxx
6000 Patina green 6001 Emerald green 6002 Leaf green 6003 Olive green 6004 Blue green 6005 Moss green 6006 Gray olive 6007 Bottle green 6009 Fir green 6011 Reseda green 6012 Black green 6013 Reed green 6014 Yellow olive 6015 Black olive 6016 Turquoise green 6017 May green 6018 Yellow green 6019 White green 6020 Chrome green 6021 Pale green 6022 Olive drab 6023 6024 Traffic green 6025 Fern green 6026 Opal green 6027 Light green 6028 Pine green 6032 Signal green 6033 Mint turquoise 6034 Pastel turquoise	7000 Squirrel gray 7001 Silver gray 7003 Moss gray 7004 Signal gray 7005 Mouse gray 7006 Beige gray 7008 Khaki gray 7009 Green gray 7010 Tarpaulin gray 7011 Iron gray 7012 Basalt gray 7013 Brown gray 7015 Slate gray 7016 Anthracite gray 7021 Black gray 7022 Umbra gray 7023 Concrete gray 7024 Graphite gray 7026 Granite gray 7030 Stone gray 7031 Blue gray 7032 Pebble gray 7033 Cement gray 7035 Light gray 7036 Platinum gray 7037 Dusty gray 7038 Agate gray 7039 Quartz gray 7040 Window gray 7042 Traffic gray A 7043 Traffic gray B 7044 Silk gray 7045 Telegray 1 7046 Telegray 2 7047 Telegray 4 7048 Pearl mouse gray	8001 Ochre brown 8002 Signal brown 8004 Copper brown 8007 Fawn brown 8011 Nut brown 8012 Red brown 8014 Sepia brown 8015 Chestnut brown 8017 Chocolate brown 8019 Gray brown 8022 Black brown 8023 Orange brown 8024 Beige brown 8025 Pale brown 8028 Terra brown	9001 Cream white 9002 Gray white 9011 Graphite black 9018 Papyrus white 9022 Pearl light gray 9023 Pearl dark gray

 The surcharge for screen-printing in one color is 89.00 euros. Information about surcharges for screen-printing in several colors is available on request.
 Delivery time approx. 21 working days.









On request, all door models with screen-printing are also available with laminated safety glass (see LSG 10 mm).



TECHNICAL DATA

Glass type:	TSG
Glass thickness:	8, 10, 12 mm
Max. door leaf weight:	110 kg
Lock types:	UV, PZ, BB, WC, KABA, DORMA SG MANET patch locks
Applications:	1/2 panels, side element, overpanel, toughened glass assembly
Material:	Aluminum, brass, stainless steel
Finishes:	Anodized and RAL colors, brass, stainless steel
Special features:	Suitable for outdoor systems

GLASS for DORMA Universal double-action door, toughened glass assemblies

Sketch	Set	Dimensions (width x height)	Classica TSG	Classica TSG Satinato	Classica TSG white glass
	Set 1: 10 mm glass, single panel	Max. door panel dimensions: 1,000 mm x 2,100 mm	299.90	430.30	469.60
	Set 2: 10 mm glass, single panel with side element	Max. door panel dimensions: 1,000 mm x 2,100 mm, max. side element dimensions: 500 mm x 2,100 mm	430.20	625.40	682.30
	Set 3: 10 mm glass, single panel with overpanel	Max. door panel dimensions: 1,000 mm x 2,100 mm, max. overpanel dimensions: 1,000 mm x 500 mm	426.90	587.90	644.10
	Set 4: 10 mm glass, single panel with side element and overpanel	Max. door panel dimensions: 1,000 mm x 2,100 mm, max. side element dimensions: 500 mm x 2,100 mm, max. overpanel dimensions: 500 mm x 500 mm	598.50	840.10	912.70
	Set 5: 10 mm glass, double panel	Max. door panel dimensions: 1,000 mm x 2,100 mm	599.90	860.70	939.30
	Set 6: 10 mm glass, double panel with overpanel	Max. door panel dimensions: 1,000 mm x 2,100 mm, max. overpanel dimensions: 2,000 x 500 mm	782.50	1104.60	1205.50
	Set 7: 10 mm glass, double panel with side element left/right	Max. door panel dimensions: 1,000 x 2,100 mm, max. side element dimensions: 500 mm x 2,100 mm	860.50	1250.90	1364.60
	Set 8: 10 mm glass, double panel with side element left/right and overpanel	Max. door panel dimensions: 1,000 mm x 2,100 mm, max. side element dimensions: 500 mm x 2,600 mm, max. overpanel dimensions: 2,000 mm x 500 mm	1116.30	1599.50	1742.70

Recesses cut for Universal fittings, drilled holes for handles, machining for patch or center locks and polished edges all included in price.


DORMA Universal toughened glass assemblies are also available with Satinato white glass if required. Similarly, glazing may be provided with MAME motifs and patterns, also for larger dimensions. Price on application.

You will find matching hardware sets for toughened glass assemblies with double-action doors starting on page 169.




TECHNICAL DATA

Material:	Aluminum
Finishes:	EV 1 and sim. to matt stainless steel
Wall attachment:	All-round frame, flush frame
Wall thicknesses:	min. 80 mm to max. 330 mm
Door options:	Toughened glass door, timber door
Rebate depth:	24 mm
Hinges:	All common types possible
Lock:	Latch recess, latch and bolt recess
Special features:	Large range of options

**Type 101, single-panel,
non-handed**


Note: For all sizes incl. special sizes up to max door widths of 985 mm x door heights of 2,110 mm (corresponding to glass dimensions of 956 mm x 2,097 mm)

Wall thickness in mm	Unit	Finish	Price
100 to 125 mm	€/piece	Alu silver EV 1	546.00
		Traffic white	628.00
		Alu sim. to stainless steel	819.00
145 to 165 mm	€/piece	Alu silver EV 1	604.00
		Traffic white	695.00
		Alu sim. to stainless steel	906.00
185 to 245 mm	€/piece	Alu silver EV 1	660.00
		Traffic white	759.00
		Alu sim. to stainless steel	990.00
270 to 290 mm	€/piece	Alu silver EV 1	736.00
		Traffic white	847.00
		Alu sim. to stainless steel	1104.00
up to 330 mm	€/piece	Alu silver EV 1	805.00
		Traffic white	926.00
		Alu sim. to stainless steel	1207.00

**Type 201, 2 panel,
hinges left and hinges right**


100 to 125 mm	€/piece	Alu silver EV 1	670.00
		Traffic white	770.00
		Alu sim. to stainless steel	1004.00
145 to 165 mm	€/piece	Alu silver EV 1	733.00
		Traffic white	843.00
		Alu sim. to stainless steel	1099.00
185 to 245 mm	€/piece	Alu silver EV 1	809.00
		Traffic white	936.00
		Alu sim. to stainless steel	1213.00
270 to 290 mm	€/piece	Alu silver EV 1	902.00
		Traffic white	1038.00
		Alu sim. to stainless steel	1353.00
up to 330 mm	€/piece	Alu silver EV 1	976.00
		Traffic white	1122.00
		Alu sim. to stainless steel	1464.00

Delivery time approx. 29 working days

Accessories

4-D wall bracket set (6 nos.)

Additional hinge-mounting, "Variant" system

VX hinge system instead of "Variant" system

Unit	Price
€/set	25.00
€/piece	48.00
€/piece	83.00

To fit the hinges, you will need frame parts for standard timber frames. Corresponding frame parts for two-part hinges are included.
 Wall thickness tolerances from -5 mm to +15 mm can be compensated out using the frame adjustment range.
 Special colors to RAL on request.



TECHNICAL DATA

Glass:	TSG
Glass thickness:	8, 10 mm
Max. door weight:	45 kg
Lock types:	UV, PZ, BB, WC, KABA
Applications:	1/2 panels, side element
Material:	Aluminum, brass
Finishes:	Eloxal and RAL colors, brass
Special features:	Huge range of versions

Complete sets



Art. No. Description

Alu silver EV1 (101)	Alu similar satin stainless steel (107)	Alu Special anodized (199)	Alu Special coated color (399)
€/Piece	€/Piece	€/Piece	€/Piece


Complete sets

with follower
for 8, 10 mm glass thickness (door weight 55 kg)
(acc. to DIN 18 251)

51.739 Combination:

Studio Rondo Lock & Junior Office Hinges


Rondo Studio Lock UV, without grip, front lever
 with follower for 8/10 mm glass thickness,
 incl. 2 Junior Office hinges and sleeves,
 2 frame parts for timber frames
 Warded lever lock, with night latch function

130.00 **175.00**


51.740 Combination:

Studio Rondo Lock & Junior Office Hinges


Rondo Studio Lock PZ, without grip, back lever
 with follower for 8/10 mm glass thickness,
 incl. 2 Junior Office hinges and sleeves,
 2 frame parts for timber frames

130.00 **175.00**


51.741 Combination:

Studio Rondo Lock & Junior Office Hinges

Rondo Studio Lock BB, without grip, back lever
 with follower for 8/10 mm glass thickness,
 incl. 2 Junior Office hinges and sleeves,
 2 frame parts for timber frames

130.00 **175.00**


Application of 10 mm glass thickness at 24 mm
rebate depth possible (special latch on request)

Extract from DIN 18 251, class 3:
 Type-test with 200,000 latch and 50,000 locking
 bolt operating cycles

Sets – locks, hinges, sleeves



Art. No.	Description	Alu silver EV1 (101)	Alu traffic white (300)	Alu champagne EV2 (102)	Alu brass-colored EV 3 (105)	Alu similar satin stainless steel (107)	Alu dark bronze DB 14 (108)	Brass pol. chromed (501) Brass pol. varnished (502)	Alu Special anodized (199)	Alu Special coated color (399)
		€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece

**Sets –
locks, hinges and sleeves
with follower
for 8 mm glass thickness
(acc. to DIN 18 251)**



10.100 Non-locking latch 110.00 110.00 131.00 131.00 158.00 131.00 274.00 197.00 197.00

10.101 Non-locking latch, lever forward 110.00 110.00 131.00 131.00 158.00 131.00 274.00 197.00 197.00

10.102 Prepared for profile cylinder 110.00 110.00 131.00 131.00 158.00 131.00 274.00 197.00 197.00

10.108 Prepared for KABA-cylinder 135.00 222.00 222.00

10.103 Warded key 110.00 110.00 131.00 131.00 158.00 131.00 274.00 197.00 197.00



10.106 WC – toilet door 147.00 147.00 173.00 173.00 204.00 173.00 349.00 240.00 240.00

10.120 Strike-box 116.00 116.00 167.00 277.00 207.00 207.00

**with follower
for 10 mm glass thickness
(acc. to DIN 18 251)**

10.130 Non-locking latch 112.00 161.00 276.00 only (501) 200.00 200.00

10.131 Non-locking latch, lever forward 112.00 161.00 276.00 200.00 200.00

10.132 Prepared for profile cylinder 112.00 161.00 276.00 only (501) 200.00 200.00

10.129 Prepared for KABA-cylinder 138.00 225.00 225.00

10.133 Warded key 112.00 161.00 276.00 only (501) 200.00 200.00

10.134 WC – toilet door 149.00 207.00 352.00 only (501) 243.00 243.00

10.125 Strike-box 119.00 140.00 170.00 280.00 only (501) 210.00 210.00

**Application of 10 mm glass thickness at 24 mm
rebate depth possible (special latch on request)**

Extract from DIN 18 251, class 3:
Type-test with 200,000 latch and 50,000 locking
bolt operating cycles



PIVOT ACTION

TECHNICAL DATA

Glass:	TSG
Glass thickness:	8, 10 mm
Max. door weight:	45 kg
Lock types:	UV, PZ, BB, WC, KABA
Applications:	1/2 panels, side element
Material:	Aluminum
Finishes:	Eloxal and RAL colors
Special features:	Huge range of versions

Complete sets




Art. No. Description

Alu silver EV1 (101)	Alu similar satin stainless steel (107)	Alu Special anodized (199)	Alu Special coated color (399)
€/Piece	€/Piece	€/Piece	€/Piece

Complete sets

with follower, for 8, 10 mm glass thickness (door weight 55 kg)
(acc. to DIN 18 251)




51.746 Combination:

Studio Classic lock & Junior Office Hinges

Studio Classic lock UV, without grip, front lever
with follower for 8/10 mm glass thickness,
incl. 2 Junior Office hinges and sleeves,
2 frame parts for timber frames

130.00 175.00




51.747 Combination:

Studio Classic lock & Junior Office Hinges

Studio Classic lock PZ, without grip, back lever
with follower for 8/10 mm glass thickness,
incl. 2 Junior Office hinges and sleeves,
2 frame parts for timber frames

130.00 175.00



51.748 Combination:

Studio Classic lock & Junior Office Hinges

Studio Classic lock BB, without grip, back lever
with follower for 8/10 mm glass thickness,
incl. 2 Junior Office hinges and sleeves,
2 frame parts for timber frames

130.00 175.00

Application of 10 mm glass thickness at 24 mm
rebate depth possible (special latch on request)

Extract from DIN 18 251, class 3:

Type-test with 200,000 latch and 50,000 locking
bolt operating cycles

Sets – locks, hinges, sleeves



Art. No. Description

Alu silver EV1 (101)	Alu traffic white (300)	Alu similar satin stainless steel (107)	Alu Special anodized (199)	Alu Special coated color (399)
€/Piece	€/Piece	€/Piece	€/Piece	€/Piece

Sets –
locks, hinges and sleeveswith follower, for 8 mm glass thickness
(acc. to DIN 18 251)

10.050 Non-locking latch

110.00 158.00 197.00 197.00

10.051 Non-locking latch, lever forward

110.00 158.00 197.00 197.00

10.052 Prepared for profile cylinder

110.00 158.00 197.00 197.00

10.049 Prepared for KABA-cylinder

135.00 222.00 222.00

10.053 Warded key

110.00 158.00 197.00 197.00



10.054 WC – toilet door

147.00 204.00 240.00 240.00

10.034 Strike-box

116.00 116.00 167.00 207.00 207.00

with follower, for 10 mm glass thickness
(acc. to DIN 18 251)

10.055 Non-locking latch

112.00 161.00 200.00 200.00

10.056 Non-locking latch, lever forward

112.00 161.00 200.00 200.00

10.057 Prepared for profile cylinder

112.00 161.00 200.00 200.00

10.060 Prepared for KABA-cylinder

138.00 225.00 225.00

10.058 Warded key

112.00 161.00 200.00 200.00

10.059 WC – toilet door

149.00 207.00 243.00 243.00

10.039 Strike-box

119.00 170.00 210.00 210.00

PIVOT ACTION

Application of 10 mm glass thickness at 24 mm
rebate depth possible (special latch on request)Extract from DIN 18 251, class 3:
Type-test with 200,000 latch and 50,000 locking
bolt operating cycles



TECHNICAL DATA

Glass:	TSG
Glass thickness:	8, 10 mm
Max. door weight:	45 kg
Lock types:	UV, PZ, BB
Applications:	1/2 panels, side element
Material:	Aluminum, brass
Finishes:	Eloxal and RAL colors, brass
Special features:	Installation friendly

Complete sets




Art. No. Description

Alu silver EV1 (101)	Alu similar satin stainless steel (107)	Alu Special anodized (199)	Alu Special coated color (399)
€/Piece	€/Piece	€/Piece	€/Piece

Complete sets

with follower, for 8 / 10 mm glass thickness (door weight 55 kg)
(acc. to DIN 18 251)


51.726 Combination:

**Studio Gala lock & Junior Office Classic Hinges**

Studio Classic lock UV, without grip, front lever
with follower for 8/10 mm glass thickness,
incl. 2 Junior Office hinges and sleeves,
2 frame parts for timber frames

130.00 175.00


51.727 Combination:

**Studio Gala lock & Junior Office Classic Hinges**

Studio Classic lock PZ, without grip, back lever
with follower for 8/10 mm glass thickness,
incl. 2 Junior Office hinges and sleeves,
2 frame parts for timber frames

130.00 175.00

51.728 Combination:

**Studio Gala lock & Junior Office Classic Hinges**

Studio Classic lock BB, without grip, back lever
with follower for 8/10 mm glass thickness,
incl. 2 Junior Office hinges and sleeves,
2 frame parts for timber frames

130.00 175.00

Application of 10 mm glass thickness at 24 mm
rebate depth possible (special latch on request)

Extract from DIN 18 251, class 3:
Type-test with 200,000 latch and 50,000 locking
bolt operating cycles

Complete sets – locks, hinges, sleeves



Art. No. Description

Alu silver EV1 (101)	Alu traffic white (300)	Alu silver brilliant (103)	Alu similar satin stainless steel (107)	Brass pol. chromed (501) Brass pol. varnished (502)	Alu Special anodized (199)	Alu Special coated color (399)
€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece

Complete sets

**19.111 Set for 2 panel system consisting of:**

- non-locking latch, lever forward without free glass edge, with angle stulp bracket
- strike-box with hinges
- 4 hinges with sleeves
- door bolt and door catch

instead of brass pol. varnished/502

= aluminum brass brilliant/106.

instead of brass pol. chromed/501

= aluminum silver brilliant/103)

249.00	308.00	358.00	486.00	486.00
--------	--------	--------	--------	--------

Complete Sets – locks, hinges and sleeves

with follower, for 8 mm glass thickness
(acc. to DIN 18 251)

**19.120** Non-locking latch

110.00	110.00	124.00	158.00	274.00	197.00	197.00
--------	--------	--------	--------	--------	--------	--------

**19.121** Non-locking latch, lever forward

110.00	110.00	124.00	158.00	274.00	197.00	197.00
--------	--------	--------	--------	--------	--------	--------

**19.122** Prepared for profile cylinder

110.00	110.00	124.00	158.00	274.00	197.00	197.00
--------	--------	--------	--------	--------	--------	--------

**19.123** Warded key

110.00	110.00	158.00	274.00	197.00	197.00
--------	--------	--------	--------	--------	--------



PIVOT ACTION

TECHNICAL DATA

Glass:	TSG
Glass thickness:	8, 10 mm
Max. door weight:	45 kg
Lock types:	UV, PZ, BB
Applications:	1/2 panels, side element
Material:	Aluminum, brass
Finishes:	Eloxal and RAL colors, brass
Special features:	patented design, reddot and IF design award



reddot design award

Complete Sets




Art. No. Description

Alu	Alu
EV1-	similar
Deco	satin
(114)	stainless
	steel
	(107)

€/Piece €/Piece

Complete sets

with follower, für 8, 10 mm glass thickness (door weight 55 kg)
(acc. to DIN 18 251)




51.718 Combination:

ARCOS Studio & ARCOS Office Hinges

Studio Classic lock UV, without grip, front lever
with follower for 8/10 mm glass thickness,
incl. 2 ARCOS Office hinges and sleeves,
2 frame parts for timber frames

140.00 190.00




51.719 Combination:

ARCOS Studio & ARCOS Office Hinges

Studio Classic lock PZ, without grip, back lever
with follower for 8/10 mm glass thickness,
incl. 2 ARCOS Office hinges and sleeves,
2 frame parts for timber frames

140.00 190.00



51.720 Combination:

ARCOS Studio & ARCOS Office Hinges

Studio Classic lock BB, without grip, back lever
with follower for 8/10 mm glass thickness,
incl. 2 ARCOS Office hinges and sleeves,
2 frame parts for timber frames

140.00 190.00

Application of 10 mm glass thickness at 24 mm
rebate depth possible (special latch on request)

Extract from DIN 18 251, class 3:

Type-test with 200,000 latch and 50,000 locking
bolt operating cycles

Sets – locks, hinges and sleeves



Art. No. Description

Alu EV1- Deco (114)	Alu traffic white (300)	Alu silver brilliant (103)	Alu similar satin stainless steel (107)	Brass pol. chromed (501) Brass pol. varnished (502)	Alu Special anodized (199)	Alu Special coated color (399)
€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece

Complete Sets – locks, hinges and sleeves**with follower for 8 mm glass thickness
(acc. to DIN 18 251)****24.100** Non-locking latch

122.00	122.00		177.00	306.00	220.00	220.00
--------	--------	--	--------	--------	--------	--------

24.101 Non-locking latch. lever forward

122.00	122.00	137.00	177.00	306.00	220.00	220.00
--------	--------	--------	--------	--------	--------	--------

24.102 Prepared for profile cylinder

122.00	122.00		177.00	306.00	220.00	220.00
--------	--------	--	--------	--------	--------	--------

**24.108** Prepared for KABA-cylinder

147.00			202.00		245.00	245.00
--------	--	--	--------	--	--------	--------

24.103 Warded key

122.00	122.00		177.00	306.00	220.00	220.00
--------	--------	--	--------	--------	--------	--------

**24.106** WC – toilet door

164.00	164.00	181.00	227.00	391.00	268.00	268.00
--------	--------	--------	--------	--------	--------	--------

**24.120** Strike-box

112.00	112.00		164.00	only (501) 289.00	202.00	202.00
--------	--------	--	--------	----------------------	--------	--------

**with follower for 10 mm glass thickness
(acc. to DIN 18 251)****24.130** Non-locking latch

125.00		140.00	180.00	only (501) 308.00	222.00	222.00
--------	--	--------	--------	----------------------	--------	--------

24.131 Non-locking latch, lever forward

125.00			180.00	only (501) 308.00	222.00	222.00
--------	--	--	--------	----------------------	--------	--------

24.132 Prepared for profile cylinder

125.00			180.00	only (501) 308.00	222.00	222.00
--------	--	--	--------	----------------------	--------	--------

24.129 Prepared for KABA-cylinder

151.00			204.00		247.00	247.00
--------	--	--	--------	--	--------	--------

24.133 Warded key

125.00		140.00	180.00	only (501) 308.00	222.00	222.00
--------	--	--------	--------	----------------------	--------	--------

24.134 WC – toilet door

166.00			230.00	only (501) 393.00	271.00	271.00
--------	--	--	--------	----------------------	--------	--------

24.125 Strike-box

116.00			166.00	only (501) 291.00	204.00	204.00
--------	--	--	--------	----------------------	--------	--------

**Application of 10 mm glass thickness at 24 mm
rebate depth possible (special latch on request)**
Extract from DIN 18 251, class 3:
 Type-test with 200,000 latch and 50,000 locking
 bolt operating cycles




TECHNICAL DATA

Glass:	TSG
Glass thickness:	8, 10 mm
Max. door weight:	depends on door hinge
Lock type:	UV
Applications:	1/2 panels, side element
Material:	Aluminum
Finishes:	Eloxal and RAL colors
Special features:	minimal measures

Complete Sets and single components

	Art. No.	Description	Alu EV1- Deco (114)	Alu similar satin stainless steel (107)	Alu Special anodized (199)	Alu Special coated color (399)
			€/Piece	€/Piece	€/Piece	€/Piece

Complete Sets – locks, hinges and sleeves




- 10.511 Combination:**
MEDIO lock & ARCOS Officehinges
 MEDIO lock UV, without grip,
 front lever with follower for 8 mm Glass thickness,
 incl. 2 ARCOS Office hinges and sleeves

122.00


Single components

MEDIO lock with follower for 8 mm glass thickness



- 10.510** Non-locking latch


58.50	66.00	86.00	86.00
-------	-------	-------	-------



- 10.512** Strike-box


67.00	74.50	97.00	97.00
-------	-------	-------	-------

MEDIO lock with follower for 10 mm glass thickness



- 10.509** Non-locking, milled latch

59.50	67.50
-------	-------



- 10.512** Strike-box

67.00	74.50	97.00	97.00
-------	-------	-------	-------



TECHNICAL DATA

Glass:	TSG
Glass thickness:	10, 12 mm
Max. door weight:	80 kg
Lock types:	DORMA SG locks
Applications:	1/2 panels, side element, overpanel, toughened glass assembly
Material:	Aluminum
Finishes:	Eloxal colors
Special features:	Absolutely pinch free with continuous pivoting rod, patented fitting system

For 10 and 12 mm glass thickness



Art. No. Description

Base parts (000)	Alu EV1- Deco (114)	Alu similar satin stainless steel (107)
€/Piece	€/Piece	€/Piece

Complete sets**Pivoting fitting set, short type, consisting of:**

- 1 top pivot fitting with pivot Ø 15 mm
- 1 bottom pivot fitting with insert for DORMA floor spring spindle or round pivot

**30.100 for 10 mm glass thickness****232.00 283.00****30.101 for 12 mm glass thickness****232.00****Pivoting fitting, long type,**

- with pivot Ø 15 mm at top and
- insert for DORMA floor spring spindle or round pivot at bottom

30.110 for 10 mm glass thickness**262.00 319.00**

(please indicate exact door height = glass measurement with order)

30.111 for 12 mm glass thickness**262.00**

(please indicate exact door height = glass measurement with order)

Required components**01.130** Top pivot bearing aluminum**10.00****Floor springs must be ordered separately.**



TECHNICAL DATA

Glass type:	TSG (COMPACT), TSG and LSG of TSG (CONCEPT)
Glass thickness:	10, 12 mm COMPACT) 10 – 15.5 mm (CONCEPT)
Max. door leaf weight:	80 kg (COMPACT) 100 kg (CONCEPT)
Lock types:	MANET patch locks
Applications:	1/2 panels, side element, overpanel, toughened glass assembly
Material:	Stainless steel (Material nos. 1.4305/1.4404)
Finishes:	Matt stainless steel
Special features:	Installation without door frame possible; short design or with intermediate tube; winner of the reddot award.

Warning: The products detailed in this section are exclusively intended for glass constructions not subject to structural approval regulations.



reddot design award

SET 1


 Satin
 stainless
 steel
 (700)

Art. No. Description


€/Piece

Complete sets


Pivot door MANET COMPACT without overpanel for 10 – 12 mm glass


29.910 SET 1
 with countersunk single-point fixings

 consisting of:
 Pair of top/bottom pivot poles, short type

 incl.:
 4 Single-point fixings for pivot poles,
 1 Top pivot bearing,
 1 PT 25 pivot 15 mm Ø with plug
 1 Bottom pivot bearing for
 DORMA BTS and floor bearing


268.00


29.911 SET 1
 Set as above, but for additional connecting tube in fixed length
 for pair of top/bottom pivot poles
 with countersunk single-point fixings


281.00

Not covered by the set:

29.555 Connecting tube in fixed length
 Length to be indicated when ordering.
 Calculation of fixed length:

 Panel height _____ mm
 – 577 mm
 = Length of connecting tube
 _____ mm

€/m


31.50

Application example for SET 1.


For detail information see technical brochure "DORMA MANET Single-point fittings for interior applications"




Door type 1




Door type 2




Door type 3




Door type 4




Door type 5



Door type 6



Door type 7



Door type 8

SET 2

Satin
stainless
steel
(700)

Art. No. Description

€/Piece

Complete sets

Pivot door MANET COMPACT with overpanel for 10 – 12 mm glass

29.912 SET 2

with countersunk single-point fixings

consisting of:

Pair of top/bottom pivot poles, short type

incl.:

4 Single-point fixings for pivot poles,


1 Top pivot bearing,

1 Pivot bearing

location for overpanel,

1 Bottom pivot bearing for

DORMA BTS and floor bearing




329.00

29.913 SET 2

Set as above, but for additional connecting tube in fixed length

for pair of top/bottom pivot poles

with countersunk single-point fixings



345.00

Not covered by the set:

29.555 Connecting tube in fixed length

Length to be indicated when ordering.

Calculation of fixed length:

Panel height _____ mm

– 577 mm

= Length of connecting tube


_____ mm

€/m



31.50

Application example for SET 2.


For detail information see technical brochure “DORMA MANET Single-point fittings for interior applications”



Anlagentyp 9

Door type 12
+ 1 Overpanel/side element
connector

Door type 18

Door type 21
+ 1xSET 2 + 1xSET 3

SET 3



Satin stainless steel (700)

Art. No. Description

€/Piece

Complete sets

Pivot door MANET COMPACT with overpanel and side element for 10 – 12 mm glass




29.914 SET 3

with countersunk single-point fixings

consisting of:
Pair of top/bottom pivot poles, short type

incl.:
4 Single-point fixings for pivot poles,
1 Top pivot bearing,
1 Overpanel/side element connector with pivot bearing location,
1 Bottom pivot bearing for DORMA BTS and floor bearing




402.00



29.915 SET 3

Set as above, but for additional connecting tube in fixed length for pair of top/bottom pivot poles with countersunk single-point fixings



433.00

Not covered by the set:

29.555 Connecting tube in fixed length


Length to be indicated when ordering.
Calculation of fixed length:

Panel height _____ mm
– 577 mm
= Length of connecting tube
_____ mm


€/m
31.50

Application example for SET 3.


For detail information see technical brochure "DORMA MANET Single-point fittings for interior applications"




Door type 13



Door type 15
+ 1 Overpanel/side element connector



Door type 21
+ 1xSET 2 + 1xSET 3



Door type 23



TECHNICAL DATA

Glass type:	TSG
Glass thickness:	8, 10 mm
Max. door leaf weight:	80 kg
Lock types:	Suitable for combination with all available DORMA interior door locks
Applications:	1 panel
Material:	Aluminum
Finishes:	Coated silver
Special features:	Easy to retrofit, accessories for expanded functionality (e.g. manual pushbutton), winner of the reddot award and "Le Janus de l'Industrie 2007"



reddot design award


design award
winner



Art. No. Description

Base
parts
(000)

€/Piece

Complete set


- 12.350** PORTEO door assistant,
incl. slide channel, arm assembly and mounting backplate,
suitable for all four mounting patterns, non-handed,
cable connector CE E7/7, silver finish

X

Individual components

- 12.351** Glass door shoe for sliding track for LSG made out of TSG, silver finish

X



- 12.352** Standard electric strike, electromechanical locking, Basic model
Symmetrical standard electric strike, open-circuit current 24V DC, with adjustable latch,
non-handed, suitable for both over-rebated and flush-closing doors,
incl. free-running diode provided as standard, without strike plate

X

- 12.353** Standard electric door strike, fail-safe electromechanical locking action, Basic-Safe model
Symmetrical standard electric strike, closed-circuit current 24V DC, with adjustable latch,
non-handed, also suitable for over-rebated and flush-closing doors,
incl. free-running diode provided as standard, without strike plate

X

X = Net price on request


PIVOT ACTION

Frame components for internal doors



Art. No.	Description	Base parts (000)	Alu silver EV1 (101)	Alu traffic white (300)	Alu silver brilliant (103)	Alu champagne (102)	Alu similar satin stainless steel (107)	Alu brass-brilliant (106)	Brass pol. chromed (501) Brass pol. varnished (502)	Alu Special anodized (199)	Alu Special coated color (399)
		€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece

Special single latch Studio



10.066 Single latch for Austrian norm frames and for the combination of 10 mm glass with a 24 mm rebate depth usable for Studio Rondo, Classic, Gala and ARCOS

8.00

Frame pockets



10.405 Frame pocket for wooden frames

3.40



10.406 Frame pocket for steel frames

3.40

Push-on sleeves



10.408 Push-on sleeve/Studio

3.40

3.40

4.50

9.00

4.50

4.50



11.311 Push-on sleeve/Junior

3.40

3.40

3.40

4.50

4.50



10.424 Frame pivot for wooden frames/Studio

4.50



10.423 Frame pivot for steel frames/Studio

3.40



10.407 Screw-on frame pivot/Studio

11.00

Frame components for internal doors



Art. No. Description

Base
parts
(000)

€/Piece

Frame pivots for Junior Office, Junior Office Classic, ARCOS Offic**11.310** Frame pivot for wooden frames/Office**4,50****11.236** Frame pivot for wooden frames/Office,
prepared for ball bearing**10.00****11.309** Frame pivot for steel frames/Office**3,40****11.235** Frame pivot for steel frames/Office,
prepared for ball bearing**9,00****11.307** Frame pivot stainless steel, for steel frames**12.50****11.405** Screw-on frame pivot/Office
not usable with Art. No. 11.230 with finish
satin stainless steel (700)**10.00****11.406** Screw-on frame pivot/Office,
prepared for ball bearing
not usable with Art. No. 11.234 with finish
satin stainless steel (700)**14.50****11.308** Frame pivot for 120 mm frame pocket**6.70****11.248** Frame pivot for ball bearing for
120 mm frame pocket**11.00****11.304** Frame pivot for VX-frame pocket**15.50****11.305** Frame pivot for VX-frame pocket,
prepared for ball bearing**18.00****11.249** Frame pivot for 160 mm frame pocket,
for door hinge 11.230, 11.288 and 25.230**15.00**



Art. No.	Description	Base parts (000)	Alu silver EV1 (101)	Alu traffic white (300)	Alu champagne EV2 (102)	Alu dark bronze DB 14 (108)	Alu similar satin stainless steel (107)	Alu silver brilliant (103) Alu brass-brilliant (106)	Alu Special anodized (199)	Alu Special coated color (399)
		€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece

Thumbturn cylinders, door bolts, door catches



10.310 Thumbturn cylinder 42.50 42.50 55.00 66.50 76.50 76.50



10.311 Thumbturn half-cylinder 40.50 41.00 44.50 52.50 61.50 61.50



12.301 Slide-on door bolt for 8 mm glass thickness 37.00 37.00 47.50 56.00 58.50 65.50 65.50



12.314 Slide-on strike-box for 12.301 for 8 mm glass thickness 37.00 56.00 65.50 65.50



12.302 Slide-on door bolt for 10 mm glass thickness 38.00 38.00 48.50 57.00 59.50 66.50 66.50

12.317 Slide-on strike-box for 12.302 for 10 mm glass thickness 38.00 66.50 66.50



12.312 Door bolt on glass holes for 8 mm glass thickness 37.00 37.00 47.50 56.00 65.50 65.50



12.313 Strike-box on glass holes for 12.312 for 8 mm glass thickness 37.00 56.00 65.50 65.50

12.315 Door bolt on glass holes for 10 mm glass thickness 38.00 38.00 48.50 57.00 66.50 66.50

12.318 Door bolt with free glass edge, on glass holes for 8 and 10 mm glass thickness 37.00 37.00 63.50 63.50



12.316 Strike-box on glass holes for 12.315 for 10 mm glass thickness 38.00 57.00 66.50 66.50



12.300 Door catch, plastic 13.00



12.305 Door catch with round bolt 13.00

12.320 Slide over telescopic door bolt for 8, 10 and 12 mm glass thickness, similar lacquered to anodized finishes 70.00





SLIDE ACTION


TECHNICAL DATA

Glass:	TSG
Glass thickness:	8 – 10 mm
Max. door leaf weight:	50 kg
Applications:	1/2 panels, toughened glass assembly
Material:	Aluminum
Finishes:	Eloxal and RAL colors
Kind of installation:	Installation to wall, ceiling and glass
Special features:	No glass preparation for installation at wall and ceiling, readjustable without dismantling +5/-3 mm


Example view for AGILE 50 installation at wall, standard / Direct fixing at track/wall



Example view for AGILE 50 installation at ceiling



Example view for AGILE 50 with glass overpanel and glass side elements




SLIDE ACTION

Glass door (8 – 10 mm) for installation at wall, standard




Art. No. Description



Base parts (000)	Alu silver EV1 (101)	Alu similar satin stainless steel C 31 (113)	Alu traffic white (300)	Alu Special anodized (199)	Alu Special coated color (399)
€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece


Complete sets



07.410 for 950 mm panel width, complete, consisting of:

- 1 track 1900 mm,
- 1 angle profile 1900 mm,
- 2 clamp-carriers (for 8 and 10 mm glass thickness) with stabilizer,
- 2 endstops with safety catch,
- 1 AGILE floor guide
- 2 endcaps
- AGILE 50 view protection brush

229.00 251.00 241.00 273.00 273.00



07.413 for 1450 mm panel width
as above, but with

- 1 track 2900 mm,
- 1 angle profile 2900 mm


282.00 315.00 299.00 345.00 345.00

incl. AGILE 50 view protection brush

Glass door (8 – 10 mm) for installation at wall, track fixed directly to wall



Art. No. Description



Base parts (000)	Alu silver EV1 (101)	Alu similar satin stainless steel C 31 (113)	Alu traffic white (300)	Alu Special anodized (199)	Alu Special coated color (399)
€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece

Complete sets

07.427 for 950 mm panel width, complete, consisting of:

- 1 track 1900 mm,
- 1 cover profile 1900 mm,
- 2 clamp-carriers (for 8 - 10 mm glass thickness) with stabilizer,
- 2 endstops with safety catch,
- 1 AGILE floor guide
- 2 endcaps
- AGILE 50 view protection brush



224.00 **251.00** **227.00** **269.00** **269.00**


07.428 for 1450 mm panel width, as above, but with

- 1 track 2900 mm,
- 1 cover profile 2900 mm
- AGILE 50 view protection brush

272.00 **315.00** **280.00** **345.00** **345.00**


Glass door (8 – 10 mm) for installation at ceiling

		Base parts (000)	Alu silver EV1 (101)	Alu similar satin stainless steel C 31 (113)	Alu traffic white (300)	Alu Special anodized (199)	Alu Special coated color (399)
		€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece
		Art. No. Description					

Complete sets**with cover profile**


- 07.411 for 950 mm panel width, complete,**
 consisting of:
 1 track 1900 mm,
 1 cover profile 1900 mm,
 2 clamp-carriers (for 8 and 10 mm glass thickness)
 with stabilizer,
 2 endstops with safety catch,
 1 AGILE floor guide
 2 endcaps
 AGILE 50 view protection brush

218.00 256.00 221.00 263.00 263.00




- 07.414 for 1450 mm panel width**
 as above, but with
 1 track 2900 mm,
 1 cover profile 2900 mm

266.00 317.00 274.00 339.00 339.00

without cover profile

- 07.412 for 950 mm panel width, complete,**
 consisting of:
 1 track 1900 mm,
 2 clamp-carriers
 (for 8 and 10 mm glass thickness) with stabilizer,
 2 endstops with safety catch,
 1 AGILE floor guide
 2 endcaps
 AGILE 50 view protection brush


185.00 206.00 190.00 215.00 215.00



- 07.415 for 1450 mm panel width**
 as above, but with
 1 track 2900 mm

226.00 258.00 234.00 265.00 265.00

Glass door (8 – 10 mm) with glass overpanel and glass side element (10 – 19 mm)

																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Complete sets**COMPACT sliding door sets
for selected clear opening widths**

- 07.713** for selected clear opening width **850 mm**
- consisting of:
- AGILE 50 track (1900 mm)
 - AGILE 50 glass connection angle (1900 mm)
 - counter profile (1900 mm), incl. fixing plates
 - AGILE 50 accessory set
 - end caps
 - AGILE 50 view protection brush

395.00 428.00 404.00 443.00 443.00

- 07.714** for selected clear opening width **1050 mm**
- consisting of:
- AGILE 50 track, (2300 mm)
 - AGILE 50 glass connection angle (2300 mm)
 - counter profile (2300 mm), incl. fixing plates
 - AGILE 50 accessory set
 - end caps
 - AGILE 50 view protection brush

444.00 480.00 454.00 497.00 497.00

**CONCEPT sliding door sets
for individual clear opening widths
(Profiles will be drilled and cut according
to the clear opening widths)**

- 07.715** for individual clear opening width
650 – 1050 mm
- consisting of:
- AGILE 50 track, (1500 – 2300 mm)
 - AGILE 50 glass connection angle (2300 mm)
 - counter profile (1500 – 2300 mm), incl. fixing plates
 - AGILE 50 accessory set
 - end caps
 - AGILE 50 view protection brush

455.00 491.00 446.00 508.00 508.00

Notes

SLIDE ACTION





SLIDE ACTION



TECHNICAL DATA

Glass:	TSG
Glass thickness:	8 – 13.5 mm
Max. door leaf weight:	150 kg
Applications:	1/2 panels, side elements, toughened glass assembly
Material:	Aluminum
Finishes:	Eloxal and RAL colors
Kind of installation:	Installation to wall, ceiling and glass
Special features:	No glass preparation for installation at wall and ceiling readjustable without dismantling +5/-5 mm


Example view for AGILE 150 installation at wall, standard / direct fixing at track/wall




Example view for AGILE 150 installation at ceiling



Example view for AGILE 150 with glass side element/s



Example view for AGILE 150 with glass overpanel and glass side elements




SLIDE ACTION

Glass door (8 – 13,5 mm) for installation at wall, standard




Art. No. Description




Base parts (000)	Alu silver EV1 (101)	Alu similar satin stainless steel C 31 (113)	Alu traffic white (300)	Alu Special anodized (199)	Alu Special coated color (399)
€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece

Complete sets


07.300 AGILE 150 Sliding door set
(standard track fixing at wall)
for 950 mm panel width

complete, consisting of:

- 1 track 1900 mm,
- 1 angle profile 1900 mm,
- 2 clamp carriers for 8 – 13,5 mm glass thickness (continuously adjustable),
- 2 endstops with safety catch and anti jump device,
- 1 AGILE floor guide for 8 – 13,5 mm glass thickness (continuously adjustable)
- 2 endcaps
- AGILE 150 view protection brush

319.00 **348.00** **336.00** **380.00** **380.00**

07.302 for 1450 mm panel width

as above, but with


- 1 track 2900 mm,
- 1 angle profile 2900 mm

393.00 **438.00** **416.00** **480.00** **480.00**

Glass door (8 – 13,5 mm) for installation at wall, track fixed directly at wall



Art. No. Description



Base parts (000)	Alu silver EV1 (101)	Alu similar satin stainless steel C 31 (113)	Alu traffic white (300)	Alu Special anodized (199)	Alu Special coated color (399)
€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece

Complete sets**07.304 for 950 mm panel width**

309.00	348.00	313.00	372.00	372.00
--------	--------	--------	--------	--------

complete, consisting of:
 1 track 1900 mm,
 1 cover profile 1900 mm,
 2 clamp carriers for 8 – 13,5 mm glass thickness (continuously adjustable),
 2 endstops with safety catch and anti jump device,
 1 AGILE floor guide for 8 – 13,5 mm glass thickness (continuously adjustable)
 2 endcaps
 AGILE 150 view protection brush

07.305 for 1450 mm panel width

380.00	438.00	391.00	480.00	480.00
--------	--------	--------	--------	--------

as above, but with
 1 track 2900 mm,
 1 cover profile 2900 mm

Glass door (8, 10, 12 mm) for installation at wall, Syncro




Art. No. Description



Base parts (000)	Alu silver EV1 (101)	Alu similar satin stainless steel C 31 (113)	Alu traffic white (300)	Alu Special anodized (199)	Alu Special coated color (399)
€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece

Sets

**07.330 AGILE 150 – Syncro-Set****634.00****638.00**

for 2-panel synchronously opening system,
max. panel width 1000 mm,
max. panel weight 80 kg per panel,
consisting of:
2 x accessory set Clamp carriers, end stops, floor guides,
etc.
1 x deflection device incl. cable, adjustable


Attention: The AGILE track rail / wall angle should be prepared (customised profiles / adjustment on site) prior to installation.

Consider the mounting instructions!

Track profiles and end caps have to be ordered separately


Required components

AGILE 150 – Prepared profiles for Syncro applications / wall fixing



07.355 AGILE 150 angel profile and track profile, wall fixing, drilled, in fixed lengths.

€/m	€/m	€/m	€/m
109.00	124.00	142.00	142.00



29.420 Spacer for sliding doors that move in opposite directions

€/Pair
58.50



07.720 AGILE 150 set endcaps (LH/RH)

€/Set (807)	€/Set (808)	€/Set (805)	€/Set (803)
9.30	9.30	9.30	9.30




07.385 AGILE 150 brush profiles
for track
stock length, 1250 mm

7.30


Glass door (8 – 13,5 mm) for installation at ceiling



Art. No. Description



Base parts (000)	Alu silver EV1 (101)	Alu similar satin stainless steel C 31 (113)	Alu traffic white (300)	Alu Special anodized (199)	Alu Special coated color (399)
€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece

Complete sets**07.301 AGILE 150 Sliding door set (track fixing at ceiling) for 950 mm panel width**

complete, consisting of:

- 1 track 1900 mm,
- 1 cover profile 1900 mm,
- 2 clamp carriers for 8 – 13,5 mm glass thickness (continuously adjustable),
- 2 endstops with safety catch and anti jump device,
- 1 AGILE floor guide for 8 – 13,5 mm glass thickness (continuously adjustable)
- 2 endcaps
- AGILE 150 view protection brush

303.00	355.00	307.00	366.00	366.00
---------------	---------------	---------------	---------------	---------------

07.303 for 1450 mm panel width

as above, but with

- 1 track 2900 mm,
- 1 cover profile 2900 mm

370.00	441.00	382.00	472.00	472.00
---------------	---------------	---------------	---------------	---------------

Glass door (8 , 10, 12 mm) for installation at ceiling, Syncro




Art. No. Description



Base parts (000)	Alu silver EV1 (101)	Alu similar satin stainless steel C 31 (113)	Alu traffic white (300)	Alu Special anodized (199)	Alu Special coated color (399)
€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece

Sets

**07.330 AGILE 150 – Syncro-Set****634.00****638.00**

for 2-panel synchronously opening system,
max. panel width 1000 mm,
max. panel weight 80 kg per panel,
consisting of:
2 x accessory set Clamp carriers, end stops, floor guides,
etc.
1 x deflection device incl. cable, adjustable


Attention: The AGILE track rail / wall angle should be prepared (customised profiles / adjustment on site) prior to installation.

Consider the mounting instructions!

Track profiles and end caps have to be ordered separately


Required components

**Prepared profiles for
Syncro applications / ceiling fixing**




07.353 AGILE 150 track profile Syncro
application / ceiling fixing, prepared for Syncro
(for applications without side elements), in **fixed lengths**.
Cover profile 07.351 has to be ordered
separately, if required.

€/m	€/m	€/m	€/m
60.00	68.50	80.00	80.00



07.351 AGILE 150 cover profile, ceiling fixed for clip-on to
AGILE track profile
Art. No. 07.340/343/350/356
in **fixed length**

19.00	32.50	22.50	36.50	36.50
--------------	--------------	--------------	--------------	--------------



29.420 Spacer for sliding doors that move
in opposite directions

€/Pair
58.50



07.721 AGILE 150 set endcaps (LH/RH)



€/Set (807)	€/Set (808)	€/Set (805)	€/Set (803)
9.30	9.30	9.30	9.30




07.385 AGILE 150 brush profiles
for track
stock length, 1250 mm

7.30

Glass door (8 – 13,5 mm) with glass side element/s (8 – 13,5 mm)

			Base parts (000)	Alu silver EV1 (101)	Alu similar satin stainless steel C 31 (113)	Alu traffic white (300)	Alu Special anodized (199)	Alu Special coated color (399)
			€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece
Art. No. Description								

Sets




- 07.725 AGILE 150 accessory set**
- consisting of:
 2 clamp carriers for 8 – 13,5 mm glass thickness
 (continuously adjustable),
 2 endstops with safety catch and anti jump device,
 1 AGILE floor guide for 8 – 13,5 mm glass thickness (continuously adjustable)

196.00


198.00

Required components




- 07.370 AGILE 150 track – side element profile,**
 drilled, in **fixed length**

€/m	€/m	€/m	€/m	€/m
73.50	87.50	79.50	104.00	104.00



- 07.371 AGILE 150 side element – fixing profile,**
 for track Art. No. 07.360/370
 (for fixing a side element),
 in **fixed length**

€/m	€/m	€/m	€/m	€/m
13.50	23.00	15.00	25.00	25.00



- 07.372 AGILE 150 view protection profile,**
 for track Art. No. 07.360/370
 (to cover gap in entry area),
 in **fixed length**

€/m	€/m	€/m	€/m	€/m
12.50	21.50	13.50	23.00	23.00



- 07.385 AGILE 150 brush profiles**
 for track
 stock length, 1250 mm

7.30



- 07.722 AGILE 150 set endcaps (LH/RH)**

€/Set (807)	€/Set (808)	€/Set (805)	€/Set (803)
9,30	9,30	9,30	9,30




- 07.093 U-profile 20 x 20 x 20 x 2 mm**
 in **fixed length**

€/m
7,60

Glass door (8, 10, 12 mm glass thickness) with glass side element/s (8 – 13,5 mm), Syncro

			Base parts (000)	Alu silver EV1 (101)	Alu similar satin stainless steel C 31 (113)	Alu traffic white (300)	Alu Special anodized (199)	Alu Special coated color (399)
			€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece
Art. No. Description								


Sets

**07.330 AGILE 150 – Syncro-Set****634.00****638.00**

for 2-panel synchronously opening system,
max. panel width 1000 mm,
max. panel weight 80 kg per panel,
consisting of:
2 x accessory set Clamp carriers, end stops, floor guides,
etc.
1 x deflection device incl. cable, adjustable

Attention: The AGILE track rail / wall angle should be prepared (customised profiles / adjustment on site) prior to installation.
Consider the mounting instructions!
Track profiles and end caps have to be ordered separately

Required components




**Prepared profiles for
Syncro applications / ceiling fixing**

07.373 AGILE 150 track / side element profile, ceiling fixing


(for application with side elements), prepared for Syncro,
drilled, in **fixed lengths**.
Side element / edge profile 07.371 and view protection
profile 07.372 has to be ordered separately, if required.

€/m	€/m	€/m	€/m	€/m
88.50	103.00	94.50	119.00	119.00



07.371 AGILE 150 side element – fixing profile,
for track Art. No. 07.360/370
(for fixing a side element),
in **fixed length**

€/m	€/m	€/m	€/m	€/m
13.50	23.00	15.00	25.00	25.00



07.372 AGILE 150 view protection profile,
for track Art. No. 07.360/370
(to cover gap in entry area),
in **fixed length**

€/m	€/m	€/m	€/m	€/m
12.50	21.50	13.50	23.00	23.00




07.385 AGILE 150 brush profiles
for track
stock length, 1250 mm

7.30

07.722 AGILE 150 set endcaps (LH/RH)

€/Set (807)	€/Set (808)	€/Set (805)	€/Set (803)
9.30	9.30	9.30	9.30




29.420 Spacer for sliding doors that move
in opposite directions


 €/pair
58.50


07.093 U-profile 20 x 20 x 20 x 2 mm
in **fixed length**

 €/m
7,60

Glass door (8 – 13,5 mm) with glass overpanel and glass sidepanels (10 – 19 mm)


																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															</
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----

Complete sets**COMPACT sliding door sets
for selected clear opening widths**

07.735	for selected clear opening width 850 mm consisting of: AGILE 150 track (1900 mm) AGILE 150 glass connection angle (1900 mm) counter profile (1900 mm), incl. fixing plates AGILE 150 accessory set end caps, view protection brushes	522.00	573.00	539.00	582.00	582.00
---------------	---	---------------	---------------	---------------	---------------	---------------

07.736	for selected clear opening width 1050 mm consisting of: AGILE 150 track, (2300 mm) AGILE 150 glass connection angle (2300 mm) counter profile (2300 mm), incl. fixing plates AGILE 150 accessory set end caps, view protection brushes	577.00	638.00	592.00	648.00	648.00
---------------	---	---------------	---------------	---------------	---------------	---------------

07.737	for selected clear opening width 1250 mm consisting of: AGILE 150 track, (2700 mm) AGILE 150 glass connection angle (2700 mm) counter profile (2700 mm), incl. fixing plates AGILE 150 accessory set end caps, view protection brushes	640.00	712.00	655.00	722.00	722.00
---------------	---	---------------	---------------	---------------	---------------	---------------

**CONCEPT sliding door sets for individual clear opening
widths (Profiles will be drilled and cut according to
the clear opening widths)**

07.738	for individual clear opening width 850 – 1050 mm consisting of: AGILE 150 track, (1900 – 2300 mm) AGILE 150 glass connection angle (1900 – 2300 mm) counter profile (1900 – 2300 mm), incl. fixing plates AGILE 150 accessory set end caps, view protection brushes	588.00	650.00	604.00	659.00	659.00
---------------	--	---------------	---------------	---------------	---------------	---------------

07.739	for individual clear opening width 1100 – 1350 mm consisting of: AGILE 150 track, (2400 – 2900 mm) AGILE 150 glass connection angle (2400 – 2900 mm) counter profile (2400 – 2900 mm), incl. fixing plates AGILE 150 accessory set end caps, view protection brushes	653.00	690.00	672.00	731.00	731.00
---------------	---	---------------	---------------	---------------	---------------	---------------


Required components


07.093	U-profile 20 x 20 x 20 x 2 mm in fixed length	7.60
---------------	---	-------------

€/m


7.60

Timber door (28 – 40 mm) for installation at wall, standard

						
	Art. No.	Description				




Base parts (000)	Alu silver EV1 (101)	Alu similar satin stainless steel C 31 (113)	Alu traffic white (300)	Alu Special anodized (199)	Alu Special coated color (399)
€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece


Set**07.745 AGILE 150 accessory set****193.00**

consisting of:
 2 clamp carriers
 2 endstops with safety catch and anti jump device,
 1 floor guide for timber door panel


For Timber door application
 the adapter profile AGILE 150
 07.367/07.377 will be necessitated

Required components**07.377 AGILE 150 Connector profile for timber applications**
in fixed length

50.00	59.50	54.50	71.00	71.00
-------	-------	-------	-------	-------

**07.350 AGILE 150 track profile,**
standard fixing at wall or ceiling
(without side elements), drilled,
in fixed length

48.00	56.50	52.00	68.00	68.00
-------	-------	-------	-------	-------

**07.352 AGILE 150 angle profile, wall fixed for track**
Art. No. 07.340/343/350/356
drilled, in fixed length

30.50	36.50	33.50	43.50	43.50
-------	-------	-------	-------	-------


**07.720 AGILE 150 set endcaps (LH/RH)**

€/Set (807)	€/Set (808)	€/Set (805)	€/Set (803)
9.30	9.30	9.30	9.30


Timber door (28 – 40 mm) for installation at ceiling



Art. No. Description




Base parts (000)	Alu silver EV1 (101)	Alu similar satin stainless steel C 31 (113)	Alu traffic white (300)	Alu Special anodized (199)	Alu Special coated color (399)
€/Piece	€/m	€/Piece	€/Piece	€/Piece	€/Piece


Set**07.745 AGILE 150 accessory set****193.00**

consisting of:
 2 clamp carriers
 2 endstops with safety catch and anti jump device,
 1 floor guide for timber door panel

For Timber door application
 the adapter profile AGILE 150
 07.367/07.377 will be necessitated

Required components**07.377 AGILE 150 Connector profile for timber applications**
in fixed length

50.00	59.50	54.50	71.00	71.00
-------	-------	-------	-------	-------

**07.350 AGILE 150 track profile,**
standard fixing at wall or ceiling
(without side elements), drilled,
in fixed length

48.00	56.50	52.00	68.00	68.00
-------	-------	-------	-------	-------


07.351 AGILE 150 cover profile, ceiling fixed for clip-on to
AGILE track profile
Art. No. 07.340/343/350/356
in fixed length


19.00	32.50	22.50	36.50	36.50
-------	-------	-------	-------	-------

**07.721 AGILE 150 set endcaps (LH/RH)**

€/Set (807)	€/Set (808)	€/Set (805)	€/Set (803)
9.30	9.30	9.30	9.30


Timber door (28 – 40 mm) with glass side element/s (8 – 13,5 mm)

																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--


Set**07.745 AGILE 150 accessory set****193.00**

consisting of:
 2 clamp carriers
 2 endstops with safety catch and anti jump device,
 1 floor guide for timber door panel


For Timber door application
 the adapter profile AGILE 150
 07.367/07.377 will be necessitated

Required components**07.377 AGILE 150 Connector profile for timber applications**
in fixed length


50.00	59.50	54.50	71.00	71.00
-------	-------	-------	-------	-------

**07.370 AGILE 150 track – side element profile,**
drilled,
in fixed length

73.50	87.50	79.50	104.00	104.00
-------	-------	-------	--------	--------

**07.371 AGILE 150 side element – fixing profile,**
for track Art. No. 07.360/370
(for fixing a side element),
in fixed length

13.50	23.00	15.00	25.00	25.00
-------	-------	-------	-------	-------

**07.372 AGILE 150 view protection profile,**
for track Art. No. 07.360/370
(to cover gap in entry area),
in fixed length

12.50	21.50	13.50	23.00	23.00
-------	-------	-------	-------	-------

**07.722 AGILE 150 set endcaps (LH/RH)**


€/Set (807)	€/Set (808)	€/Set (805)	€/Set (803)
9,30	9,30	9,30	9,30

**07.093 U-profile 20 x 20 x 20 x 2 mm**
in fixed length**7,60**

Timber door (28 – 40 mm) with glass overpanel and side element (10 – 19 mm)




Art. No. Description



Base parts (000)	Alu silver EV1 (101)	Alu similar satin stainless steel C 31 (113)	Alu traffic white (300)	Alu Special anodized (199)	Alu Special coated color (399)
€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece

Complete sets


COMPACT Sliding door sets



07.735	for selected clear opening width 850 mm consisting of: AGILE 150 track (1900 mm), counter profile (1900 mm), incl. fixing plates*	522.00	573.00	539.00	582.00	582.00
07.736	for selected clear opening width 1050 mm consisting of: AGILE 150 track, (2300 mm), counter profile (2300 mm), incl. fixing plates*	577.00	638.00	592.00	648.00	648.00
07.737	for selected clear opening width 1250 mm consisting of: AGILE 150 track, (2700 mm), counter profile (2700 mm), incl. fixing plates*	640.00	712.00	655.00	722.00	722.00

CONCEPT sliding door sets for individual clear opening widths (Profiles will be drilled and cut according to the clear opening widths)

07.738	for individual clear opening width 850 – 1050 mm consisting of: AGILE 150 track, (1900 – 2300 mm) counter profile (1900 – 2300 mm), incl. fixing plates*	588.00	650.00	604.00	659.00	659.00
07.739	for individual clear opening width 1100 – 1350 mm consisting of: AGILE 150 track, (2400 – 2900 mm) counter profile (2400 – 2900 mm), incl. fixing plates*	653.00	690.00	672.00	731.00	731.00



*incl. AGILE 150 glass connection angle, AGILE 150 accessory set, end caps, and AGILE 150 view protection brushes

07.745 AGILE 150 accessory set consisting of: 2 clamp carriers for 8 – 13,5 mm glass thickness (continuously adjustable), 2 endstops with safety catch and anti jump device, 1 AGILE floor guide for 8 – 13,5 mm glass thickness (continuously adjustable)	193.00
---	---------------

Required components

07.377 AGILE 150 Connector profile for timber applications in fixed length	50.00	59.50	54.50	71.00	71.00
07.226 floor guide for timber door panel	1.00				
07.093 U-profile 20 x 20 x 20 x 2 mm in fixed length		7,60			



Notes

SLIDE ACTION




SLIDE ACTION


TECHNICAL DATA

Glass type:	TSG
Glass thickness:	8 – 13.5 mm
Max. door leaf weight:	80 kg (Type L), 150 kg (Type XL)
Applications:	1/2 panels, toughened glass assemblies
Material:	Aluminum
Finishes:	Anodized and RAL colors
Fixing method:	Wall, ceiling and glass-to-glass
Special features:	Stop and retraction function at both ends; adjustability without dismantling +5/-5 mm


Example view for AGILE 150 DORMOTION installation at wall, standard / direct fixing at track/wall




Example view for AGILE 150 DORMOTION installation at ceiling



Example view for AGILE 150 DORMOTION with glass side element/s




Example view for AGILE 150 DORMOTION with glass overpanel and glass side elements




SLIDE ACTION

Glass doors (8 – 13,5 mm) for installation at wall, standard

																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Sets



- 07.582** AGILE 150 DORMOTION – set type L
(up to 80 kg), consisting of:
2 clamp carriers with end stop, anti-jump mechanism,
floor guide, both-way cushioning/spring mechanism
(DORMOTION) set type L + starter,
2 end caps


367.00 369.00 367.00 372.00 372.00



- 07.583** AGILE 150 DORMOTION – set type XL
(up to 150 kg), consisting of:
2 clamp carriers with end stop, anti-jump mechanism,
floor guide, both-way cushioning/spring mechanism
(DORMOTION) set type XL + starter,
2 end caps

424.00 426.00 424.00 429.00 429.00


Required components





- 07.591** AGILE 150 DORMOTION –
Profile set for standard track fixing at wall – fixed length,
consisting of:
AGILE 150 DORMOTION track rail
for standard fixing at wall or ceiling,
AGILE 150 DORMOTION angle profile for wall
installation, (min. panel width 830/1160 mm for
set type L/XL)
incl. AGILE 150 view protection brush

€/m 79.50 €/m 94.50 €/m 86.50 €/m 113.00 €/m 113.00

Glass doors (8 – 13,5 mm) for installation at wall, standard

					
	Art. No.	Description			

	Base parts (000)	Alu silver EV1 (101)	Alu similar satin stainless steel C 31 (113)	Alu traffic white (300)	Alu Special anodized (199)	Alu Special coated color (399)
	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece

Sets


- 07.582** AGILE 150 DORMOTION – set type L
(up to 80 kg), consisting of:
2 clamp carriers with end stop, anti-jump mechanism,
floor guide, both-way cushioning/spring mechanism
(DORMOTION) set type L + starter,
2 end caps

367.00 369.00 367.00 372.00 372.00



- 07.583** AGILE 150 DORMOTION – set type XL
(up to 150 kg), consisting of:
2 clamp carriers with end stop, anti-jump mechanism,
floor guide, both-way cushioning/spring mechanism
(DORMOTION) set type XL + starter,
2 end caps



424.00 426.00 424.00 429.00 429.00

Required components


- 07.593** AGILE 150 DORMOTION –
Profile set for direct track fixing at wall – fixed length,
consisting of:
AGILE 150 DORMOTION track rail
for direct track fixing at wall
AGILE 150 DORMOTION angle profile for ceiling / wall
installation, (min. panel width 830/1160 mm for
set type L/XL)
incl. AGILE 150 view protection brush

€/m 79.50 94.50 86.50 113.00 113.00

Glass door (8 – 13,5 mm) for installation at ceiling

						
	Base parts (000)	Alu silver EV1 (101)	Alu similar satin stainless steel C 31 (113)	Alu traffic white (300)	Alu Special anodized (199)	Alu Special coated color (399)
	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece
Art. No. Description						

Sets



- 07.582** AGILE 150 DORMOTION – set type L
(up to 80 kg), consisting of:
2 clamp carriers with end stop, anti-jump mechanism,
floor guide, both-way cushioning/spring mechanism
(DORMOTION) set type L + starter,
2 end caps


367.00 369.00 367.00 372.00 372.00



- 07.583** AGILE 150 DORMOTION – set type XL
(up to 150 kg), consisting of:
2 clamp carriers with end stop, anti-jump mechanism,
floor guide, both-way cushioning/spring mechanism
(DORMOTION) set type XL + starter,
2 end caps

424.00 426.00 424.00 429.00 429.00



Required components




- 07.590** AGILE 150 DORMOTION –
Profile set for track fixing at ceiling – fixed length,
consisting of:
AGILE 150 DORMOTION track rail
for wall and ceiling installation,
AGILE 150 DORMOTION angle profile for
ceiling installation, (min. panel width 830/1160 mm for
set type L/XL)
incl. AGILE 150 view protection brush

€/m €/m €/m €/m €/m
79.50 94.50 86.50 113.00 113.00

Glass door (8 – 13,5 mm) with glass side element/s (8 – 13,5 mm)

			Base parts (000)	Alu silver EV1 (101)	Alu similar satin stainless steel C 31 (113)	Alu traffic white (300)	Alu Special anodized (199)	Alu Special coated color (399)
			€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece
Art. No. Description								

Sets



- 07.582** AGILE 150 DORMOTION – set type L
(up to 80 Kg), consisting of:
2 clamp carriers with end stop, anti-jump mechanism,
floor guide, both-way cushioning/spring mechanism
(DORMOTION) set type L + starter,
2 end caps


367.00 369.00 367.00 372.00 372.00



- 07.583** AGILE 150 DORMOTION – set type XL
(up to 150 kg), consisting of:
2 clamp carriers with end stop, anti-jump mechanism,
floor guide, both-way cushioning/spring mechanism
(DORMOTION) set type XL + starter,
2 end caps

424.00 426.00 424.00 429.00 429.00

Required components



- 07.592** AGILE 150 DORMOTION –
Profile set for versions with side elements – fixed length,
consisting of:
AGILE 150 DORMOTION track rail, angle,
side element, view protection and filling profile,
(min. panel width 830/1160 mm for set type L/XL)
incl. AGILE 150 view protection brush

€/m 135.00 €/m 181.00 €/m 156.00 €/m 217.00 €/m 217.00




- 07.093** U-profile 20 x 20 x 20 x 2 mm
in fixed length

€/m 7.60


Glass door (8 – 13,5 mm) with glass overpanel and glass sidepanels (10 – 19 mm)



Art. No. Description



Base parts (000)	Alu silver EV1 (101)	Alu similar satin stainless steel C 31 (113)	Alu traffic white (300)	Alu Special anodized (199)	Alu Special coated color (399)
€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece


Complete sets**COMPACT sliding door sets
for individual clear opening widths**

- 07.700** for selected clear opening width **850 mm**
consisting of:
AGILE 150 DORMOTION track (1900 mm)
counter profile (1900 mm), incl. fixing plates
AGILE 150 DORMOTION set type L*

653.00	685.00	668.00	697.00	697.00
--------	--------	--------	--------	--------


- 07.701** for selected clear opening width **1050 mm**
consisting of:
AGILE 150 DORMOTION track, (2300 mm)
counter profile (2300 mm), incl. fixing plates
AGILE 150 DORMOTION set type L*

709.00	750.00	727.00	761.00	761.00
--------	--------	--------	--------	--------




- 07.702** for selected clear opening width **1250 mm**
consisting of:
AGILE 150 DORMOTION track, (2700 mm)
counter profile (2700 mm), incl. fixing plates
AGILE 150 DORMOTION set type XL*

879.00	926.00	901.00	940.00	940.00
--------	--------	--------	--------	--------

**CONCEPT sliding door sets
for individual clear opening widths
(Profiles will be drilled and cut according to
the clear opening widths)**

- 07.706** **850 – 1050 mm**
consisting of:
AGILE 150 DORMOTION track, (1900 – 2300 mm) counter
profile (1900 – 2300 mm), incl. fixing plates
AGILE 150 DORMOTION set type L*

719.00	761.00	739.00	772.00	772.00
--------	--------	--------	--------	--------



- 07.707** **1100 – 1350 mm**
consisting of:
AGILE 150 DORMOTION track, (2400 – 2900 mm) counter
profile (2400 – 2900 mm), incl. fixing plates
AGILE 150 DORMOTION set type XL*

895.00	941.00	918.00	957.00	957.00
--------	--------	--------	--------	--------

*incl. AGILE 150 glass connection angle and AGILE 150
view protection brushes

Required components**U-profile 20 x 20 x 20 x 2 mm**

- 07.093** in fixed length

€/m


7.60



Timber door (28 – 40 mm) for installation at wall, standard

						Base parts (000)	Alu silver EV1 (101)	Alu similar satin stainless steel C 31 (113)	Alu traffic white (300)	Alu Special anodized (199)	Alu Special coated color (399)
	Art. No. Description					€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece

Sets



07.582 AGILE 150 DORMOTION – set type L
(up to 80 kg)*

367.00 **369.00** **367.00** **372.00** **372.00**




07.583 AGILE 150 DORMOTION – set type XL
(up to 150 kg)*

424.00 **426.00** **424.00** **429.00** **429.00**

*consisting of: 2 clamp carriers with end stop, anti-jump mechanism, floor guide, both-way cushioning/spring mechanism (DORMOTION)
set type XL + starter,
2 end caps


€/m €/m €/m €/m €/m
79.50 **94.50** **86.50** **113.00** **113.00**

Required components




07.591 AGILE 150 DORMOTION –
Profile set for standard track fixing at wall – fixed length,
consisting of:
AGILE 150 DORMOTION track rail
for standard fixing at wall or ceiling,
AGILE 150 DORMOTION angle profile for wall
installation, (min. panel width 830/1160 mm for
set type L/XL)
incl. AGILE 150 view protection brush

€/m €/m €/m €/m €/m
79.50 **94.50** **86.50** **113.00** **113.00**



07.378 AGILE 150 adapter profile for timber applications
in connection with AGILE DORMOTION setL,
in **fixed length**

€/m €/m €/m €/m €/m
67.50 **76.50** **71.50** **87.50** **87.50**




07.379 AGILE 150 adapter profile for timber applications
in connection with AGILE DORMOTION Set XL,
in **fixed length**

€/m €/m €/m €/m €/m
83.00 **92.00** **87.00** **103.00** **103.00**

Timber door (28 – 40 mm) for installation at ceiling




Art. No. Description



Alu silver EV1 (101)	Alu similar satin stainless steel C 31 (113)	Alu traffic white (300)	Alu Special anodized (199)	Alu Special coated color (399)
€/Piece	€/Piece	€/Piece	€/Piece	€/Piece

Sets



07.582 AGILE 150 DORMOTION – set type L
(up to 80 kg)*

367.00 369.00 367.00 372.00 372.00




07.583 AGILE 150 DORMOTION – set type XL
(up to 150 kg)*

424.00 426.00 424.00 429.00 429.00


*consisting of: 2 clamp carriers with end stop, anti-jump mechanism, floor guide, both-way cushioning/spring mechanism (DORMOTION)
set type XL + starter,
2 end caps

Required components




07.590 AGILE 150 DORMOTION –
Profile set for track fixing at ceiling – fixed length,
consisting of:
AGILE 150 DORMOTION track rail
for wall and ceiling installation,
AGILE 150 DORMOTION angle profile for
ceiling installation, (min. panel width 830/1160 mm for
set type L/XL)
incl. AGILE 150 view protection brush

€/m	€/m	€/m	€/m	€/m
79.50	94.50	86.50	113.00	113.00



07.378 AGILE 150 adapter profile for timber applications
in connection with AGILE DORMOTION setL,
in **fixed length**

€/m	€/m	€/m	€/m	€/m
67.50	76.50	71.50	87.50	87.50




07.379 AGILE 150 adapter profile for timber applications
in connection with AGILE DORMOTION Set XL,
in **fixed length**

€/m	€/m	€/m	€/m	€/m
83.00	92.00	87.00	103.00	103.00

Timber door (28 – 40 mm) with glass side element/s (8 - 13,5 mm)

	Art. No.	Description		Base parts (000)	Alu silver EV1 (101)	Alu similar satin stainless steel C 31 (113)	Alu traffic white (300)	Alu Special anodized (199)	Alu Special coated color (399)
				€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece

Sets

07.582 AGILE 150 DORMOTION – set type L
(up to 80 kg)*


367.00 **369.00** **367.00** **372.00** **372.00**



07.583 AGILE 150 DORMOTION – set type XL
(up to 150 kg)*


424.00 **426.00** **424.00** **429.00** **429.00**

*consisting of: 2 clamp carriers with end stop, anti-jump mechanism, floor guide, both-way cushioning/spring mechanism (DORMOTION)
set type XL + starter,
2 end caps

Required components

07.592 AGILE 150 DORMOTION
Profile set for versions with side elements – fixed length,
consisting of:
AGILE 150 DORMOTION track rail, angle,
side element, view protection and filling profile,
(min. panel width 830/1160 mm for set type L/XL)
incl. AGILE 150 view protection brush

€/m €/m €/m €/m €/m
135.00 **181.00** **156.00** **217.00** **217.00**



07.378 AGILE 150 adapter profile for timber applications
in connection with AGILE DORMOTION set L,
in **fixed length**

€/m €/m €/m €/m €/m
67.50 **76.50** **71.50** **87.50** **87.50**



07.379 AGILE 150 adapter profile for timber applications
in connection with AGILE DORMOTION set XL,
in **fixed length**

€/m €/m €/m €/m €/m
83.00 **92.00** **87.00** **103.00** **103.00**




07.093 U-profile 20 x 20 x 20 x 2 mm
in **fixed length**

€/m
7.60


Timber door (28 – 40 mm) with glass overpanel and side element (10 – 19 mm)



Art. No. Description



Base parts (000)	Alu silver EV1 (101)	Alu similar satin stainless steel C 31 (113)	Alu traffic white (300)	Alu Special anodized (199)	Alu Special coated color (399)
€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece


Complete sets**COMPACT Sliding door sets
for selected clear opening widths**

- 07.700** for selected clear opening width **850 mm** consisting of:
AGILE 150 DORMOTION track (1900 mm)
counter profile (1900 mm), incl. fixing plates
AGILE 150 DORMOTION set type L*

653.00	685.00	668.00	697.00	697.00
--------	--------	--------	--------	--------

- 07.701** for selected clear opening width **1050 mm** consisting of:
AGILE 150 DORMOTION track, (2300 mm)
counter profile (2300 mm), incl. fixing plates
AGILE 150 DORMOTION set type L*

709.00	750.00	727.00	761.00	761.00
--------	--------	--------	--------	--------




- 07.702** for selected clear opening width **1250 mm** consisting of:
AGILE 150 DORMOTION track, (2700 mm)
counter profile (2700 mm), incl. fixing plates
AGILE 150 DORMOTION set type XL*

879.00	926.00	901.00	940.00	940.00
--------	--------	--------	--------	--------

**CONCEPT sliding door sets
for individual clear opening widths
(Profiles will be drilled and cut according
to the clear opening widths)**


- 07.706 850 – 1050 mm**
consisting of:
AGILE 150 DORMOTION track, (1900 – 2300 mm) counter profile
(1900 – 2300 mm), incl. fixing plates
AGILE 150 DORMOTION set type L*

715.00	761.00	739.00	772.00	772.00
--------	--------	--------	--------	--------




- 07.707 1100 – 1350 mm**
consisting of:
AGILE 150 DORMOTION track, (2400 – 2900 mm) counter profile
(2400 – 2900 mm), incl. fixing plates
AGILE 150 DORMOTION set type XL*

895.00	941.00	918.00	957.00	957.00
--------	--------	--------	--------	--------




*incl. AGILE 150 glass connection angle and AGILE 150 view protection brushes

For timber applications the adapter profile AGILE 150 07.367/07.377 and the AGILE floor guide 07.226 will be necessitated

Required components

- 07.378 AGILE 150 adapter profile for timber applications**
in connection with AGILE DORMOTION setL,
in **fixed length**

€/m	€/m	€/m	€/m	€/m
67.50	76.50	71.50	87.50	87.50



- 07.379 AGILE 150 adapter profile for timber applications**
in connection with AGILE DORMOTION Set XL,
in **fixed length**

€/m	€/m	€/m	€/m	€/m
83.00	92.00	87.00	103.00	103.00



- 07.093 U-profile 20 x 20 x 20 x 2 mm**
in **fixed length**


€/m
7.60




TECHNICAL DATA

Glass:	TSG
Glass thickness:	8, 10, 12 mm
Max. door leaf weight:	120 kg
Applications:	1/2 panels, side element, Syncro version
Material:	Aluminum
Finishes:	Eloxal and RAL colors
Kind of installation:	Installation to wall/ceiling
Special features:	No glass preparation, readjustable without dismantling +5/-5 mm


Example view for RS 120 installation at wall





Example view for RS 120 installation at ceiling



Example view for RS 120 with glass side elements



Glass door (8 and 10 mm) for instalation to wall / ceiling

		Base parts (000)	Alu mill finish (100)	Alu silver EV1 (101)	Alu similar satin stainless steel C 31 (113)	Alu traffic white (300)	Alu Special anodized (199)	Alu Special coated color (399)
		€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece
Art. No.	Description							

Sets

Aluminum track = door width x 2
 max. panel weight = 120 kg,
 for 8 and 10 mm glass thickness



07.101 Set, complete with accessories
 for 950 mm panel width

212.00

07.102 Set, complete with accessories
 for 1450 mm panel width

242.00**Required components**

07.141 Cover profile with connecting web for
 view protection cover profile 07.137/138,
 in **fixed length**

€/m	€/m	€/m	€/m	€/m
22.50	39.00	22.50	39.00	39.00



07.127 Endcap for mounting on wall,
 including screws, LH/RH

15.50	22.50	15.50	22.50	22.50
--------------	--------------	--------------	--------------	--------------





07.129 Endcap for mounting under ceiling
 including screws, LH/RH

15.50	22.50	15.50	22.50	22.50
--------------	--------------	--------------	--------------	--------------


**Track, side element profile, cover profile
 and view protection profile have to be
 ordered separately**

Glass door (8 and 10 mm) for installation at wall and ceiling, Syncro

			Base parts (000)	Alu mill finish (100)	Alu silver EV1 (101)	Alu EV1-Deco (114)	Alu similar satin stainless steel C 31 (113)	Alu traffic white (300)	Alu Special anodized (199)	Alu Special coated color (399)
			€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece
Art. No. Description										

Set**07.150 Set RS 120 Syncro****554.00**

For 2 panel synchronous opening system,
max. panel width = 2 x 1000 mm,
max. weight = 80 kg per panel,
consisting of:
2 x accessory set 07.125
1 x gear belt (tooth) accessories

Required components

07.131 Track with fixing holes,
in **fixed length**

€/m

37.00

07.141 Cover profile with connecting web for
view protection cover profile 07.137/138,
in **fixed length**

Track, side element profile, cover profile and view protection profile have to be ordered separately

€/m

22.50

€/m

39.00

€/m

22.50

€/m

39.00

€/m

39.00

07.127 Endcap for mounting on wall,
including screws, LH/RH

€/Piece

15.50

€/Piece

22.50

€/Piece

15.50

€/Piece

22.50

€/Piece

22.50

07.129 Endcap for mounting under ceiling
including screws, LH/RH

€/Piece

15.50

€/Piece

22.50

€/Piece

15.50

€/Piece



22.50

€/Piece

22.50

SLIDE ACTION

Glass door with side elements (8 and 10 mm)

				Base parts (000)	Alu mill finish (100)	Alu silver EV1 (101)	Alu EV1-Deco (114)	Alu similar satin stainless steel C 31 (113)	Alu traffic white (300)	Alu Special anodized (199)	Alu Special coated color (399)
				€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece
		Art. No.	Description								

Complete sets

Aluminum track = door width x 2
 max. panel weight = 120 kg,
 for 8 and 10 mm glass thickness

07.101 Set, complete with accessories for 950 mm panel width **212.00**

07.102 Set, complete with accessories for 1450 mm panel width **242.00**

Required components

07.132 Side panel profile without fixing holes, for 8, 10 and 12 mm glass, in **fixed length** **37.00 €/m**



07.141 Cover profile with connecting web for view protection cover profile 07.137/138, in **fixed length**
Track, side element profile, cover profile and view protection profile have to be ordered separately

€/m	€/m	€/m	€/m	€/m
22.50	39.00	22.50	39.00	39.00

07.137 Bottom view protection cover profile, **fixed length**, (only in combination with side element profile 07.132/122 and cover profile 07.141/140)

€/m	€/m	€/m	€/m
9.20	9.20	14.00	14.00


Glass door with side elements (8 and 10 mm), Syncro

			Base parts (000)	Alu mill finish (100)	Alu silver EV1 (101)	Alu similar satin stainless steel C 31 (113)	Alu traffic white (300)	Alu Special anodized (199)	Alu Special coated color (399)
			€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece
Art. No. Description									

Complete sets**07.150 Set RS 120 Syncro****554.00**

For 2 panel synchronous opening system,
max. panel width = 2 x 1000 mm,
max. weight = 80 kg per panel,
consisting of:
2 x accessory set 07.125
1 x gear belt (tooth) accessories

**Track, side element profile, cover profile
and view protection profile have to be
ordered separately**

Required components


07.131 Track with fixing holes,
in **fixed length**

€/m

37.00

07.132 Side panel profile without fixing holes,
for 8, 10 and 12 mm glass,
in **fixed length**

€/m

37.00

29.420 **Spacer** for sliding doors that move
in opposite directions

€/pair

58.50

07.141 Cover profile with connecting web for
view protection cover profile 07.137/138,
in **fixed length**

€/m	€/m	€/m	€/m	€/m
22.50	39.00	22.50	39.00	39.00

**Track, side element profile, cover profile
and view protection profile have to be
ordered separately**




07.137 Bottom view protection cover profile,
fixed length,
(only in combination with side element
profile 07.132/122 and cover profile
07.141/140)

9.20	9.20	14.00	14.00
-------------	-------------	--------------	--------------

Timber door for installation at wall/ceiling

	Art. No.	Description		Base parts (000)	Alu mill finish (100)	Alu silver EV1 (101)	Alu similar satin stainless steel C 31 (113)	Alu traffic white (300)	Alu Special anodized (199)	Alu Special coated color (399)
				€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece


Set



- 07.135** Accessory set complete for timber applications consisting of:
 2 carriers
 2 cushioned end stops
 1 floor guide

73.50

Required components



- 07.131** Track with fixing holes, in **fixed length**

€/m

37.00



- 07.141** Cover profile with connecting web for view protection cover profile 07.137/138, in **fixed length**

€/m	€/m	€/m	€/m	€/m
22.50	39.00	22.50	39.00	39.00



- 07.127** Endcap for mounting on wall, including screws, LH/RH

15.50	22.50	15.50	22.50	22.50
-------	-------	-------	-------	-------



- 07.129** Endcap for mounting under ceiling including screws, LH/RH


15.50	22.50	15.50	22.50	22.50
-------	-------	-------	-------	-------




TECHNICAL DATA

Glass:	TSG
Glass thickness:	8, 10, 12 mm
Max. door leaf weight:	80 kg
Applications:	1/2 panels, side elements, all-glass systems
Material:	Aluminum
Surface finishes:	EV1
Installation method:	Wall face/in-wall/glass-to-glass fixing
Special features:	Quiet operation thanks to mag-lev technology Various models

Example view for CS 80 MAGNEO in-wall/on-wall fixing



Example view for CS 80 MAGNEO with glass overpanel and glass side elements



Glass door for in-wall/on-wall fixing



Art. No. Description

Alu
silver
EV1
(101)

€/Piece

Complete sets**Operator packages CS 80 MAGNEO 1.1 for on-wall fixing / MANET**

- 07.500** CS 80 MAGNEO operator with MANET cover and fixing kit, MANET door kit, mains cable and floor guide, track length (without cover) 1750 mm, for a max. travel path of 875 mm
- 07.501** CS 80 MAGNEO operator with MANET cover and fixing kit, MANET door kit, mains cable and floor guide, track length (without cover) 2000 mm, for a max. travel path of 1000 mm
- 07.502** CS 80 MAGNEO operator with MANET cover and fixing kit, MANET door kit, mains cable and floor guide, track length (without cover) 2250 mm, for a max. travel path of 1125 mm

X

X

X

Operator packages CS 80 MAGNEO 1.2 for on-wall fixing / glazing rail

- 07.503** CS 80 MAGNEO operator with cover and fixing kit for glazing rail, door kit with glazing rail, mains cable and floor guide, track length (without cover) 1,750 mm, for a max. travel path of 875 mm
- 07.504** CS 80 MAGNEO operator with cover and fixing kit for glazing rail, door kit with glazing rail, mains cable and floor guide, track length (without cover) 2000 mm, for a max. travel path of 1000 mm
- 07.505** CS 80 MAGNEO operator with cover and fixing kit for glazing rail, door kit with glazing rail, mains cable and floor guide, track length (without cover) 2250 mm, for a max. travel path of 1125 mm

X

X

X

Operator packages CS 80 MAGNEO 1.3 for in-wall fixing / glazing rail

- 07.506** CS 80 MAGNEO operator with door kit with glazing rail and mains cable, track length 1750 mm, for a max. travel path of 875 mm
- 07.507** CS 80 MAGNEO operator with door kit with glazing rail and mains cable, track length 2000 mm, for a max. travel path of 1000 mm
- 07.508** CS 80 MAGNEO operator with door kit with glazing rail and mains cable, track length 2250 mm, for a max. travel path of 1125 mm

X

X

X

To calculate the required length variant (LV), please use the formula on page 146.
The profiles are not drilled. Holes to be drilled by others.

LV 1: Clear passage width 875 mm, operator length / track length 1,750 mm
 LV 2: Clear passage width 1,000 mm, operator length / track length 2,000 mm
 LV 3: Clear passage width 1,125 mm, operator length / track length 2,250 mm

X = Net price on request

Glass door for in-wall/on-wall fixing



Art. No. Description

Alu
silver
EV1
(101)

€/Piece

Operator packages CS 80 MAGNEO 1.4 for on-wall fixing / timber

07.509 CS 80 MAGNEO operator with cover and fixing kit for timber door, door kit for timber panels, mains cable and floor guide, track length (without cover) 1750 mm, for a max. travel path of 875 mm

X

07.510 CS 80 MAGNEO operator with cover and fixing kit for timber door, door kit for timber panels, mains cable and floor guide, track length (without cover) 2000 mm, for a max. travel path of 1000 mm

X

07.511 CS 80 MAGNEO operator with cover and fixing kit for timber door, door kit for timber panels, mains cable and floor guide, track length (without cover) 2250mm, for a max. travel path of 1125 mm

X

Operator packages CS 80 MAGNEO 1.5 in-wall fixing / timber panels

07.512 CS 80 MAGNEO operator with door kit for timber panels and mains cable, track length 1,750 mm, for a max. travel path of 875 mm

X

07.513 CS 80 MAGNEO operator with door kit for timber panels and mains cable, track length 2000 mm, for a max. travel path of 1000 mm

X

07.514 CS 80 MAGNEO operator with door kit for timber panels and mains cable, track length 2250 mm, for a max. travel path of 1125 mm

X

**To calculate the required length variant (LV), please use the formula on page 146.
The profiles are not drilled. Holes to be drilled by others.**

LV 1: Clear passage width 875 mm, operator length / track length 1,750 mm

LV 2: Clear passage width 1,000 mm, operator length / track length 2,000 mm

LV 3: Clear passage width 1,125 mm, operator length / track length 2,250 mm

X = Net price on request

Glass door for glass-to-glass installation / glass overpanel and glass side elements



Art. No. Description

Alu
silver
EV1
(101)

€/Piece

Complete sets**CS 80 MAGNEO 1.6 operator packages, glass-to-glass installation / glazing rail**

07.543 CS 80 MAGNEO operator with cover and fixing kit based on clamp-type glazing rail, door kit with clamp-type glazing rail, line supply cable and floor guide track, glass-to-glass installation set, mounting profile, inner cover, retaining profile, cover profile, total operator length (incl. end covers): 1,840 mm, for a travel distance of 875 mm

X

07.544 CS 80 MAGNEO operator with cover and fixing kit based on clamp-type glazing rail, door kit with clamp-type glazing rail, line supply cable and floor guide track, glass-to-glass installation set, mounting profile, inner cover, retaining profile, cover profile, total operator length (incl. end covers): 2,090 mm, for a travel distance of 1,000 mm

X

07.545 CS 80 MAGNEO operator with cover and fixing kit based on clamp-type glazing rail, door kit with clamp-type glazing rail, line supply cable and floor guide track, glass-to-glass installation set, mounting profile, inner cover, retaining profile, cover profile, total operator length (incl. end covers): 2,340 mm, for a travel distance of 1,125 mm

X

CS 80 MAGNEO 1.7 operator packages, glass-to-glass installation / MANET

07.546 CS 80 MAGNEO operator with cover and MANET fixing kit (single-point fixings), MANET door kit with single-point fixings, line supply cable and floor guide track, glass-to-glass installation set, mounting profile, inner cover, retaining profile, cover profile, total operator length (incl. end covers): 1,840 mm, for a travel distance of 875 mm

X

07.547 CS 80 MAGNEO operator with cover and MANET fixing kit (single-point fixings), MANET door kit with single-point fixings, line supply cable and floor guide track, glass-to-glass installation set, mounting profile, inner cover, retaining profile, cover profile, total operator length (incl. end covers): 2,090 mm, for a travel distance of 1,000 mm

X

07.548 CS 80 MAGNEO operator with cover and MANET fixing kit (single-point fixings), MANET door kit with single-point fixings, line supply cable and floor guide track, glass-to-glass installation set, mounting profile, inner cover, retaining profile, cover profile, total operator length (incl. end covers): 2,340 mm, for a travel distance of 1,125 mm

X

**To calculate the required length variant (LV), please use the formula on page 146.
The profiles are not drilled. Holes to be drilled by others.**

LV 1: Clear passage width 875 mm, operator length / track length 1,750 mm

LV 2: Clear passage width 1,000 mm, operator length / track length 2,000 mm

LV 3: Clear passage width 1,125 mm, operator length / track length 2,250 mm

X = Net price on request

Timber door for in-wall installation (corridor fixing)/on-wall installation (face fixing)



Art. No. Description

Base parts (000)	Plastic black (803)	Plastic velour chromed (804)	Plastic white (805)
€/Piece	€/Piece	€/Piece	€/Piece

Required components

07.526 ArtMotion radar motion detector incl. additional set of sensor fixings

X

X

X

**07.524 BRC-R radio receiver and additional set**

DORMA BRC-R bidirectional radio receiver for fitting in the CS 80 MAGNEO or in the ED 100 or ED 250 swing door operators. Compatible with the RC-H and BRC-W radio transmitters. Up to 1,024 transmitters may be used. Only for use in conjunction with the DORMA radio transmitters BRC-H (Art. No. 29301001) and BRC-W (Art. No. 29301002).

X

X = Net price on request

Calculating the required length variant LV1 to LV3

There are three length variants for the CS 80 MAGNEO, the fixing and cover kit and the door kit with glazing rail.
The length variants are calculated based on the travel path.

- LV1** for travel path F up to 875 mm
LV2 for travel path F up to 1,000 mm
LV3 for travel path F up to 1,125 mm

Travel path F = Clear passage width DB + door panel projection A^B



DB =

A^B =

F =

☐ LV1 ☐ LV2 ☐ LV3

Travel path on-wall-fixing





SLIDE ACTION

TECHNICAL DATA


Glass:	TSG
Glass thickness:	8, 10, 12 mm
Max. door leaf weight:	100 kg
Applications:	1/2 panels, overpanel, side element, toughened glass assembly
Material:	Stainless steel AISI 303 (stainless steel AISI 316 on request)
Finishes:	Satin stainless steel
Kind of installation:	Installation wall/glass
Special features:	Readjustable without dismantling +2,5/-2,5 mm Single point fittings with clamping disc or countersunk



reddot design award



Attention: The products in this chapter are not structural.

Example view for MANET installation at wall





SLIDE ACTION

Example view for MANET with glass overpanel and glass side element



Example view for MANET with glass overpanel and glass side elements



SLIDE ACTION

SET 4.1


Satin
stainless
steel
(700)

Art. No. Description

€/Piece

Set

Sliding door MANET COMPACT
for mounting to wall
for 8 – 12 mm glass,
countersunk single-point fixings

29.916 SET 4.1 Clamp bracket, fixing track to wall**659.00****29.925 SET 4.1** Clamp bracket, 16 mm extended, fixing track to wall**666.00**

consisting of:

- 5 Clamp brackets track/wall
- 5 Clamp brackets track/wall;
distance between wall and glass + 16 mm
alternative
- 2 Roller Classic carriers incl.
single-point fixing 8 – 12 mm glass
- 1 Door stop LH
- 1 Door stop RH
- 1 Floor guide

**21.436 Not covered by the set:**

Sliding track tube
incl. end plugs in fixed length*

€/m

33.50

* When ordering please indicate length!
(For calculation see technical brochure
“DORMA MANET Single-point fittings for interior applications”)

SET 4.2

Satin
stainless
steel
(700)

Art. No. Description

€/Piece


Set

Sliding door MANET COMPACT
for mounting to wall
for 8 – 12 mm glass,
clamping disc single-point fixings

29.917 SET 4.2 Clamp bracket, fixing track to wall distance between wall and track

672.10

29.926 SET 4.2 Clamp bracket, 16 mm extended, fixing track to wall

686.20

consisting of:
 5 Clamp brackets track/wall
 5 Clamp brackets track/wall; distance between wall and glass + 16 mm alternative
 2 Roller Classic carriers incl. single-point fixing 8 – 12 mm glass
 1 Door stop LH
 1 Door stop RH
 1 Floor guide



SLIDE ACTION



21.436 Not covered by the set:

Sliding track tube
 incl. end plugs in fixed length*

€/m

33.50

* When ordering please indicate length!
 (For calculation see technical brochure
 "DORMA MANET Single-point fittings for interior applications")

SET 5.1


Satin
stainless
steel
(700)

Art. No. Description

€/Piece

Set

Sliding door MANET COMPACT
for mounting to glass, connected to wall on one side for
8 – 12 mm glass (sliding doors),
10 – 12 mm glass (fixed elements),
countersunk single-point fixings

29.918 SET 5.1**779.00**

consisting of:
6 Clamp brackets for glass,
countersunk
2 Roller Classic carriers incl.
single-point fixing 8 - 12 mm glass
1 Wall fixing
1 Door stop LH
1 Door stop RH
1 Floor guide

SLIDE ACTION

**21.436 Not covered by the set:**

Sliding track tube
incl. end plugs in fixed length*

€/m

33.50

* When ordering please indicate length!
(For calculation see technical brochure
"DORMA MANET Single-point fittings for interior applications")

SET 5.2




Satin
stainless
steel
(700)

Art. No. Description

€/Piece

Set

Sliding door MANET COMPACT
for mounting to glass, connected to wall on one side for
8 – 12 mm glass (sliding doors),
10 – 12 mm glass (fixed elements),
clamping disc single-point fixings

29.919 SET 5.2**861.00**

consisting of:

- 6 Clamp brackets for glass,
clamping disc single-point fixing
- 2 Roller Classic carriers incl.
single-point fixing 8 - 12 mm glass
- 1 Wall fixing
- 1 Door stop LH
- 1 Door stop RH
- 1 Floor guide



SLIDE ACTION

**21.436 Not covered by the set:**

Sliding track tube
incl. end plugs in fixed length*

€/m

33.50

* When ordering please indicate length!
(For calculation see technical brochure
"DORMA MANET Single-point fittings for interior applications")

SET 6.1


Satin
stainless
steel
(700)

Art. No. Description

€/Piece

Set

Sliding door MANET COMPACT
for mounting to glass,
side element both sides
for 8 – 12 mm glass (sliding doors),
10 – 12 mm glass (fixed elements),
countersunk single-point fixings

29.920 SET 6.1**816.00**

consisting of:
7 Clamp brackets for glass
2 Roller Classic carriers incl.
single-point fixing 8 – 12 mm glass
1 Door stop LH
1 Door stop RH
1 Floor guide

SLIDE ACTION

**21.436 Not covered by the set:**

Sliding track tube
incl. end plugs in fixed length*

€/m

33.50

* When ordering please indicate length!
(For calculation see technical brochure
"DORMA MANET Single-point fittings for interior applications")

SET 6.2



Satin
stainless
steel
(700)

Art. No. Description


€/Piece

Set

Sliding door MANET COMPACT
for mounting to glass, side element both sides
for 8 – 12 mm glass (sliding doors),
10 – 12 mm glass (fixed elements),
clamping disc single-point fixings

29.921 SET 6.2

866.00



consisting of:

- 7 Clamp brackets for glass,
clamping disc single-point fixing
- 2 Roller Classic carriers incl.
single-point fixing 8 – 12 mm glass
- 1 Door stop LH
- 1 Door stop RH
- 1 Floor guide



SLIDE ACTION



21.436 Not covered by the set:

Sliding track tube
incl. end plugs in fixed length*

€/m

33.50


* When ordering please indicate length!
(For calculation see technical brochure
“DORMA MANET Single-point fittings for interior applications”)





TECHNICAL DATA


Glass:	TSG
Glass thickness:	8, 10 mm
Max. door leaf weight:	80 kg
Applications:	1/2 panels
Material:	Aluminum
Finishes:	EV1 Deco
Kind of installation:	Installation at wall
Special features:	Readjustable without dismantling +2,5/-2,5 mm

Example view for RSP 80 installation at wall



Glass door (8 and 10 mm) for installation at wall


		<table><tr><td>Base parts (000)</td><td>Alu EV1-Deco (114)</td></tr><tr><td>€/Piece</td><td>€/Piece</td></tr></table>	Base parts (000)	Alu EV1-Deco (114)	€/Piece	€/Piece
Base parts (000)	Alu EV1-Deco (114)					
€/Piece	€/Piece					

Komplett-Set


30.700 RSP 80 Sliding door set
for 8 mm and 10 mm glasss
 consisting of
 track profile for
 max. panel width 1080 mm,
 roller carrier, stop and floor guide

617.00

Timber door (25 – 40 mm) for installation at wall

	Art. No.	Description	Base parts (000)	Alu EV1- Deco (114)
			€/Piece	€/Piece

Komplett-Set



30.707 RSP 80 Sliding door set for timber applications
 consisting of
 track profile for
 max. panel width 1080 mm,
 roller carrier, stop and floor guide

637.00




DOUBLE ACTION

TECHNICAL DATA

Glass:	TSG
Glass thickness:	8, 10, 12 mm
Max. door weight:	65 kg
Applications:	1/2 panels, side element
Material:	Aluminum
Finishes:	Eloxal colors
Special features:	Door function without additional fitting element, easiest installation, TÜV certificate of 500,000 operating cycles

Sample view for TENSOR






Art. No. Description


Satin stainless steel (700)	Alu silver EV1 deko (114)	Alu similar satin stainless steel (113)
€/Pair	€/Pair	€/Pair

Sets




12.527 TENSOR – Pair of double-action door hinges incl. mounting plate, round; for wall/door frame fixing with surface mounting plate, incl. two floor-mounted door stops (Art. No. 29.950)

455.00 465.00



12.525 TENSOR – Pair of double-action door hinges, incl. mounting plate, for door frame fixing with recessed mounting plate, incl. two floor-mounted door stops (Art. No. 29.950)

436.00 443.00



12.523 TENSOR – Pair of double-action door hinges for glass-to-glass fixing, incl. floor-mounted door stops (Art. No. 29.950)


589.00 607.00



Art. No. Description


Alu silver EV1 deko (114)	Alu brass-colored EV 3 (105)	Alu similar satin stainless steel (113)	Alu polished chromed (122)	Satin stainless steel (700)
€/Pair	€/Pair	€/Pair	€/Pair	€/Pair

Single components




12.520 TENSOR – Pair of double action hinges incl. mounting plate, round; for installation onto wall or frame with surface mounted mounting plate

425.00 435.00 435.00 470.00




12.522 TENSOR – Pair of double action hinges incl. mounting plate; for installation into frame with embedded mounting plate

406.00 413.00 413.00 464.00



12.523 TENSOR – Pair of double action hinges for installation glass to glass

559.00 578.00 578.00 632.00



12.536 Overpanel-sidepanel connector

€/Piece	(199) €/Piece	(399) €/Piece	(113) €/Piece
33.00	42.50	42.50	39.50



29.950 Floor doorstop

29.50



29.951 Wall doorstop, short

28.00



29.952 Wall doorstop, long

32.00

Possibility of combining sliding and double-action door systems with designer glass doors

The glass panels used for the double-action and sliding doors are charged for as bespoke items due to the special drill holes needed. They are essentially suitable for applications up to the following maximum weights:

Sliding door fittings, clamp-type:

AGILE 50	50 kg
AGILE 150	150 kg
AGILE DORMOTION L / XL	80 / 150 kg
RS 120	120 kg

Rule of thumb for determining an approximate glass panel weight in kg:
height (in m) x width (in m) x thickness (in mm) x 2.5 = weight of the glass panel in kg

Clamp-mounted sliding door systems

Collection	Glass dimension	AGILE 50	AGILE 150	AGILE DORMOTION L/XL	RS 120
VERTIKA, HORIZON, EYE, INTERSECT, SECTOR, Sensita, Keramika, Contura, Markanta, Classica	custom size 1	up to max. weight 50 kg	■	■	■
	custom size 2		■	■	■
	custom size 3		■	■	■
	custom size 4		■	■	■
	custom size 5		up to max. weight 150 kg	up to max. weight 80 / 150 kg	up to max. weight 120 kg
BLACK, Intermezzo	custom size 1		■		
	custom size 2		■		
	custom size 3		■		
	custom size 4		■		
	custom size 5		up to max. weight 150 kg		
PERUSAL	custom size 1	up to max. weight 50 kg	■	■	■
	custom size 2		■	■	■
	custom size 3		■	■	■
	custom size 4		■	■	■
	custom size 5		up to max. weight 150 kg	up to max. weight 80 / 150 kg	up to max. weight 120 kg
Vista	custom size 1	up to max. weight 50 kg	■	■	■
Telio	custom size 1		■		
	custom size 2		■		
	custom size 3		■		
	custom size 4		■		
	custom size 5		up to max. weight 150 kg		

Drilled sliding door systems and double-action door system

Collection	Glass dimension	MANET Compact	RSP 80	TENSOR
VERTIKA, HORIZON, EYE, INTERSECT, SECTOR, Sensita, Keramika, Contura, Markanta, Classica	custom size 1	■	■	■
	custom size 2	■	■	
	custom size 3	■	■	■
	custom size 4	■	■	
	custom size 5	up to max. weight 100 kg	up to max. weight 80 kg	
BLACK, Intermezzo	custom size 1	■	■	■
	custom size 2	■	■	
	custom size 3	■	■	■
	custom size 4	■	■	
	custom size 5	up to max. weight 100 kg	up to max. weight 80 kg	
PERUSAL	custom size 1	■	■	■
	custom size 2	■	■	
	custom size 3	■	■	■
	custom size 4	■	■	
	custom size 5	up to max. weight 100 kg	up to max. weight 80 kg	
Linea	custom size 1	■	■	
	custom size 2	■	■	
	custom size 3	■	■	
	custom size 4	■	■	
	custom size 5	up to max. weight 100 kg	up to max. weight 80 kg	
Vista	custom size 1	■	■	■
Futura, Scentiva	custom size 1			■
	custom size 3			■
Telio	custom size 1	■	■	
	custom size 2	■	■	
	custom size 3	■	■	
	custom size 4	■	■	
	custom size 5	up to max. weight 100 kg	up to max. weight 80 kg	
Crash	custom size 1	■	■	
	custom size 2	■	■	
	custom size 3	■	■	
	custom size 4	■	■	
	custom size 5	up to max. weight 100 kg	up to max. weight 80 kg	



TECHNICAL DATA

Material:	Aluminum
Glass thickness:	8, 10, 12 mm
Finishes:	Alu silver EV 1 and RAL colors
Infill:	Glass and timber
Infill thickness:	Glass min. 6 mm to max. 8 mm. Timber: 10 mm
Height compensation:	+/- 15 mm
Special features:	Large range of options

SLIDING DOOR SYSTEM IN ALUMINUM FRAME ALU EV 1, WITH FLOOR BEARING BETWEEN TWO WALLS

Complete, incl. floor and ceiling track

Type	Panel leaves (max. width x max. height in mm)	Unit	Price
Without infill	900 x 2,750	€/panel	471.30
Frame components pre-assembled	1,200 x 2,750	€/panel	514.20
	1,500 x 2,550	€/panel	615.10
	1,200 x 3,000	€/panel	734.90
LSG crystal clear	900 x 2,750	€/panel	619.20
2 x 3 mm float glass	1,200 x 2,750	€/panel	703.40
	1,500 x 2,550	€/panel	840.20
	1,200 x 3,000	€/panel	1008.30
VSG pale matt film	900 x 2,750	€/panel	682.40
2 x 3 mm float glass with interpane pale matt film	1,200 x 2,750	€/panel	787.50
	1,500 x 2,550	€/panel	945.30
	1,200 x 3,000	€/panel	1134.10
Lacobel glass, coated with RAL colors	900 x 2,750	€/panel	850.60
2 x 3 mm float glass with interpane splinter-protection film, white (RAL 9010), beige (RAL 1014), purple red (RAL 3004), blue (RAL 5002), black (RAL 9005), gray (RAL 7035), silver (RAL 9006)	1,200 x 2,750	€/panel	1029.30
	1,500 x 2,550	€/panel	1229.10
	1,200 x 3,000	€/panel	1481.50
LSG, full-area sandblasting, with premium surface finish	900 x 2,750	€/panel	861.20
	1,200 x 2,750	€/panel	1018.80
	1,500 x 2,550	€/panel	1218.60
	1,200 x 3,000	€/panel	1471.00
LSG, sandblasted motif, with premium surface finish	900 x 2,750	€/panel	945.30
With one clear 300 mm stripe in the top area	1,200 x 2,750	€/panel	1102.90
With design similar to Keramika 15	1,500 x 2,550	€/panel	1323.70
	1,200 x 3,000	€/panel	1597.10
LSG, sandblasted motif, with premium surface finish	900 x 2,750	€/panel	997.80
With design similar to Keramika 14	1,200 x 2,750	€/panel	1229.10
With design similar to Keramika Toscana 7	1,500 x 2,550	€/panel	1481.50
With design similar to Sensita 8	1,200 x 3,000	€/panel	1786.40
LSG, full-area sandblasting, with premium surface finish	900 x 2,750	€/panel	on request
	1,200 x 2,750	€/panel	on request
	1,500 x 2,550	€/panel	on request
	1,200 x 3,000	€/panel	on request
Wood decorative elements on base material	900 x 2,750	€/panel	619.30
Light oak, Velvet Ash (similar to Wenge)	1,200 x 2,750	€/panel	703.50
Mirror on both sides, 6 mm thick	900 x 2,750	€/panel	913.70
2 x 3 mm float glass with interpane splinter-protection film	1,200 x 2,750	€/panel	1092.40
	1,500 x 2,550	€/panel	1313.20
	1,200 x 3,000	€/panel	1576.10
x-section door:	900 x 2,750	€/panel	997.80
Door panel divided into numerous sections with different infills; Infill(s) divided by up to 61 bars of equal size (see below); number of bars to be selected by the customer	1,200 x 2,750	€/panel	1229.10
Decorative mullions and infill divider mullion		Unit	Price
Decorative mullion, 30 mm high, 2 mm thick, affixed to infill ex-works		€/piece	51.50
Decorative mullion, 30 mm high, 2 mm thick, to be affixed to infill by others		€/piece	41.40
Infill divider mullion bar for any material combination		€/piece	83.00

Note: If the selected infill is two-sided, please note that twice the number of decorative mullions will be required.





The MST5 5000 Vario is also available for wall face fixing and for inclined ceilings, with cushioned automatic stacking and/or wall abutment profile (see order form on page 146). Price on application following technical inspection.



TECHNICAL DATA





Glas type:	TSG
Glass thickness:	8, 10 12 mm
Max. door leaf weight:	110 kg
Lock types:	UV, PZ, BB, WC, KABA, DORMA SG MANET patch locks
Applications:	1/2 panels, side element, overpanel, toughened glass assembly
Material:	Aluminum, brass, stainless steel
Finishes:	Anodized and RAL colors, brass, stainless steel
Special features:	suitable for outdoor systems

HARDWARE SETS FOR TOUGHENED GLASS ASSEMBLIES WITH DOUBLE-ACTION DOORS

Sketch	Description	Comprising	Unit	Finish	Article No.	Price
	Set 1 for 10 mm glass, single-panel	PT 10 [Art. No. 03.100] 1x PT 20 [Art. No. 03.110] 1x PT 21.1 [Art. No. 01.118] 1x BTS 84 EN4 [Art. No. 81200002] incl. cover plate [Art. No. 46700022] 1x	€/Set	Matt stainless steel Alu EV 1	85380170099 85380111499	306.30 264.30
		“with choice of pull handle or recess-type pull grip” [not included in set price]				
	Set 2 for 10 mm glass, single-panel with side element	PT 10 [Art. No. 03.100] 1x PT 20 [Art. No. 03.110] 1x PT 21.1 [Art. No. 01.118] 1x BTS 84 EN4 [Art. No. 81200002] incl. cover plate [Art. No. 46700022] 1x U-section [Art. No. 07.093] 1x basic wall connection section [Art. No. 07.051] 2x wall connection cover profile [Art.Nr.07.053] 4x	€/Set	Matt stainless steel Alu EV 1	85380270099 85380211499	539.40 454.00
		“with choice of pull handle or recess-type pull grip” [not included in set price]				
	Set 3 for 10 mm glass, single-panel with over-panel	PT 10 [Art. No. 03.100] 1x PT 20 [Art. No. 03.110] 1x PT 30 with pivot [Art. No. 03.120] 1x, PT 30 with dummy insert [Art. No. 03.421] 1x, BTS 84 EN4 [Art. No. 81200002] incl. cover plate, [Art. No. 46700022] 1x, basic wall connection section, [Art. No. 07.051] 3x, wall connection cover profile [Art. No. 07.053] 6x,	€/Set	Matt stainless steel Alu EV 1	85380370099 85380311499	608.20 489.10
		“with choice of pull handle or recess-type pull grip” [not included in set price]				
	Set 4 for 10 mm glass, single-panel with side element and overpanel	PT 10 [Art. No. 03.100] 1x PT 20 [Art. No. 03.110] 1x PT 30 with pivot [Art. No. 03.120] 1x, PT 30 fastening plate [Art. No. 03.128] 1x, PT 40 with dummy insert [Art. No. 03.441] 1x, BTS 84 EN4 [Art. No. 81200002] incl. cover plate [Art. No. 46700022] 1x, U-section [Art. No. 07.093] 1x, basic wall connection section, [Art. No. 07.051] 3x, wall connection cover profile [Art. No.07.053] 6x,	€/Set	Matt stainless steel Alu EV 1	85380470099 85380411499	933.40 752.70
		“with choice of pull handle or recess-type pull grip” [not included in set price]				

The prices of the hardware sets apply to the max. glass dimensions indicated – see "Glass for DORMA Universal PT toughened glass assemblies."

The glass sets for the fittings depicted here can be found on page 65.

Sketch	Description	Comprising	Unit	Finish	Article No.	Price
	Set 5 for 10 mm glass, double panel	PT 10 [Art. No. 03.100] 2x PT 20 [Art. No. 03.110] 2x PT 21.1 [Art. No. 01.118] 2x BTS 84 EN4 [Art. No. 81200002] incl. cover plate [Art. No. 46700022] 2x	€/Set	Matt stainless steel	85380570099	605.70
				Alu EV 1	85380511499	521.70
		“with choice of pull handle or recess-type pull grip” [not included in set price]				
	Set 6 for 10 mm glass, double panel with over-panel	PT 10 [Art. No. 03.100] 2x PT 20 [Art. No. 03.110] 2x PT 30 with pivot [Art. No. 03.120] 2x, PT 30 fastening plate [Art. No. 03.128] 2x, BTS 84 EN4 [Art. No. 81200002] incl. cover plate, [Art. No. 46700022] 2x, basic wall connection section, [Art. No. 07.051] 3x, wall connection cover profile [Art. No.07.053] 6x,	€/Set	Matt stainless steel	85380670099	945.20
				Alu EV 1	85380611499	781.00
		“with choice of pull handle or recess-type pull grip” [not included in set price]				
	Set 7 for 10 mm glass, double panel with side element left/right	PT 10 [Art. No. 03.100] 2x PT 20 [Art. No. 03.110] 2x PT 21.1 [Art. No. 01.118] 2x BTS 84 EN4 [Art. No. 81200002] incl. cover plate [Art. No. 46700022] 2x, U-section [Art. No. 07.093] 2x, basic wall connection section, [Art. No. 07.051] 2x, wall connection cover profile [Art. No.07.053] 4x,	€/Set	Matt stainless steel	85380770099	1037.40
				Alu EV 1	85380711499	901.10
		“with choice of pull handle or recess-type pull grip” [not included in set price]				
	Set 8 for 10 mm glass, double panel with overpanel and side element left/right	PT 10 [Art. No. 03.100] 2x PT 20 [Art. No. 03.110] 2x PT 40 with pivot [Art. No. 03.140] 2x, BTS 84 EN4 [Art. No. 81200002] incl. cover plate [Art. No. 46700022] 2x, U-section [Art. No. 07.093] 2x, basic wall connection section, [Art. No. 07.051] 3x, wall connection cover profile [Art. No.07.053] 6x,	€/Set	Matt stainless steel	85380870099	1408.90
				Alu EV 1	85380811499	1154.90
		“with choice of pull handle or recess-type pull grip” [not included in set price]				

The prices of the hardware sets apply to the max. glass dimensions indicated – see "Glass for DORMA Universal PT toughened glass assemblies."


The glass sets for the fittings depicted here can be found on page 65.



LEVER HANDLES +
PULL HANDLES

	Art. No.	Description	Alu silver EV1 (101)	Alu EV1-Deco (114)	Alu traffic white (300)	Alu silver brilliant (103)	Alu brass-colored EV 3 (105)	Alu similar satin stainless steel (107)	Brass pol. chromed (501) Brass pol. varnished (502)	Alu Special anodized (199)	Alu Special coated color (399)
			€/pair	€/pair	€/pair	€/pair	€/pair	€/pair	€/pair	€/pair	€/pair

Levers for locks with follower



24.301 ARCOS set of levers, aluminum/brass

55.00 55.00 60.50 63.00 65.00 90.00 84.50 84.50



24.316 ARCOS lever and knob set with ARCOS lever and free turnable knob (turnable knob without function)

64.00 69.50



24.302 Set of levers, aluminum

55.00 55.00 65.00 84.50 84.50



24.303 Set of levers, aluminum

60.50 60.50 75.00 90.00 90.00

Sets of levers for Studio Classic



10.010 Lever

18.00 18.00 24.50 29.50 29.50

Sets of levers for Studio Gala













19.009 Lever

35.00 35.00 46.00 48.00 61.50 61.50



Art. No.	Description	Alu silver EV1 (101) €/pair	Alu traffic white (300) €/pair	Alu champagne EV2 (102) €/pair	Alu brass-colored EV 3 (105) €/pair	Alu similar satin stainless steel (107) €/pair	Alu dark bronze DB 14 (108) €/pair	Brass polished varnished (502) €/pair	Brass polished chromed (501) €/pair	Satin stainless steel (700) €/pair	Alu Special anodized (199) €/pair	Alu Special coated color (399) €/pair
----------	-------------	-----------------------------	--------------------------------	--------------------------------	-------------------------------------	--	------------------------------------	---------------------------------------	-------------------------------------	------------------------------------	-----------------------------------	---------------------------------------

Sets of levers for locks
with follower
Studio Rondo/Classic/
Gala, Junior Office,
Junior Office Classic

	10.314 Rondo lever alu-minum + brass	18.00	18.00	21.50	21.50	24.50	21.50				29.50	29.50
	10.304 Rondo lever/knob set reversible	44.00	44.00			64.00					81.00	81.00
	11.299 Junior lever satin stainless steel									111.00		
	10.301 Tubular lever alu-minum + brass	42.50	47.00	46.00	46.00	48.00	46.00				61.50	61.50
	10.322 do. but with stainless steel square drive	51.50				57.50					71.00	76.50
	10.328 L-shape lever	11.50										
	10.300 Special brass lever							79.50	86.50			
	10.305 Aluminum knob set	28.00	28.00	40.50		47.00					54.00	54.00
	10.316 Lever and knob set for Rondo/Junior, with tubular lever and free turnable knob for lock without roses (without function)	59.50	59.50			69.50					85.50	85.50
	10.317 Lever and knob set for Rondo/Junior, with tubular lever turn knob for lock without roses (with function)	52.50				61.50					76.50	76.50

LEVER HANDLES +
PULL HANDLES















Art. No. Description

Alu silver brilliant (103) Alu traffic white (300) Satin stainless steel (700)

€/pair €/pair €/pair

Premium lever handle pair including spindle and adapter*

	Premium 8100			
	90055028427	46.90		
	90055028434		42.60	
	90055028441			63.30
	Premium 8111			
	90055028442			93.00
	Premium 8140			
	90055028443			93.00
	Premium 8200			
	90055028444			102.00
	Premium 8527			
	90055028428	46.90		
	90055028435		42.60	
	90055028445			63.30
	Premium 8825			
	90055028429	57.60		
	90055028436		52.40	
	90055028446			93.00
	Premium 8830			
	90055028430	57.60		
	90055028437		52.40	
	90055028447			93.00
	Premium 8870			
	90055028448			140.00
	Premium 8928			
	90055028449			102.00
	Premium 8940			
	90055028431	65.10		
	90055028438		59.20	
	90055028450			102.00
	Premium 8972			
	90055028432	46.90		
	90055028439		42.60	
	90055028451			63.30
	Premium 8999			
	90055028433	46.90		
	90055028440		42.60	
	90055028452			63.30

LEVER HANDLES +
PULL HANDLES

* When ordering, please indicate the adapter type required.
The requisite adapter sets can be found on page 176.



Art. No. Description

Premium 6590

Adapter set for fitting all Premium lever handles
(16 mm bushing) to all DORMA-Glas locks without rose,
with the exception of ARCOS;
spacer ring Ø 27 x 8 mm

Premium 6595

Adapter-Set for fitting all Premium lever handles
(16 mm bushing) only to DORMA-Glas ARCOS locks,
without rose, spacer ring Ø 32 x 8 mm



Art. No. Description

Brass polished chromed (501)	Brass polished varnished (502)	Alu similar satin stainless steel (507)
€/pair	€/pair	€/pair

MAME, Sets of levers for locks with follower

	52.010 MAME 01	31.40	56.90	31.40
	52.031 MAME 03	31.40		
	52.032 MAME 03		31.40	
	52.051 MAME 05, Mittelteil	56.90		
	52.071 MAME 07	31.40		
	52.072 MAME 07		56.90	
	52.132 MAME 13			56.90
	52.211 MAME 21	22.10	22.10	22.10
	52.221 MAME 22	22.10	22.10	22.10
	52.300 MAME 30			56.90
	52.316 MAME 31 Wenge			75.20
	52.317 MAME 31 Beech			75.20
	52.330 MAME 33			(700) 31.40
	52.410 MAME 41 Handle backplate, polished chrome plated	56.90		
	52.411 MAME 41 Handle backplate, matt chrome plated	56.90		
	52.412 MAME 41 Handle backplate			56.90
	52.420 MAME 42	56.90	75.70	68.30
	52.430 MAME 43	56.90	75.70	68.30

LEVER HANDLES +
PULL HANDLES



Art. No. Description

Alu EV1- Deco (114)	Alu similar satin stainless steel (107)	Alu nickel plated – satin stainless steel look (126)	Alu nickel plated – polished stainless steel look (127)	Alu Special anodized (199)	Alu Special coated color (399)
€/pair	€/pair	€/pair	€/pair	€/pair	€/pair

Handle bars

**ARCOS handle bar
for 8/10/12 mm glass
incl. connecting bolt**



26.500 350 mm with 2 fixings

175.00 **247.00** **274.00** **237.00** **237.00**



26.510 750 mm with 2 fixings

210.00 **297.00** **323.00** **290.00** **290.00**

**BEYOND handle bar,
for 10 and 12 mm glass thickness
two hole fixing**



30.300 450 mm

253.00 **410.00**



30.305 600 mm

270.00 **484.00**



30.310 900 mm

280.00 **525.00**

**Handle bar “Square” back-to-back
for 6-10 mm glass**



75.084 drill interspace 300 mm

213.00 ⁽¹¹³⁾ **221.00** ⁽¹²²⁾ **234.00**



75.085 drill interspace 500 mm

224.00 ⁽¹¹³⁾ **238.00** ⁽¹²²⁾ **255.00**



Satin
stainless
steel
(700)

Art. No. Description

€/Piece

**Pull handle
for 8/10/12 mm glass with countersunk single-point fixing**



29.268	350 mm, with 2 fixings	96.00
29.269	do. (AISI 316L)	191.00
29.271	720 mm, with 2 fixings	115.00
29.272	do. (AISI 316L)	201.00
29.274	1,240 mm, with 3 fixings	198.00
29.275	do. (AISI 316L)	245.00
29.277	1,760 mm, with 4 fixings	216.00
29.278	do. (AISI 316L)	316.00

**Pull handle
for 8/10/12 mm glass with clamping disc single-point fixing**



21.240	350 mm with 2 fixings	101.00
21.241	720 mm with 2 fixings	120.00
21.281	do. (AISI 316L)	226.00
21.242	1,240 mm with 3 fixings	213.00
21.243	1,760 mm with 4 fixings	245.00
21.283	do. (AISI 316L)	396.00

**Back to back pull handles
for 8/10/12 mm glass, incl. connecting bolt**



21.267	350 mm with 2 fixings	136.00
21.247	do. (AISI 316L)	293.00
21.270	720 mm with 2 fixings	170.00
21.250	do. (AISI 316L)	349.00
21.273	1,240 mm with 3 fixings	305.00
21.253	do. (AISI 316L)	406.00
21.276	1,760 mm with 4 fixings	342.00
21.256	do. (AISI 316L)	484.00




21.279	Lockable back to back pull handle for 8 - 13.5 mm glass 1,225 mm, with 2 fixings complete with KESO 2000 lock	601.00
---------------	--	---------------

LEVER HANDLES +
PULL HANDLES



Art. No. Description

Alu silver EV1 (101)	Alu EV1-Deco (114)	Alu similar satin stainless steel (107)	Satin stainless steel (700)	Alu Special anodized (199)	Alu Special coated color (399)
€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece



Aluminum pair of handle bars for 8 - 12 mm glass thickness incl. connecting bolt

- 03.400** Length 350 mm with 2 fixings
03.402 Length 720 mm with 2 fixings

226.00	231.00
291.00	297.00



- 07.200** Recessed pull grip for 8, 10 and 12 mm glass thickness

49.50	49.50	74.50	82.50	82.50
-------	-------	-------	-------	-------



- 21.290** Recessed pull grip for 8/10/12 mm glass diameter 50 mm

43.00



- 21.291** Recessed pull grip for 8/10/12 mm glass, diameter 60 mm

64.00



Recessed pull grip with grip hole diameter 60 mm

- 21.292** for 8 mm glass
21.293 for 10 mm glass
21.294 for 12 mm glass

78.50
79.00
79.00



- 21.422** Single door knob for 8/10/12 mm glass with countersunk single-point fixing

67.50



- 21.426** Single door knob for 8/10/12 mm glass with clamping disc single-point fixing

64.00



- 21.423** Back to back door knob for 8/10/12 mm glass

61.50

Conversion sets back to back pull handles/ door knobs

- 21.285** set 1, glass thickness 13.5 - 21.5 mm
21.286 set 2, timber thickness 20 - 40 mm

17.50
22.50

Conversion set 3 for pull handle back-to-back to single pull handle

- 21.287** with counter sunk
21.288 with clamping disc

6.20
27.50

Conversion set 4 for recessed pull grips

- 21.295** for glass doors 13.5 - 21.5 mm thickness
21.296 for timber doors 20 - 40 mm thickness

18.00
18.00



- 07.201** Door knob

82.00	82.00	120.00	141.00	141.00
-------	-------	--------	--------	--------



- 13.005** Wooden handle for Sauna

40.00



- 13.006** Wooden snapper block for Sauna

17.50

Notes

Which fittings can be combined together?

This matrix enables you to read off which lever handle sets, hinges and locks can be used in combination.

Griff	Lever handle sets	DORMA Junior Office / Junior Office Classic				
		Brass polished chromed (501)	Brass polished varnished (502)	Alu sim. to matt stainless steel (107)	Alu silver EV 1 (101)	Brass polished chromed (501)
MAME 01	Polished chrome	■				■
	Sim. to matt stainless steel					
	Polished brass		■			
MAME 03	Polished brass / polished chrome	■	■			■
	Polished chrome / sim. to matt stainless steel	■		■		■
MAME 05	Polished chrome / sim. to matt stainless steel	■		■		■
MAME 07	Polished chrome / sim. to matt stainless steel	■		■		■
	Polished brass / matt brass		■			
MAME 13	Sim. to matt stainless steel / mid section polished chrome	■		■		■
MAME 21 MAME 22	Polished chrome	■				■
	Sim. to matt stainless steel			■		
	Polished brass		■			
MAME 30	Sim. to matt stainless steel			■		
MAME 31	Sim. to matt stainless steel / Wenge			■		
	Sim. to matt stainless steel / Beech			■		
MAME 33	Matt stainless steel			■		
MAME 41	Polished chrome / Handle backplate polished chrome	■				■
	Polished chrome / Handle backplate matt chrome	■			■	■
	Sim. to polished stainless steel / Handle backplate sim. to matt stainless steel			■		
	Polished chrome	■				■
MAME 42 MAME 43	Sim. to matt stainless steel			■		
	Polished brass		■			
	Alu silver EV 1 (101)				■	
DORMA Studio Classic Article No. 10.010	Alu sim. to matt stainless steel (107)			■		
	Alu silver EV 1 (101)				■	
DORMA Studio Rondo Article No. 10.301 Article No. 10.314	Alu sim. to matt stainless steel (107)			■		
	Brass polished varnished (502)		■			
	Alu silver EV 1 (101)				■	
DORMA Studio Gala Article No. 19.009	Alu sim. to matt stainless steel (107)			■		
	Brass polished chromed (501)	■				
	Brass polished varnished (502)		■			
DORMA ARCOS Studio Article No. 24.301	Alu EV 1-Deco (114)					
	Alu sim. to matt stainless steel (107)			■		
	Brass polished chromed (501)	■				■
	Brass polished varnished (502)		■			
DORMA ARCOS Studio Article No. 24.303	Alu EV 1-Deco (114)					
	Alu sim. to matt stainless steel (107)			■		

DORMA ARCOS Studio / Office			Bänder und Schlösser				DORMA MEDIO	
Brass polished varnished (502)	Alu sim. to matt stainless steel (107)	Alu EV 1-Deco (114)	Brass polished chromed (501)	Brass polished varnished (502)	Alu sim. to matt stainless steel (107)	Alu silver EV 1 (101)	Alu sim. to matt stainless steel (107)	
■			■	■			■	
■			■	■			■	
	■		■		■		■	
	■		■		■		■	
■				■			■	
	■		■		■		■	
	■		■		■		■	
■				■			■	
	■		■		■		■	
	■				■		■	
	■				■		■	
	■				■		■	
	■		■			■	■	
	■		■		■		■	
■				■			■	
					■	■	■	
	■				■		■	
■				■			■	
	■				■	■	■	
		■						
	■		■		■		■	
■				■			■	
	■	■			■		■	

LEVER HANDLES +
PULL HANDLES

Color charts

Standard surface finishes
and colors

101
Alu silver EV1




114
Alu EV1-Deco




102
Alu champagne




103
Alu silver brillant



107
Alu similar to stainless steel matt



113
C31




108
Alu dark bronze DB 14




300
Special coated color RAL 9016



105
Alu brass colored EV 3




502
Brass polished varnished




501
Brass polished chromed



700
Satin stainless steel



701
Polished stainless steel



304
Special coated color

Warning: The printed colors of the depicted finishes are not 100 % accurate. For guidance only.

For further product finishes, please consult the corresponding product group.

Color charts, Desk-top samples, Sample case



Art. No. Description

€/Piece

Color charts**10.902 Alu anodized / color coated**

Alu silver EV 1 (101), Alu EV 1-Deco (114),
 Alu champagne (102), Alu silver brillant (103),
 Alu brass colored EV 3 (105),
 Alu brass colored brillant (106),
 Alu sim. to matt stainless steel (107),
 Alu dark bronze DB 14 (108),
 Special coated color RAL 9016 (300)

net

20.00**10.903 Brass,**

Brass satin chromed (500),
 Brass polished chromed (501),
 Brass polished varnished (502)

net

20.00**10.904 Stainless steel,**

Satin stainless steel (700),
 Polished stainless steel (701)

net

7.00

Mobile presentation unit – Hardware/fittings



MOBILE PRESENTATION UNIT

and other exhibition modules can be found in our brochure "Exhibition Concepts" (WN 800.51.517.6.32).



Art. No. Description

€/Module



Mobile presentation unit – Doors

Dimensions: 1.95 x 2.0 x 0.6 m
(incl. glass and hardware)

90.001 black

net

895.00

90.003 white

net

895.00



Mobile presentation unit – Showers

Dimensions: 1.95 x 2.0 x 0.6 m
(incl. glass and hardware)

90.002 black

net

895.00

90.004 white

net

895.00



57.247 Presentation unit – Glass design

Dimensions: 2.0 x 1.8 x 1.8 m
(excl. glass and hardware)

net

99.00



57.267 Presentation unit – MONO

Dimensions: 219 x 892 x 600 mm
(excl. glass and hardware)

net

80.00



57.109 Presentation unit – SMALL

Swing action/Slide action
Dimensions: 2.45 x 2.15 x 0.6 m
(excl. glass and hardware)

net

1100.00

Color charts, Desk-top samples, Sample case




Art. No. Description

Base parts (000) Alu EV1- Deco (114) Alu sim. matt stainless steel (107)

€/Piece €/Piece €/Piece

Desk-top samples



ARCOS Studio


- comprising
- TSG glass panel 40 x 35 cm, incl. feet
 - ARCOS Studio lock, unlockable
 - ARCOS Studio hinges
 - ARCOS lever handles (with bushing)

24.991 Clear glass version

24.992 Satinized glass version

24.993 Mastercarré version

net	net
138.00	200.00
net	net
138.00	200.00
net	net
138.00	200.00



ARCOS Office


- comprising
- TSG panels 40 x 35 cm, incl. feet
 - ARCOS Office PZ (europrofile) lock
 - ARCOS Office hinges
 - ARCOS lever handles (with rose)
 - Profile cylinder

25.991 Clear glass version

25.992 Satinized glass version

25.993 Mastercarré version


net	net
150.00	212.00
net	net
150.00	212.00
net	net
	212.00



TENSOR

12.553 Wall/frame fixing system with surface mounting plate

net
281.00



12.555 Glass-to-glass fixing

net
394.00

Sample case


24.998 ARCOS – sample case for consultations and presentations, made of plastics

net
228.00

Table demo unit for shower fittings included in the shower systems price list



Dimension sheet for odd-sized swing doors

(Applicable to all drill patterns)



Door: _____

Fitting: _____




Standard dimensions table

Door widths (in mm)			Door heights (in mm)		
Frame rebate width	Timber door width	Glass door width	Frame rebate height	Timber door height	Glass door height
716	735	709	1983	1985	1972
841	860	834	2108	2110	2097
966	985	959			

Drill pattern A

Hinge drill pattern: Studio

Lock drill pattern: Studio




TBB = Door leaf width (timber door)
TBH = Door leaf height (timber door)
OKFF = Finished floor level (FFL)

Drill pattern B

Hinge drill pattern: Office

Lock drill pattern: Studio




TBB = Door leaf width (timber door)
TBH = Door leaf height (timber door)
OKFF = Finished floor level (FFL)

Drill pattern C

Hinge drill pattern: Office

Lock drill pattern: MEDIO




TBB = Door leaf width (timber door)
TBH = Door leaf height (timber door)
OKFF = Finished floor level (FFL)

Drill pattern D

Hinge drill pattern: Office

Lock drill pattern: Office



TBB = Door leaf width (timber door)
TBH = Door leaf height (timber door)
OKFF = Finished floor level (FFL)

Pivoting doors

Please fax to +49 5244 9067 219

Enquiry ☐Order ☐

Company _____

Name _____

Street address _____

Postal code, town _____

Con./Order No. _____

Phone _____

Fax _____

E-Mail _____



Date _____

Signature _____

Glass

Model _____ Quantity _____

Glass thickness ☐ 8 mm ☐ 10 mm**Glass dimensions**
☐ Glass dimensions:
 Width _____ mm Height _____ mm

☐ See enclosed dimension sheet*
Handing direction and structural face**Hinge drill pattern/Lock drill pattern**
☐ Drill pattern A Studio/Studio ☐ Drill pattern B Office/Studio ☐ Drill pattern C Office/MEDIO ☐ Drill pattern D Office/Office
Fitting
☐ Studio Classic ☐ MEDIO
☐ Studio Rondo ☐ ARCOS Office
☐ Studio Gala ☐ Junior Office
☐ ARCOS Studio ☐ Junior Office Classic

☐ 2-part hinges
☐ 3-part hinges
 Surface finish _____
 Quantity _____
Lock option
☐ unlockable, lever handle at the front ☐ unlockable, lever handle at the rear ☐ warded lever lock
☐ Prepared for PZ (europrofile cylinder) ☐ WC with bolt thumbturn

Lever handle set _____ Quantity _____

Surface finish _____

***Note:** The MAME drawing wizard enables you to quickly sketch a glass door to facilitate order placement. If you require, we will be glad to provide you with the Excel-based program free of charge.

The contractual transaction and supply are exclusively subject to our General Terms and Conditions of Business of the companies of the DORMA Group (latest edition April 1, 2008) which you can view at our head office and on the internet at <http://www.provitris.com/navi-klein/agb/>, and which we will also be glad to send you on request.

Sliding doors

Please fax to +49 5244 9067 219

Enquiry ☐Order ☐

Company _____

Name _____

Street address _____

Postal code, town _____

Con./Order No. _____

Phone _____

Fax _____

E-Mail _____

Date _____

Signature _____

Glass

Model _____ Quantity _____

Glass thickness☐ 8 mm☐ 10 mm**Door dimensions***☐ Glass dimensions:

Width _____ mm Height _____ mm

☐ Clear passage width

Width _____ mm Height _____ mm

Closing direction (as seen looking at the hardware fittings)☐ left-closing☐ right-closing**Fitting**☐ AGILE 50☐ RS 40☐ AGILE 150☐ RS 120☐ AGILE 150 DORMOTION☐ MANET COMPACT**Décor on the**☐ hardware side☐ side opposite to the hardware☐ RSP 80

Quantity _____

Surface finish _____

Installation situation☐ 1 panel☐ 2 panel☐ Wall fixing☐ Timber application☐ Ceiling fixing☐ Frame face fixing / Wall

Frame outside dimensions:

Width _____ mm Height _____ mm

Pull handle pair☐ Recessed pull grip: Model _____

Surface finish _____

☐ Bar-type pull handle: Modell _____

Surface finish _____

***Note:** The MAME drawing wizard enables you to quickly sketch a glass door to facilitate order placement. If you require, we will be glad to provide you with the Excel-based program free of charge.

The contractual transaction and supply are exclusively subject to our General Terms and Conditions of Business of the companies of the DORMA Group (latest edition April 1, 2008) which you can view at our head office and on the internet at <http://www.provitris.com/navi-klein/agb/>, and which we will also be glad to send you on request.

MSTS 5000 Vario partitioning system

Please fax to +49 5244 9067 219













Customer:

Consignment:

Date:




Door arrangement ☐  ☐  ☐  ☐ per sketch

☐  ☐  ☐ 

Finish	Element 1	Element 2	Element 3	Element 4	Element 5	Element 6
Infill front face						
Room divider?	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Yes <input type="checkbox"/> No
Infill rear face						

Ceiling track ☐  ☐  ☐  Length mm

End caps ☐ left ☐ right





Floor track ☐  ☐  ☐  Length mm

End caps ☐ left ☐ right


End stop combination for floor and ceiling tracks pieces




Advance track supply? ☐ No ☐ Yes – please note there will be additional freight costs

Clear headroom from top edge of finished floor

Wall face fixing (e.g. door passageway)	Ceiling fixing
	
Left mm	Left mm
Center mm	Center mm
Right mm	Right mm
	

Clear headroom –
please take into account skirting boards or covers!

Clear niche width ☐ 

Clear through-passage width ☐  ☐  ☐ 

Top mm

Center mm

Bottom mm

Aluminum wall connection section
☐ left ☐ right

Sketch / Remarks

***Note:** The MAME drawing wizard enables you to quickly sketch a glass door to facilitate order placement. If you require, we will be glad to provide you with the Excel-based program free of charge.

The contractual transaction and supply are exclusively subject to our General Terms and Conditions of Business of the companies of the DORMA Group (latest edition April 1, 2008) which you can view at our head office and on the internet at <http://www.provitris.com/navi-klein-agb/>, and which we will also be glad to send you on request.

BB	= Warded lever lock
ESG	= Single-pane toughened safety glass
FB	= Panel width
KS	= Plastics
L	= Left
LM	= Light metal (Aluminum)
MS	= Brass
MS pol.	= Polished brass
MS pol. lack.	= Polished, lacquered brass
Niro	= Stainless steel
OKFF	= Finished floor level (FFL)
PT	= Double-action door
PVD	= Special surface treatment
PZ	= Europrofile cylinder
R	= Right
TBB	= Door leaf width
TBH	= Door leaf height
UV	= Unlockable
VG	= Laminated glass (LG)
VSG	= Laminated safety glass (LSG)

Notes
